



Vishay Sfernice

ESCC (4001/023 Qualified High Precision (5 ppm, 0.01 %), Thin Film Chip Resistors



Vishay Sfernice Thin Film division holds ESCC QML qualification (ESCC technology flow qualification).

These High-Rel. components are ideal for low noise and precision applications, superior stability, low temperature coefficient of resistance, and low voltage coefficient, Vishay Sfernice's precision thin film wraparound resistors exceed requirements of MIL-PRF-55342G characteristics Y (± 10 ppm/°C).

FEATURES

HALOGEN FREE

- Load life stability at ± 70 °C for 2000 h: 0.15 % under Pn
- Low temperature coefficient down to ± 5 ppm/°C
- Very low noise (< -35 dB) and voltage coefficient (< 0.01 ppm/V)
- Resistance range: 10 Ω to 3 M Ω (depending on size)
- Laser trimmed tolerances to ± 0.01 %
- TCR in lot tracking ≤ 5 ppm/°C
- Termination: Thin film technology
- SnPb terminations over nickel barrier
- ESCC 4001 (generic specifications)
- ESCC 4001/023 (detailed specifications)
- ESCC qualified
- SMD wraparound chip resistor
- Operating temperature range: -65 °C to +155 °C
- From 0402 to 2010
- Material categorization: For definitions of compliance please see <u>www.vishay.com/doc?99912</u>

STANDARD	STANDARD ELECTRICAL SPECIFICATIONS							
MODEL	SIZE	ESCC VARIANT NUMBER	RESISTANCE RANGE Ω	RATED POWER AT + 70 °C (Pn) W ⁽¹⁾	LIMITING ELEMENT VOLTAGE (UL) V (1)	INSULATION VOLTAGE (U _i) V	TOLERANCE ± %	TEMPERATURE COEFFICIENT ± ppm/°C
PHR 0402 📀	0402	13 and 14	10 to 150K	0.05	30	50	0.01, 0.02, 0.05, 0.1	5, 10, 25
PHR 0603 💿	0603	01 and 05	10 to 500K	0.1	35	100	0.01, 0.02, 0.05, 0.1	5, 10, 25
PHR 0805 💿	0805	02 and 06	10 to 750K	0.125	75	200	0.01, 0.02, 0.05, 0.1	5, 10, 25
PHR 1206 📀	1206	03 and 07	10 to 3.5M	0.25	100	300	0.01, 0.02, 0.05, 0.1	5, 10, 25
PHR 2010 📀	2010	04 and 08	10 to 6M	0.50	150	300	0.01, 0.02, 0.05, 0.1	5, 10, 25

Note

(1) Limiting voltages and power rating are already derated (for maximum ratings admissible, refer to P chip: www.vishay.com/cod?53017).

CLIMATIC SPECIFICATIONS			
Operating temperature range	-65 °C; +155 °C		
Soldering temperature (T _{sol})	260 °C, immersion 10 s		

MECHANICAL	MECHANICAL SPECIFICATIONS				
Substrate material	Alumina				
Technology	Thin Film				
Film	Nickel Chromium with mineral passivation				
Protection	Epoxy and silicone				
Terminations	B type: SnPb over nickel barrier for solder reflow ⁽³⁾ G type: Gold				

Note


(2) For B terminations use recommended reflow profile #1 as per Application Note "Guidelines for Vishay Sfernice Resistive and Inductive Components" (document number: 52029)

ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishav.com/doc?91000





Vishay Sfernice



1/4 5 4 4 4 4											
VARIANT NUMBER	STYLE	-	4	I	В	(С	I)		E
NONDEN		MIN.	MAX.								
01, 05	0603	1.39	2.16	0.62	1.01	0.25	1.02	0.17	0.51	0.25	0.51
02, 06	0805	1.78	2.55	1.14	1.53	0.25	1.02	0.17	0.51	0.25	0.51
03, 07	1206	2.87	3.64	1.47	1.86	0.25	1.02	0.17	0.51	0.25	0.51
04, 08	2010	4.95	5.72	2.41	2.8	0.25	1.02	0.35	0.85	0.35	0.85
13, 14	0402	0.87	1.64	0.47	0.86	0.25	1.02	0.09	0.38	0.12	0.38
- ,		1		1							

TRACEABILITY DEFINITIONS

The two major traceability elements are defined as:

- The primary process lot number named Front End lot (FE lot). One "FE lot" is composed of several wafers issued from the same thin film deposition sequence.
- The date code named Batch Number (BN). The "BN" is defined after completion of the end of production testing sequence. The lot homogeneity is given by the "FE lot" and not by the "BN".

According to the applied rules validated by the ESCC through the product qualification, the following situations are agreed:

- Parts coming from different "FE lost" might have the same "BN".
- A maximum of two different "BN" might be applied to the same "FE lot" to enable the use of overruns from a previous PO.
- Unless requested / approved by the customer the "BN" will be 2 years old maximum.

SPECIFIC TRACEABILITY REQUIREMENTS

The following specific requirements have to be treated as:

- A customer who requires "Lot Homogeneity" has to mention it on the PO as "SINGLE PRODUCTION LOT".
- A customer who requires "Lot Homogeneity" in addition to a "Single Batch Number" has to mention it on the PO as "SINGLE PRODUCTION LOT AND OPTION R0101".

END OF PRODUCTION TESTING

Mandatory testing performed at the end of the production process:

- 100 % overload: Voltage √(6.25 Pn x Rn) or 2 UL whichever is less duration 2 s
- 100 % burn in: 168 h at Pn at 70 °C

OPTIONS

LOT VALIDATION TESTING

For procurement of qualified components, lot validation testing is not required and shall only be performed if specifically stipulated in the purchase order.

For procurement of unqualified components, lot validation testing shall be performed as stipulated in the purchase order. The need for lot validation testing shall be determined by the orderer.

When lot validation testing is required, it shall consist of the performance of one or more of the tests or subgroup test sequences of chart F4 indicated in the ESA Generic Specification ESCC 4001. The testing to be performed and the sample size shall be as stipulated in the purchase order. When procurement of more than one component type is involved from a family, range or series, the selection of representative samples shall also be stipulated in the purchase order.

Lot validation testing will be composed of one LVT charges and LVT samples:

- Lot validation test charges has to be ordered separately on purchase order.
- Lot validation samples have to be ordered separately on purchase orderer.


FINAL INSPECTION

If requested by the orderer a final inspection can be performed on site. Final inspection has to be stipulated separately on purchase order.



www.vishay.com

Vishay Sfernice



Note

• Suggested land pattern: According to IPC-7351A

QUALIFIED OHMIC RANGE (1)					
MODEL	ESCC VARIANT	OHMIC RANGE (Ω)	TOLERANCE (%)		
		10 to < 50	0.1		
PHR	01 to 08 and 13 to 14	50 to < 100	0.05 and 0.1		
		100 to < 250	0.02, 0.05 and 0.1		
		≥ 250	0.01, 0.02, 0.05 and 0.1		

QUALIFIED OHMIC RANGE (1)						
MODEL	ESCC VARIANT	OHMIC RANGE (Ω)	TEMPERATURE COEFFICIENT (ppm/°C)	ESCC CODE		
	01 to 08 and 13 to 14	10 to < 20	E: 25 (-55 °C; +155 °C)	2		
PHR		20 to < 50	E: 25 (-55 °C; +155 °C) Y: 10 (-55 °C; +155 °C) Z: 5 (+22 °C; +70 °C)	2 1 0		
PHR		≥ 50	E: 25 (-55 °C; +155 °C) Y: 10 (-55 °C; +155 °C) Z: 5 (+22 °C; +70 °C) C: 5 (-55 °C; +155 °C)	2 1 0 9		

QUALIFIED OHMIC RANGE: MAX. VALUE (1)					
PHR 0402	PHR 0603	PHR 0805	PHR 1206	PHR 2010	
100 kΩ (67 kΩ for TCR C)	200 kΩ (160 kΩ for TCR C)	250 kΩ	1 ΜΩ	3 ΜΩ	

Note

POPULAR OPTIONS

OPTION 0041

Production according to ESCC 4001/023 for: Cases, ohmic values, tolerance or TCR outside of qualified range. Please consult Vishay Sfernice for feasibility.

PACK	PACKAGING						
, , ,	Two types of packaging are available: Waffle-pack and tape and reel.						
	NUMBER O	F PIECES PEI	R PACKAGE				
SIZE	WAFFLE						
	PACK 2" × 2"	MIN.	MAX.	WIDTH			
0402			5000				
0603	100		3000				
0805		50	4000	8 mm			
1206	140		4000				
2010	60		2000				


Note

(2) MoQ: 50 pieces

EXTENDED FEATURES

You may consult Vishay Sfernice for chip sizes, ohmic values and tolerances outside of the qualified range.

POWER DERATING CURVE



⁽¹⁾ For values, TCR, tolerance outside of qualified range: Please consult.





www.vishay.com

Vishay Sfernice

PERFORMANCE					
TEST	CONDITIONS	REQUIREMEN	TYPICAL		
1231	CONDITIONS	ESA/SCC 4001/023	MIL-PRF-55342G	TIPIOAL	
Short time overload	$U = \sqrt{(6.25 \text{ Pn x Rn})}$ $U_{\text{max.}} < 2 \text{ UL - 2 s}$	± 0.05 % + (0.05 Ω x 100/Rn)	0.10 %	± 0.01 %	
Rapid temperature change	-55 °C / +155 °C 5 cycles CEI 66-2-14 Test Na	± 0.05 % + (0.05 Ω x 100/Rn)	0.1 % (for 100 cycles)	± 0.01 % ± 0.015 % (for 500 cycles)	
Soldering (thermal shock)	260 °C / 10 s CEI 68-2-20 A Test T6 (met. 1A)	± 0.05 % + (0.05 Ω x 100/Rn)	-	± 0.005 %	
Terminal strength: adhesion bend strength of end plated facing	CEI 115-1 Clause 4.32 CEI 115-1 Clause 4.33	± 0.05 % + (0.05 Ω x 100/Rn)	-	± 0.01 %	
Climatic sequence	CEI 67-2-1 / CEI 68-2-2 CEI 67-2-13 / CEI 68-2-30	± 0.10 % + (0.05 Ω x 100/Rn)	-	$\pm~0.02~\%$ Insulation resistance > 1 $G\Omega$	
Load life	2000 h Pn at +70 °C 90' / 30' cycle	± 0.15 % + (0.05 Ω x 100/Rn)	0.5 %	$\pm~0.02~\%$ Insulation resistance > 1 $G\Omega$	
High temperature exposure	2000 h Pn at +155 °C CEI 68-2-20A Test B	± 0.15 % + (0.05 Ω x 100/Rn)	± 0.10 % (duration 1000 h)	$\pm~0.05~\%$ Insulation resistance > 1 $G\Omega$	

ESCC/PHR CODIFICAT	CC/PHR CODIFICATION CORRESPONDANCE TABLES					
VARIANT	MODEL	CASE SIZE	TERMINATION			
13		0402				
01]	0603				
02	1	0805	B (tin/lead)			
03	Bus	1206				
04		2010				
14	- PHR	0402				
05		0603				
06]	0805	G (gold)			
07	1	1206				
08]	2010				

ESCC/PHR CODIFICATION CORRESPONDANCE TABLES				
TEMPERATURE COEFFICIENT	ESCC CODE	PHR CODE		
5 ppm/°C (+22 °C; +70 °C)	0	Z		
10 ppm/°C (-55 °C; +155 °C)	1	Y		
25 ppm/°C (-55 °C; +155 °C)	2	E		
5 ppm/°C (-55 °C; +155 °C)	9	С		


ESCC/PHR CODIFICATION CORRESPONDANCE TABLES					
TOLERANCE	ESCC CODE	PHR CODE			
0.1 %	В	В			
0.05 %	W	W			
0.02 %	Р	Р			
0.01 %	L	L			






www.vishay.com

Vishay Sfernice



Note

Terminations B: Variants 01 / 03 / 05 / 07 and 13
Terminations G: Variants 02 / 04 / 06 / 08 and 14



CODIFICATION PACKAGING - Waffle Pack	
CODE 18	PACKAGING
W	25 min. (100 min. for size 0402), 1 mult
WA	100 min., 100 mult ⁽¹⁾

CODIFICATION PACKAGING - Plastic Tape (2)		
CODE 18	PACKAGING	
Т	50 min. (100 min. for size 0402), 1 mult	
TA	100 min., 100 mult	
TB	250 min., 250 mult	
TC	500 min., 500 mult	
TD	1000 min., 1000 mult	
TE	2500 min., 2500 mult	
TF	Full tape (3)	

CODIFICATION PACKAGING - Paper Tape (2)	
CODE 18	PACKAGING
PT	100 min., 1 mult
PA	100 min., 100 mult
PB	250 min., 250 mult
PC	500 min., 500 mult
PD	1000 min., 1000 mult
PE	2500 min., 2500 mult
PF	Full tape (3)

Notes

- (1) Available only in size 1206.
- (2) Plastic tape in standard for all sizes except 0402. Paper tape in standard for size 0402 (option for other sizes. Availability to be checked with factory).
- (3) Qty. depending on size of chips.



Legal Disclaimer Notice

Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Material Category Policy

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as Halogen-Free follow Halogen-Free requirements as per JEDEC JS709A standards. Please note that some Vishay documentation may still make reference to the IEC 61249-2-21 definition. We confirm that all the products identified as being compliant to IEC 61249-2-21 conform to JEDEC JS709A standards.

Revision: 02-Oct-12 Document Number: 91000