

P17 Tempra and Hypra Plugs and Sockets

For safe connection which you can depend on. Ensures the protection of personnel at electrical installation



P17 Tempra plugs and sockets



Hypra multipin connectors



Hypra prisinter and Hypra plugs and sockets



Metra metallic plugs and sockets



P17 Tempra combined units



Metallic plug and socket DB's

Plugs and sockets

Cat. nos.	Description	LP* Rs. / Unit	Pack
-----------	-------------	----------------------	------

P17 Tempra Industrial Plugs & Sockets

Sockets

Surface Mounting Sockets - IP 44, IK 09

555 53	250 V AC, 50 Hz, 16A/20A, 2P + E	659	10
555 73	250 V AC, 50 Hz, 32 A, 2P + E	692	10
555 57	415 V AC, 50 Hz, 16A/20A, 3P + E	668	10
555 58	415 V AC, 50 Hz, 16A/20A, 3P + N + E	687	10
555 77	415 V AC, 50 Hz, 32 A, 3P + E	736	10
555 78	415 V AC, 50 Hz, 32 A, 3P + N + E	774	10

Mobile socket IP-44, IK 09

575 14	250 V AC, 50 Hz, 16A/20A, 2P + E	418	10
582 14	250 V AC, 50 Hz, 32 A, 2P + E	597	10
575 18	415 V AC, 50 Hz, 16A/20A, 3P + E	475	10
575 19	415 V AC, 50 Hz, 16A/20A, 3P + N + E	522	10
582 18	415 V AC, 50 Hz, 32 A, 3P + E	624	10
582 19	415 V AC, 50 Hz, 32 A, 3P + N + E	811	10

Plugs

Straight plug IP-44, IK 09

574 34	250 V AC, 50 Hz, 16A/20A, 2P + E	338	10
581 34	250 V AC, 50 Hz, 32 A, 2P + E	431	10
574 38	415 V AC, 50 Hz, 16A/20A, 3P + E	338	10
574 39	415 V AC, 50 Hz, 16A/20A, 3P + N + E	355	10
581 38	415 V AC, 50 Hz, 32 A, 3P + E	456	10
581 39	415 V AC, 50 Hz, 32 A, 3P + N + E	532	10

P17 Tempra industrial plugs and sockets

Sockets

Surface mounting sockets - IP66/67 - IK 09

587 45	415 V, 63 A, 3P+N+E	2660	2
591 07	415 V, 125 A, 3P+N+E	10815	1

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Plugs and sockets

Cat. nos.	Description	LP* Rs. / Unit	Pack
-----------	-------------	----------------------	------

Panel mounting sockets - Inclined IP 44,IK 09

576 11	250 V, 16A/20A, 2P+E	303	5/50
576 12	250 V, 32 A, 2P+E	474	5/25
576 17	415 V, 16A/20A, 3P+E	453	5/26
576 23	415 V, 16A/20A, 3P+N+E	567	5/27
576 18	415 V, 32 A, 3P+E	628	5/25
576 24	415 V, 32 A, 3P+N+E	674	5/25

Panel mounting sockets - Inclined IP66/67 - IK 09

576 51	250 V, 16A/20A, 2P+E	972	5/50
576 52	250 V, 32 A, 2P+E	1346	5/25
576 58	415 V, 32 A, 3P+E	1350	5/25
576 64	415 V, 32 A, 3P+N+E	1367	5/25
587 25	415 V, 63 A, 3P+N+E	2473	2
591 17	415 V, 125 A, 3P+N+E	8660	1

Panel mounting sockets - Straight IP 44,IK 09

573 54	250 V, 16A/20A, 2P+E	422	5/50
580 54	250 V, 32 A, 2P+E	654	5/25
573 58	415 V, 16A/20A, 3P+E	580	5/50
573 59	415 V, 16A/20A, 3P+N+E	804	5/50
580 58	415 V, 32 A, 3P+E	683	5/50
580 59	415 V, 32 A, 3P+N+E	726	5/25

Mobile sockets - IP66/67 - IK 09-7

587 15	415 V, 63 A, 3P+N+E	2993	2
591 37	415 V, 125 A, 3P+N+E	10824	1

Plugs

Straight plugs - IP66/67 - IK 09

563 03	240 V, 16A/20A, 2P+E	855	5/20
563 23	240 V, 32 A, 2P+E	1232	5/20
563 27	415 V, 32 A, 3P+E	1250	5/20
563 28	415 V, 32 A, 3P+N+E	1290	5/20
587 04	415V, 63A, 3P+E	1887	2
587 05	415 V, 63 A, 3P+N+E	2016	2
591 27	415 V, 125 A, 3P+N+E	8653	1

P17 Tempra Combined Units

With interlocked switched sockets and surface mounting box IP 44

566 01	250 V, 16A/20A, 2P+E	3790	1
566 09	250 V, 32 A, 2P+E	4519	1
566 13	415 V, 32 A, 3P+E	5249	1
566 14	415 V, 32 A, 3P+N+E	5392	1


With interlocked switched sockets and surface mounting box IP 55

566 21	250 V, 16A/20A, 2P+E	4229	1
566 29	250 V, 32 A, 2P+E	4811	1
566 33	415 V, 32 A, 3P+E	5688	1
566 34	415 V, 32 A, 3P+N+E	5831	1

Bold cat. nos. are products normally available with Legrand (India) Stockists. Cat nos. that are not bold - delivery within 4 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

P17 Tempra Plugs & Sockets

Clip it on - it is locked...



- The larger body size makes wiring very easy



- Maximum safety: The elongated earth pin is disconnected last.



- For surface mounting sockets: The unit clips directly onto the base.

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Plugs and sockets

Cat. nos.	Description	LP* Rs. / Unit	Pack
-----------	-------------	-------------------	------

With interlocked switched sockets and surface mounting box IP 44 with DIN rail for 5 module Lexic protection

566 41	250 V, 16A/20A, 2P+E	3866	1
566 49	250 V, 32 A, 2P+E	4664	1
566 53	415 V, 32 A, 3P+E	5322	1
566 54	415 V, 32 A, 3P+N+E	5465	1



566 41



566 74

With interlocked switched sockets and surface mounting box IP 66 with DIN rail for 5 module Lexic protection

566 61	250 V, 16 A, 2P+E	4374	1
566 69	250 V, 32 A, 2P+E	5028	1
566 73	415 V, 32 A, 3P+E	5757	1
566 74	415 V, 32 A, 3P+N+E	5867	1

With interlocked switched sockets and without surface mounting box IP 44


572 01	250 V, 16 A, 2P+E	3298	1
572 09	250 V, 32 A, 2P+E	3898	1
572 13	415 V, 32 A, 3P+E	4499	1
572 14	415 V, 32 A, 3P+N+E	4861	1



572 09

With interlocked switched sockets and without surface mounting box IP 55

572 21	250 V, 16 A, 2P+E	3506	1
572 29	250 V, 32 A, 2P+E	4043	1
572 33	415 V, 32 A, 3P+E	4706	1
572 34	415 V, 32 A, 3P+N+E	5247	1
572 95	415 V, 63 A, 3P+N+E, IP 66	14451	1
577 00	Base box for 572 95	2134	1



572 34

P17 Tempra combined Units

With interlocktd switched sockets IP 66

572 98	380 to 415 V, 50/60 Hz, 63 A, 3P + E	11847	1
589 10	380 to 415 V, 50/60 Hz, 63 A, 3P + N + E	13718	1
589 18	380 to 415 V, 50/60 Hz, 63A, 3P + E with provision for 5 module Lexic protection	15588	1
572 99	380 to 415 V, 50/60 Hz, 63A, 3P+ N + E with provision for 5 module Lexic protection	17209	1



572 98
589 10

589 18
572 99

P17 Combined Unit to be Equiped bases for 125 x 220 mm face plates

57710	surface mounting box - upto 2 sockets	541	2
58938	surface mounting box with 5 module dinrail - upto 2 sockets	1545	1
57705	surface mounting box with 12 module dinrail - upto 4 sockets	3421	1
57706	surface mounting box with 18 module dinrail - upto 6 sockets	4631	1



577 10



577 05

Bold cat. nos. are products normally available with Legrand (India) Stockists. Cat nos. that are not bold - delivery within 4 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Plugs and sockets

Cat. nos.	Polarity	LP* Rs. / Unit	Pack
-----------	----------	----------------------	------

Face plates 125 x 220 mm without sockets

57712	For 1 x 16 A or 32 - upto A socket	526	5
57713	For 2 x 16 A - upto sockets	689	5
57717	For 1 x 63 A - upto sockets	631	5
57715	Blanking Plate	465	5

Bases for 125 x 280 mm faceplates

57711	surface mounting box - upto 3 sockets	570	3
57720	surface mounting box with 5 module dinrail - upto 3 sockets	1734	1
57703	surface mounting box with 12 module dinrail - upto 6 sockets	3418	1
57704	surface mounting box with 18 module dinrail - upto 9 sockets	4745	1

Face plates 125 x 280 mm without sockets

57718	For 2 x 16 A and / or 32 A sockets	818	4
57719	For 1 x 16 A or 32 A socket and 1 x 63 A socket	807	2
57714	For 3 x 16 A sockets	940	4
57716	Blanking Plate	541	4

For Refrigerated Containers - 32 A - 440 V AC 3P+E, IP66/67, IK09, 3H

6571 06	Plastic Combined Unit with interlocked switched socket	8600	1
6571 26	Straight Plug	847	1
6571 46	Mobile Socket	1018	1

P17 Tempra panel mounting sockets (schuko type) - IP 54, IK 09

576 72	250 VAC, 16A, 2P + E Blue	383	20
576 69	250 VAC, 16A, 2P + E White with small flange	210	20
576 70	250 VAC, 16A, 2 P + E Blue with small flange	210	20

Hypra industrial plugs and sockets

Prisinter panel mounting sockets - IP 44, IK 09

520 02	230 V, 16 A, 2P+E	6432	1/10
527 02	230 V, 32 A, 2P+E	6735	1/6
529 03	415 V, 32 A, 3P+E	7088	1/6
529 04	415 V, 32 A, 3P+N+E	8192	1/6
536 04	415 V, 63 A, 3P+N+E	21396	1

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Hypra multipin connectors

Cat. nos.	Polarity	LP* Rs. / Unit	Pack
-----------	----------	----------------------	------

Panel mounting sockets - Inclined IP 44, IK 09

522 23	415 V, 16 A, 3P+E	1015	5/50
538 23	415 V, 63 A, 3P+E	3056	1

Panel mounting sockets - Inclined IP 66/67, IK 09

591 13	415 V, 125 A, 3P+N+E	10429	1
--------	----------------------	-------	---

Mobile sockets - IP 44, IK 09

522 83	415 V, 16 A, 3P+E	2300	5/50
--------	-------------------	------	------

Mobile sockets - IIP 66/67

591 33	415 V, 125 A, 3P+N+E	12787	1/4
--------	----------------------	-------	-----

Plugs

Straight plugs - IP 44, IK 09

520 42	250 V, 16 A, 2P+E	1050	5/50
527 42	250 V, 32 A, 2P+E	1348	1/5
522 43	415 V, 16 A, 3P+E	1782	5/50
529 43	415 V, 32 A, 3P+E	1746	5/50
529 44	415 V, 32 A, 3P+N+E	1882	5/15
538 43	415 V, 63 A, 3P+E	4366	1/5
538 44	415 V, 63 A, 3P+N+E	6083	1/5

Straight plugs - IP 66/67, IK 09

591 23	415 V, 125 A, 3P+N+E	10238	1/4
--------	----------------------	-------	-----

Hypra multipin connectors

Kit offer

Voltage rating - 500 V,

Current Rating - 16 A

Side entry Plug + Flush Mounting socket

52600	6P+E	1780	3
52601	10P+E	2041	3
52602	16P+E	2427	3
52603	24P+E	2611	3
52604	32P+E	8317	2

Top entry plug + Flush mounting socket

52610	6P+E	1922	3
52611	10P+E	2194	3
52612	16P+E	2515	3
52613	24P+E	2907	3
52614	32P+E	8512	2

Side entry plug + Surface mounting socket

52606	6P+E	2062	3
52607	10P+E	2350	3
52608	16P+E	2882	3
52609	24P+E	3063	3

Side entry plug + Flush mounting socket - screwless clamp connection

52620	6P+E	2070	3
52621	10P+E	2446	3
52622	16P+E	2800	3
52623	24P+E	3332	3
52624	32P+E	9270	2

Bold cat. nos. are products normally available with Legrand (India) Stockists. Cat nos. that are not bold - delivery within 4 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Hypra multipin connectors

Cat. nos.	Polarity	LP* Rs. / Unit	Pack
-----------	----------	----------------------	------

Side entry plug with lock + Flush mounting socket with flap

53101	10P+E	3399	3
53102	16P+E	3502	3
53103	24P+E	4872	3

Voltage rating - 400 V , Current Rating - 32 A

Side entry Plug + Flush Mounting socket

526 05	6P+E	3291	2
--------	------	------	---

Top entry plug + Flush mounting socket

526 15	6P+E	3378	2
--------	------	------	---

Voltage rating - 400 V, Current Rating - 10 A

Mini-top entry plug + flush mounting socket

526 19	4P+E - plastic	2159	10
531 19	4P+E - metal	2678	8

Mini-top entry plug + flush mounting socket with side entry

531 21	4P+E - plastic	2627	8
531 23	4P+E - metal	3100	8

Mini-top entry plug + vertical hood socket

526 17	4P+E - plastic	2270	10
531 17	4P+E - metal	3193	8

Voltage rating - 250 V, Current Rating - 10 A

Mini-top entry plug + flush mounting socket

526 18	3P+E - plastic	1967	10
531 18	3P+E - metal	2472	8

Mini-top entry plug ,flush mounting socket with side entry

531 20	3P+E - plastic	2369	8
531 22	3P+E - metal	2977	8

Mini-top entry plug & vertical hood socket

526 16	3P+E - plastic	2078	10
531 16	3P+E - metal	2524	8

Function - offer

Voltage rating - 500 V, Current rating - 16 A.

Flush Mounting Socket with locking

526 52	6P+E	953	5
526 53	10P+E	1127	5
526 54	16P+E	1273	5
526 55	24P+E	1406	5
526 56	32P+E	4073	4
526 58	48P+E	5408	2

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Hypra multipin connectors

Cat. nos.	Polarity	LP* Rs. / Unit	Pack
-----------	----------	----------------------	------

Surface Mounting Socket with locking

526 60	6P+E	1230	5
526 61	10P+E	1440	5
526 62	16P+E	1643	5
526 63	24P+E	1864	5
526 65	48P+E	10815	2

Flush Mounting Socket with Flap

531 53	10P+E	1803	5
531 54	16P+E	2225	5
531 55	24P+E	2369	5
531 58	48P+E	6592	2

Surface Mounting Socket with Flap

531 61	10P+E	2158	5
531 62	16P+E	2379	5
531 63	24P+E	2668	5
531 65	48P+E	10867	2

Surface Mounting Socket with two cable entry

531 71	10P+E	2209	5
531 72	16P+E	2379	5
531 73	24P+E	2657	5

Top entry Socket with Locking

531 43	10P+E	1906	5
531 44	16P+E	2112	5
531 45	24P+E	2451	5

Side Entry Plug

526 30	6P+E	878	5
526 31	10P+E	962	5
526 32	16P+E	1092	5
526 33	24P+E	1263	5
526 34	32P+E	4297	4
526 36	48P+E	6077	2

Top Entry Plug

526 42	6P+E	1022	5
526 43	10P+E	1117	5
526 44	16P+E	1302	5
526 45	24P+E	1560	5
526 46	32P+E	4489	4
526 48	48P+E	6386	2

Side entry plug with Locking

531 31	10P+E	1777	5
531 32	16P+E	1957	5
531 33	24P+E	2292	5

Accessory - Protection Cover

526 70	6P+E	208	5
526 71	10P+E	208	5
526 76	16P+E	253	5
526 73	24P+E	253	5
526 74	32P+E	2270	5

Bold cat. nos. are products normally available with Legrand (India) Stockists. Cat nos. that are not bold - delivery within 4 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Hypra multipin connectors

Hypra multipin connectors

Total compatibility with the current standard

**Voltage rating - 400 V,
Current Rating - 32 A**

Flush Mounting socket with locking

526 57	6P+E	1708	4
--------	------	------	---

Top entry plug

526 47	6P+E	1745	4
--------	------	------	---

Side entry Plug

526 35	6P+E	1547	4
--------	------	------	---

Accessory - protection Cover

526 76	6P+E	253	5
--------	------	-----	---

**Voltage rating - 400 V,
Current Rating - 10 A**

Mini - Flush mounting socket with locking

526 51	4P+E - plastic	1117	10
531 51	4P+E - metal	1298	10

**Voltage rating - 400 V ,
Current Rating - 10 A**

Mini-top entry plug

526 41	4P+E - plastic	1069	10
531 41	4P+E - metal	1442	10

Mini-flush mounting socket with side entry

531 07	4P+E - plastic	1463	10
531 09	4P+E - metal	1555	10

Mini-Side entry Plug

531 11	4P+E - plastic	1076	10
531 13	4P+E - metal	1720	10

Mini-Vertical Hood Socket with locking

526 27	4P+E - plastic	1265	10
531 27	4P+E - metal	1694	10

**Voltage rating - 250 V ,
Current Rating - 10 A**

Mini - Flush mounting socket with locking

526 50	3P+E - plastic	981	10
531 50	3P+E - metal	1133	10

Mini-top entry plug

526 40	3P+E - plastic	1014	10
531 40	3P+E - metal	1411	10

Mini-flush mounting socket with side entry


531 06	3P+E - plastic	1318	10
531 08	3P+E - metal	1411	10

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.


**Weatherproof IP 55
(IP 65 with protective cover)
and impact resistant (IK 08)**




**A single screwdriver for
connecting and fixing**



**Tamperproof
system**



**Captive adhesive seals
ensuring weatherproof
protection**



**Double locking for greater
strength when suspended**

**Plastic fastener providing
resistance to corrosion**

⁽¹⁾Also available with spring terminals for automatic connection (complete kits 500V-16 A).

Bold cat. nos. are products normally available with Legrand (India) Stockists. Cat nos. that are not bold - delivery within 4 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Hypra multipin connectors

Cat. nos.	Description	LP* Rs. / Unit	Pack
-----------	-------------	----------------------	------

Mini-Side entry Plug

531 10	3P+E - plastic	1035	10
531 12	3P+E - metal	1700	10

Mini-Vertical Hood Socket with locking

526 26	3P+E - plastic	1129	10
531 26	3P+E - metal	1689	10

Accessory for mini range - Protection cover

526 68	3P+E/4P+E - plug	324	10
526 69	3P+E/4P+E - socket	376	10

Accessory for 6P+E to 48P+E

526 80	Foolproofing Pins	4635	10
--------	-------------------	------	----

Metra plugs and sockets

Plugs

Ivory

6500 22	240 V, 10 A, 2P+E	98	1/10/100
6500 28	240 V, 20 A, 2P+E	108	1/10/100

Grey

6500 02	240 V, 10 A, 2P+E	98	1/10/100
6500 08	240 V, 20 A, 2P+E	108	1/10/100
6500 10	440 V, 20 A, 3P+E	144	1/10/100
6500 16	440 V, 32 A, 3P+E	262	1/10/100

Metra plugs and sockets

Sockets


6500 03	240 V, 10 A, 2P+E With blue cap	100	1/10/100
6500 23	240 V, 10 A, 2P+E With ivory cap	100	1/10/100
6500 09	240 V, 20 A, 2P+E With blue cap	118	1/10/100
6500 29	240 V, 20 A, 2P+E With ivory cap	118	1/10/100
6500 11	440 V, 20 A, 3P+E With red cap	154	1/10/100
6500 17	440 V, 32 A, 3P+E With red cap	265	1/10/100

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

P17 Tempra Combined Units

closed... it's connected!

Fix the
base onto
the wall.




Automatic
connection between
the base and the
faceplate with the
Legrand plug-in
system.

Interlocked
socket wired on
the faceplate
independently of
the base.



Transparent window
For quick viewing of
protection devices.



Din rail
For full access to all Legrand
Lexic modular functions upto 5
module.



Double interlock
Switch cannot be turned on
unless a plug has been inserted
(1st safety position). Plug cannot
be removed when the switch is
on (2nd safety position).

Bold cat. nos. are products normally available with Legrand (India) Stockists. Cat nos. that are not bold - delivery within 4 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Lexic™

Earth Leakage Protection For Specialised Application

Type Hpi

Enhanced immunity to unwanted tripping in environments with disturbances. eg. diesels, computers, printers, thyristors, etc.



RCBO



RCCB

Refer p. 16

NOTES :

- All prices listed in this price list except Mosaic™ & Mylinc™ Wiring Accessories (p. 34-35) are given as List Price (LP) which is inclusive of Excise Duty but exclusive of Sales Tax or any other taxes. Sales Tax and local levies such as octroi, as applicable, will be charged at actuals.
- The prices of Mosaic™ & Mylinc™ Wiring Accessories (p. 34-45) are given as Maximum Retail Price (MRP) which is inclusive of all taxes.
- The prices of VDI Structured Cabling System (p. 58-63), are available on request.
- All prices are ex our works packed in paper cartons.
- Prices subject to change without notice. Prices charged will be as ruling at time of delivery. Any increase in statutory duty like excise will be to customer's account.
- All distribution boards, plug & socket enclosures, metal / plastic one-way enclosures are supplied without devices.
- Mosaic™ & Mylinc™ cover plates, DLP trunking, floor boxes, pop-up boxes and VDI distribution blocks are supplied without mechanisms.



Astro Rex Time Switches

Ideal for street lighting applications

Refer p. 21