







NOTES:

1. PCB AND BRACKET SHOWN FOR REFERENCE ONLY.
2. REF. SD-74547-100 FOR KEY POSITIONS
3. GUIDE HOUSING MOUNTING THREAD= M2 X 0.40, SEE SHEET 3 FOR SCREW LENGTH + TORQUE SPEC.
4. PLATE GROUND PAD WITH EMERSION SILVER OR GOLD.
5. THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC)
6. GUIDE HOUSING PEGS FOR ALIGNMENT ONLY, DO NOT SOLDER.

PART NUMBER	PORT SIZE	SW	OAW	KEY(S) PORT1	KEY(S) PORT2	KEY(S) PORT3	KEY(S) PORT4	IDENTIFIERS
745480200	4	76.30	80.00	1	1	1	1	SATA - 'X' CABLES
745480203	4	76.30	80.00	2,4	2,4	2,4	2,4	SAS OUT PORT
745480204	4	76.30	80.00	4,6	4,6	4,6	4,6	SAS IN PORT
745480205	4	76.30	80.00	4	4	4	4	SAS UNIVERSAL PORT
745480212	4	76.30	80.00	7	7	7	7	SATA - 'M' CABLES



I-PASS IS A TRADE MARK OF MOLEX.

ENTER DESCRIPTION EC NO: USY2006-0457 DRWN:SNAVARRO CHKD:BREED APPR:DDOYE		2006/06/12 2006/06/13	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
						mm	INCH	DRAWN BY SNAVARRO	DATE 2006/05/26	TITLE I-PASS 26CKT ZERO DEG. EMI GUIDE RAIL HOUSING ASSEMBLY, MULTI PORT	
					4 PLACES	± ---	± ---	CHECKED BY	DATE		
					3 PLACES	± ---	± ---	BREED	2006/05/26	MOLEX MOLEX INCORPORATED	
					2 PLACES	± 0.13	± ---	APPROVED BY	DATE		
					1 PLACE	± 0.25	± ---	DDOYE	2006/05/26	DOCUMENT NO. SD-74548-200	
					ANGULAR ±1/2°		MATERIAL NO.	SHEET NO. 1 OF 3			
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART				
							SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

F

E

D

C

B

A

F




E

D

C

B


A



PART NUMBER	PORT SIZE	SW	OAW	KEY(S) PORT1	KEY(S) PORT2	IDENTIFIERS
745480202	2	38.26	41.96	1	1	SATA - 'X' CABLES
745480206	2	38.26	41.96	2,4	2,4	SAS OUT PORT
745480207	2	38.26	41.96	4,6	4,6	SAS IN PORT
745480208	2	38.26	41.96	4	4	SAS UNIVERSAL PORT
745480213	2	38.26	41.96	7	7	SATA - 'M' CABLES
745480215	2	38.26	41.96	4,6	2,4	SAS IN PORT - SAS OUT PORT
745480216	2	38.26	41.96	2,4	4,6	SAS OUT PORT - SAS IN PORT

I-PASS IS A TRADE MARK OF MOLEX.

ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: USY2006-0457		2006/06/12		mm		MM ONLY		1:1		METRIC		THIRD ANGLE PROJECTION	
DRWN: SNAVARRO		2006/06/13		INCH		DRAWN BY		DATE		TITLE		I-PASS 26CKT ZERO DEG. EMI GUIDE RAIL HOUSING ASSEMBLY, MULTI PORT	
CHKD: BREED		2006/06/13		4 PLACES ± ---		CHECKED BY		DATE		MOLEX MOLEX INCORPORATED		SHEET NO.	
APPR: DDOYE		2006/06/13		3 PLACES ± ---		APPROVED BY		DATE		SD-74548-200		2 OF 3	
				2 PLACES ± 0.13		MATERIAL NO.		DOCUMENT NO.					
				1 PLACE ± 0.25		SEE CHART							
				ANGULAR ± 1/2°									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									



PART NUMBER	PORT SIZE	SW	OAW	KEY(S)	IDENTIFIERS
745480201	1	19.24	22.95	1	SATA - 'X' CABLES
745480209	1	19.24	22.95	2.4	SAS OUT PORT
745480210	1	19.24	22.95	4.6	SAS IN PORT
745480211	1	19.24	22.95	4	SAS UNIVERSAL PORT
745480214	1	19.24	22.95	7	SATA - 'M' CABLES

PCB THICKNESS	SCREW LENGTH	TORQUE (IN LBS)
1.6 (.063")	5MM	2.3
2.38 (.093")	6MM	2.3
3.2 (.125")	6MM	2.3
X	+4MM MAX	2.3

I-PASS™ IS A TRADE MARK OF MOLEX.

ENTER DESCRIPTION EC NO: USY2006-0457 DRWN: SNAVARRO 2006/06/12 CHKD: BREED 2006/06/13 APPR: DDOYE 2006/06/13	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY SNAVARRO	DATE 2006/05/26	TITLE I-PASS 26CKT ZERO DEG. EMI GUIDE RAIL HOUSING ASSEMBLY, MULTI PORT	
			4 PLACES	± ---	± ---	CHECKED BY BREED	DATE 2006/05/26	MOLEX MOLEX INCORPORATED	
			3 PLACES	± ---	± ---	APPROVED BY DDOYE	DATE 2006/05/26		
			2 PLACES	± 0.13	± ---	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-74548-200		
		1 PLACE	± 0.25	± ---	ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
					SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		