






10 9 8 7 6 5 4 3 2 1

F




8 CKT.




12 CKT.

E




9 CKT.



13 CKT.

D




10 CKT.




14 CKT.

C



11 CKT.





15 CKT.

B



極数の種類

KIND OF CKT. NO. (FRONT VIEW)

A



SECTION Y-Y



基板パターンレイアウト (参考)

RECOMMENDED P.C.B. PATTERN LAYOUT (REF.)

REVISED EC NO: J2013-0870 DRWN: KWASHIO CHKD: KASAKAWA APPR: Y01 ITO	2013/02/07 2013/02/13 2013/02/13	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			10 UNDER	±0.2	DRAWN BY T. MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE S/T REC. ASS'Y 8-15CKT.				
			10 OVER 30 UNDER	±0.25	CHECKED BY K. ASAKAWA	DATE 2006/08/28					
			30 OVER	±0.3	APPROVED BY Y0. ITO	DATE 2006/08/28	DOCUMENT NO. SD-502382-002				
			ANGULAR	±3 °	MATERIAL NO.						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
					SIZE A3						

9

8

7

6

5

4

3

2

tb_frame_A3_J_ME_S
Rev G 2012/01/25

