


注記 NOTES

1. 製品番号 52746-**-19 の梱包状態はアクチュエータがロックした状態とする。
詳細寸法については図面 SD-52746-028 を参照下さい。
IN THE PACKAGE,ACTUATOR OF PART NO.52746-**-19 SHOULD BE LOCKED
RE DETAILED DIMENSIONS,SEE SD-52746-028.

2. 梱包数量：1000個／リール
NUMBER OF CONNECTORS:1000PCS/REEL

3. リードテープ長さ LEAD TAPE LENGTH



4. 材料
キャリアテープ：ポリプロピレン (PP)
トップテープ：PET, PE, PEF
リール：ポリスチレン (PS) <リサイクル材を含む>



MATERIAL CARRIER TAPE:POLYPROPYLENE
TOP TAPE:PET,PE,PEF
REEL:POLYSTYREN(PS)
<RECYCLE MATERIAL CONTAINED>

5. 本製品は 52746-**-90 の鉛フリー品です

THIS PRODUCT IS LEAD FREE OF 52746-**-90





6. 本製品は乾燥剤入り、ハイバリア梱包仕様である。

THIS PRODUCT IS HIGH BARRIER PACKAGE WITH DESICCANT.



DETAIL F

REVISED EC NO: J2013-1579 2013/06/24 DRWN: INOUE01 2013/06/24 CHKD: H I J IMA 2013/07/02 APPR: YNOGAWA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± ---	DRAWN BY T. UENO	DATE '03/12/12	TITLE 0.5 FPC CONN ZIF SMT RA				
		10 OVER 30 UNDER	± ---	CHECKED BY M. SASAO	DATE '03/12/12					
		30 OVER	± ---	APPROVED BY M. SASAO	DATE '03/12/12	-LEAD FREE- molex				
		ANGULAR ± --- °		MATERIAL NO.						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART 20F2		SD-52746-029		1 OF 2			
	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



24	29.4	25.4	17.4	10.8	16.4	52746-2070	20
			16.9	10.3	15.9	↑ - 1970	19
			16.4	9.8	15.4	- 1870	18
			15.9	9.3	14.9	- 1770	17
			15.4	8.8	14.4	- 1670	16
			14.9	8.3	13.9	- 1570	15
			14.4	7.8	13.4	- 1470	14
			13.9	7.3	12.9	- 1370	13
			13.4	6.8	12.4	- 1270	12
			12.9	6.3	11.9	- 1170	11
			12.4	5.8	11.4	- 1070	10
			11.9	5.3	10.9	- 0970	9
			11.4	4.8	10.4	- 0870	8
			10.9	4.3	9.9	↓ - 0770	7
10.4	3.8	9.4	- 0670	6			
16	21.4	17.4	↙	2.8	8.4	52746-0470	4
キャリアテープ幅 CARRIER TAPE WIDTH	E	D	(C)	(B)	(A)	MATERIAL NO.	極数 CIRCUITS

REVISED EC NO: J2013-1579 DRAWN: INQUE01 CHK'D: H1J1MA APP'R: YN06AWA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE			
				MM ONLY		---	METRIC	PROJECTION			
		10 UNDER	± ---	DRAWN BY T.UENO	DATE '03/12/12	TITLE 0.5 FPC CONN ZIF SMT RA -LEAD FREE- molex					
		10 OVER 30 UNDER	± ---	CHECKED BY M.SASAO	DATE '03/12/12						
		30 OVER	± ---	APPROVED BY M.SASAO	DATE '03/12/12						
	ANGULAR ± --- °		MATERIAL NO.		DOCUMENT NO.			SHEET NO.			
REV	D	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52746-029				2 OF 2	
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

52746-1070