


REVISIONS		DDC. NO. SPC-FD05, Total Pages: 2	Effective 7/15/97, DCP No. 229	Supersedes DCP No. 103	
DCP #	REV	DESCRIPTION	DRAWN DATE	CHECKD DATE	APPRVD DATE
09	A	RELEASED	J.W.M. 10/8/97	J.C. 10/27/97	B.B. 11/4/97
421	B	Electronic file name changed	J.W.M. 2/5/98	J.C. 2/5/98	J.C. 2/5/98



NOTES:

Material: Nylon 6/6-HSO

Color: Black

Packed: 1000 to Bag

Max. Bundle Dia: .625 [15.88]

Min. Bundle Dia: .063 [1.59]

Min. Loop Tensile Strength: 18 lbs.

DISCLAIMER
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

SPC TECHNOLOGY
©1994, IL 60140-4444

Unless otherwise specified, dimensions are shown for reference only. Your own tests will determine the suitability of this product for your application.	DRAWN BY:	DATE:	DRAWING TITLE:	SPC TECHNOLOGY		
	Jeff McVicker	10/8/97	Cable Tie - Heat Stabilized			
CHECKED BY:		DATE:	SIZE	DWG. NO.	ELECTRONIC FILE	REV
JOHN COLE		10/27/97	A	8409-0366	16N856.dwg	B
APPROVED BY:		DATE:	SCALE:	U.O.M.: INCHES [mm]	SHEET:	1 OF 1
BRETT BRAATZ		11/4/97	NTS			
SPC-FD05.DWG						