


PRODUCT NO  
10064496-03R2C1F



9	BUTTON-R	1	HIGH TEMP THERMOPLASTIC	COLOR: BLACK.
8	SPRING	1	SWP-B	
7	MOUTED PIN	1	COPPER ALLOY	NICKEL(50u" MIN) PLATING
6	BAR B-R	1	STAINLESS STEEL	
5	BAR A-R	1	STAINLESS STEEL	
4	HEARTED SHAPE PLSTIC-R	1	HIGH TEMP THERMOPLASTIC	COLOR: BLACK.
3	BOLTED SHEETMETAL-B-L-S-0 0.30mm	1	STAINLESS STEEL	
2	BOLTED SHEETMETAL-A-R-S-0 0.30mm	1	STAINLESS STEEL	
1	EJECT COVER-R	1	STAINLESS STEEL	
NO.	DESCRIPTION	QTY	MATERIAL	FINISHED

mat'l. code				tolerances unless otherwise specified				CUSTOMER				title			
ltr	ecm no	dr	date	lineor	.XX ±.30	projection	COPY	dr	ALLEN CHANG	12/19/05	MM	product family	PCMCA	code	sheet
A	T06-0004	A.C.	1/6/06		.XXX ±.10			engr	ALLEN CHANG	12/19/05		size	dwg no	1 of 2	1 of 2
					0° ±2°			chr	STERLING LIN	12/19/05					
								appd	H.C LIU	12/19/05					
sheet	revision	A	A												
index	sheet	1	2												

ACAD

3

4

code code  
22526

NOTES:

1. Specification:

Product Spec: GS-12-343.

Packaging Spec: GS-14-1005.

2. This product (10064496-03R2CLF) meets the European Union Directive as described in GS-22-008.

3. This product is supposed to be assembled onto header after soldering process and will never be exposed to any customer termination process.

4. The products where the part number ends in "LF" meet the criteria shown in the NOTES 2 and 3, are considered RoHS compatible.

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		A FCI		www.fciconnect.com	
litr	ecrn no	dr	date	lineor	.XX ±.20	.XXX ±.10	angles	projection	title	product family	size	dwg no	code
A							0° ±2°	MM	SMTIL CARDBUS EJECT 2-STEP S/O=0.30mm R-BUTTON	PCMCA			
				dr	ALLEN CHANG	12/19/05							
				engr	ALLEN CHANG	12/19/05							
				chr	STERLING LIN	12/19/05							
				appl	H.C LIU	12/19/05							
sheet	revision												
index	sheet												