



Multilayer Phase Shifter (Delay Line)

For 1710-1910MHz

DEA101910DT-6017A1


1.0x0.5mm [EIA 0402]*

* Dimensions Code JIS[EIA]

Conformity to RoHS Directive

DEA101910DT-6017A1

[Top view]



Terminal functions	
1	IN
2	GND
3	OUT
4	GND

Dimensions in mm

Figure 10.10 shows the dimensions of a cross-section. The central vertical rectangle has a width of 0.30 and a height of 0.45. The horizontal rectangles have a width of 0.70 and a height of 0.30. The distance between the inner edges of the horizontal rectangles is 0.20. The total width of the cross-section is 0.45. The dimensions are given in mm.

○ RoHS Directive Compliant Product: See the following for more details related to RoHS Directive compliant products. <http://product.tdk.com/en/environment/rohs/>

- All specifications are subject to change without notice.
- Before using these products, be sure to request the delivery specifications.

DEA101910DT-6017A1

ELECTRICAL CHARACTERISTICS

Item	Frequency Range (MHz)	Min.	Typ.	Max.
Insertion Loss (dB)	1710 to 1910	—	—	0.40
Phase Shift (deg.)	1710 to 1910	−55	—	−35
VSWR	1710 to 1910	—	—	1.3
Characteristic Impedance (Ω)			50 (Nominal)	

• Ta=25±5°C


TEMPERATURE RANGE

Operating temperature (°C)	Storage temperature (°C)
−40 to +85	−40 to +85


DEA101910DT-6017A1

FREQUENCY CHARACTERISTICS


INSERTION LOSS




ATTENUATION



VSWR




PHASE SHIFT



- All specifications are subject to change without notice.
- Before using these products, be sure to request the delivery specifications.

■ RECOMMENDED REFLOW PROFILE



- 20150419 / rf_phase-shifter_dea101910dt-6017a1

REMINDERS FOR USING THESE PRODUCTS

Before using these products, be sure to request the delivery specifications.

SAFETY REMINDERS

Please pay sufficient attention to the warnings for safe designing when using these products.

REMINDERS

The products listed on this catalog are intended for use in general electronic equipment (AV equipment, telecommunications equipment, home appliances, amusement equipment, computer equipment, personal equipment, office equipment, measurement equipment, industrial robots) under a normal operation and use condition.

The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require a more stringent level of safety or reliability, or whose failure, malfunction or trouble could cause serious damage to society, person or property.

Please understand that we are not responsible for any damage or liability caused by use of the products in any of the applications below or for any other use exceeding the range or conditions set forth in this catalog.

- | | |
|---|--|
| (1) Aerospace/Aviation equipment | (8) Public information-processing equipment |
| (2) Transportation equipment (cars, electric trains, ships, etc.) | (9) Military equipment |
| (3) Medical equipment | (10) Electric heating apparatus, burning equipment |
| (4) Power-generation control equipment | (11) Disaster prevention/crime prevention equipment |
| (5) Atomic energy-related equipment | (12) Safety equipment |
| (6) Seabed equipment | (13) Other applications that are not considered general-purpose applications |
| (7) Transportation control equipment | |

When using this product in general-purpose applications, you are kindly requested to take into consideration securing protection circuit/equipment or providing backup circuits, etc., to ensure higher safety.