


Part Number: 500024-8001

0.40mm Pitch Board-to-Board SlimStack™ Receptacle, Surface Mount, Dual Row, Vertical, 0.95mm Mated Height, without Friction Lock, 80 Circuits



Status: OBSOLETE Replacement: 5000248071 Series: 500024

Overview:

Category: PCB Receptacles

SlimStack™ 0.40mm Pitch Board-to-Board Connectors

Mates With Part(s): 500027

Application Tooling

Part Detail General Status Obsolete Category PCB Receptacles Series 500024 Board-to-Board, Signal Application Solder Tab Plating: Lead-Free, Tin Comments SlimStack™ 0.40mm Pitch Board-to-Board Connectors Overview SlimStack™ Product Name Physical Circuits (Loaded) 80 Circuits (maximum) 80 Color - Resin Natural Durability (mating cycles max) 10 Glow-Wire Compliant No Lock to Mating Part None Mated Height 0.95mm Material - Metal Phosphor Bronze Material - Plating Mating Gold Material - Plating Termination Gold Material - Resin High Temperature Thermoplastic Number of Rows Orientation Vertical PCB Locator No PCB Retention Yes Packaging Type Embossed Tape on Reel Pitch - Mating Interface 0.40mm Pitch - Termination Interface 0.40mm Plating min - Mating 0.102µm Plating min - Termination 0.051µm Polarized to PCB Surface Mount Compatible (SMC) N/A Temperature Range - Operating -25°C to +85°C Termination Interface: Style Surface Mount Electrical (Please review the Product Specification for specific details.) Current - Maximum per Contact Voltage - Maximum 50V Material Info 756054570241 Reference - Drawing Numbers SPK-500024-001 Packaging Specification PS-500024-002, PS-500024-005, RPS-500024-003, RPS-500024-009, RPS-500024-011, RPS-500024-012, RPS-500024-013, RPS-500024-014, RPS-500024-015, RPS-500024-017, RPS-500024-018 Product Specification SD-500024-002, SD-500024-003 Sales Drawing

Application Tooling

Tooling specifications and manuals are found by selecting the products below.

Crimp Height Specifications are then contained in the Application Tooling Specification document.

Previously Available Application

Tooling
Check our list of old tooling that used to be available for this part