





NOTES:

- 1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
- *2. P/NS 106032-5020, 106032-0140, 106032-5310, 106032-5990 AND 106032-0910 ARE BULK PACKED IN QUANTITIES OF 100 pcs.

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: ZNER CHKD: 2007/01/12 APPR: LGMIN REV: 2007/01/15			QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION ⊙ □			
						DRAWN BY DATE RPACIFICI 2005/12/22		TITLE SC CONNECTOR (TUNABLE)					
						CHECKED BY DATE							
				4 PLACES ± --- ± ---		APPROVED BY DATE		MOLEX MOLEX INCORPORATED					
				3 PLACES ± --- ± ---									
				2 PLACES ± --- ± ---									
				1 PLACE ± --- ± ---		DOCUMENT NO. SD-106032-XXX0							
				ANGULAR ±1/2°						MATERIAL NO.		SHEET NO.	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						SEE TABLE		1 OF 3	
				B1		C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	10		9		8		7		6		5		4		3		2		1								
	CONNECTOR P/N	 (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)				CONNECTOR P/N	 (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)												
F	106032-0000	127	BLUE	BLUE	MULTIMODE	3				106032-3000	128	BLUE	BLUE	MULTIMODE	3				F								
	106032-0900					2.0 & 1.6 DUPLEX				106032-3900					2.0 & 1.6 DUPLEX												
	106032-0100					1.6 SIMPLEX				106032-3100					1.6 SIMPLEX												
	106032-0050					3				106032-3060					3												
	106032-0950		WHITE	BEIGE		2.0 & 1.6 DUPLEX				106032-3960		BEIGE	BEIGE		2.0 & 1.6 DUPLEX					E							
106032-0150	1.6 SIMPLEX								106032-3160	1.6 SIMPLEX																	
106032-0060	3								106032-3050	3																	
106032-0910*	2.0 & 1.6 DUPLEX								106032-3950	2.0 & 1.6 DUPLEX																	
E	106032-0960		BEIGE	BEIGE		1.6 SIMPLEX				106032-3150		WHITE	BEIGE		1.6 SIMPLEX				E								
	106032-0140*					3				106032-3080					3												
	106032-0160					2.0 & 1.6 DUPLEX				106032-3980					2.0 & 1.6 DUPLEX												
	106032-0080					1.6 SIMPLEX				106032-3180					1.6 SIMPLEX												
	D	106032-0980	RED	RED		2.0 & 1.6 DUPLEX				106032-3070	RED	RED		3				D									
106032-0180		1.6 SIMPLEX							106032-3970	2.0 & 1.6 DUPLEX																	
106032-0070		3							106032-3170	1.6 SIMPLEX																	
106032-0970		2.0 & 1.6 DUPLEX																									
106032-0170		1.6 SIMPLEX																									
C	106032-2000	125.5	YELLOW	BLUE	SINGLE MODE	3													C								
	106032-2900					2.0 & 1.6 DUPLEX																					
	106032-2100					1.6 SIMPLEX																					
	106032-2050					3																					
	106032-2950		WHITE	BLUE		2.0 & 1.6 DUPLEX																					
	106032-2150					1.6 SIMPLEX																					
	106032-2080					3																					
	106032-2980					2.0 & 1.6 DUPLEX																					
	106032-2180		RED	RED		1.6 SIMPLEX																					
	106032-2070					3																					
106032-2970	2.0 & 1.6 DUPLEX																										
106032-2170	1.6 SIMPLEX																										
B																				B							
A																				A							
ENTER DESCRIPTION EC NO: MF2007-0445 2007/01/12 DRWN:KPEVZNER CHKD: 2007/01/12 APPR:IGUMIN 2007/01/15		QUALITY SYMBOLS  =0  =0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>3 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>2 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>1 PLACE</td><td>±---</td><td>±---</td></tr><tr><td colspan="3">ANGULAR ±1/2°</td></tr></table>		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±---	±---	1 PLACE	±---	±---	ANGULAR ±1/2°			DIMENSION STYLE IN/MM DRAWN BY DATE 2005/12/22 CHECKED BY DATE APPROVED BY DATE	SCALE 4:1 DESIGN UNITS INCH  THIRD ANGLE PROJECTION TITLE SC CONNECTOR (TUNABLE)	MATERIAL NO. DOCUMENT NO. SHEET NO.		SEE TABLE SD-106032-XXX0 2 OF 3	
	mm	INCH																									
4 PLACES	±---	±---																									
3 PLACES	±---	±---																									
2 PLACES	±---	±---																									
1 PLACE	±---	±---																									
ANGULAR ±1/2°																											
B1		REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																						
ib_frame_B_P_ME_T Rev. D 2004/04/02			9		8		7		6		5		4		3		2		1								

10		9		8		7		6		5		4		3		2		106032						
CONNECTOR P/N		 (Hm)		BOOT COLOR		HOUSING COLOR		CONNECTOR TYPE		CABLE (mm)		CONNECTOR P/N		 (Hm)		BOOT COLOR		HOUSING COLOR		CONNECTOR TYPE		CABLE (mm)		
F	106032-4000	125	YELLOW	BLUE	SINGLE MODE	3	106032-6000	125.5	YELLOW	BLUE	SINGLE MODE	3	E	106032-4900	127	WHITE	RED	BLACK	BLACK	2.0 & 1.6 DUPLEX	106032-6900	2.0 & 1.6 DUPLEX	D	
	1.6 SIMPLEX					106032-6100	1.6 SIMPLEX																	
	3					106032-7000	3																	
	2.0 & 1.6 DUPLEX					106032-7900	2.0 & 1.6 DUPLEX																	
	1.6 SIMPLEX					106032-7100	1.6 SIMPLEX																	
106032-4150	RED		RED			3	106032-7050					3	C	106032-4080						RED	RED	2.0 & 1.6 DUPLEX	106032-7950	2.0 & 1.6 DUPLEX
106032-4980						1.6 SIMPLEX	106032-7150					1.6 SIMPLEX												
106032-4180						3	106032-7080					3												
106032-4070						2.0 & 1.6 DUPLEX	106032-7980					2.0 & 1.6 DUPLEX												
106032-4970						1.6 SIMPLEX	106032-7180					1.6 SIMPLEX												
106032-4170	BLACK	BLACK	2.0 & 1.6 DUPLEX	106032-7070	3	A	106032-5000	YELLOW	BLUE	SINGLE MODE	3	B	106032-5020*	WHITE	RED	RED	BLACK	BLACK	2.0 & 1.6 DUPLEX	106032-7970	2.0 & 1.6 DUPLEX			
106032-5300*			1.6 SIMPLEX	106032-7170	1.6 SIMPLEX																			
106032-5310*			2.0 & 1.6 DUPLEX	ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN: KREVZNER CHKD: 2007/01/12 APPR: IGUMIN 2007/01/15	QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE IN/MM		SCALE 4:1						DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	TITLE SC CONNECTOR (TUNABLE)			
106032-5900			1.6 SIMPLEX				mm				INCH		DRAWN BY RPACIFICI						DATE 2005/12/22			DOCUMENT NO. SD-106032-XXX0	SHEET NO. 3 OF 03	
106032-5990*			3				4 PLACES				± ---		± ---						APPROVED BY					DATE
106032-5100			2.0 & 1.6 DUPLEX			3 PLACES	± ---				± ---													
106032-5050			1.6 SIMPLEX			2 PLACES	± ---				± ---													
106032-5950			RED	RED	1.6 SIMPLEX	1 PLACE	± ---				± ---		MATERIAL NO. SEE TABLE						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
106032-5150					3	ANGULAR ±1/2°																		
106032-5080					2.0 & 1.6 DUPLEX	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																		
106032-5980	1.6 SIMPLEX																							
106032-5180	3																							
106032-5070	BLACK	BLACK	2.0 & 1.6 DUPLEX																					
106032-5970			1.6 SIMPLEX																					
106032-5170																								
1b_frame_B_P_ME_T Rev. D 2004/04/02		9		8		7		6		5		4		3		2		1						