



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	A	ECO-13-008665		04JUN2013	JM	SJ	





ASSEMBLED VIEW SHOWN




EXPLODED VIEW  
AS SHIPPED




- △ MATERIAL:
- FRONT HOUSING - POLYCARBONATE, 94V-0 RATED.
  - COLOR CAP - POLYCARBONATE, 94V-0 RATED.
  - TERMINAL HOUSING - POLYCARBONATE, 94V-0 RATED.
  - BACK HOUSING - POLYCARBONATE, 94V-0 RATED.
  - CABLE STRAIN RELIEF - POLYCARBONATE, 94V-0 RATED.
  - ARRAY TRAY - PBT POLYESTER.
  - CONTACT ARRAY - BERYLLIUM COPPER, PLATED WITH 1.27µm [0.00050] MINIMUM THICK GOLD IN LOCALIZED AREA AND 3.81µm [0.00150] MINIMUM THICK MATTE TIN SOLDER AREA OVER 1.27µm [0.00050] MINIMUM THICK NICKEL UNDERPLATE.
  - IDC TERMINALS - PHOSPHOROUS BRONZE, PLATED WITH 3.81µm [0.0015] MINIMUM THICK MATTE TIN OVER 1.27µm [0.0005] MINIMUM THICK NICKEL UNDERPLATE.
2. JACK WILL TERMINATE 22-24 AWG SOLID OR 24 AWG STRANDED CONDUCTORS UP TO 0.65 [0.025] DIAMETER, OR 1.60 [0.063] MAXIMUM INSULATION DIAMETER. MAXIMUM OVERALL CABLE DIAMETER 9.0 [0.354].
- △ 3. CAVITY CONFORMS TO FCC RULES AND REGULATIONS PART 68 SUBPART F REQUIREMENTS.
4. MOUNTING PANEL THICKNESS 1.47 - 1.60 [0.058 - .063].
5. REFER TO 408-10470 FOR TERMINATION INSTRUCTIONS USING SL SERIES TOOL TERMINATION.
- △ 6. FRONT AND BACK HOUSING SUB-ASSEMBLY SHIPPED TOGETHER AS A SET BUT NOT ASSEMBLED. SEE EXPLODED VIEW AS SHIPPED.
- △ 7. BASE PART NUMBER AND DATE CODE LOCATED APPROXIMATELY AS SHOWN.




ASSEMBLED VIEW SHOWN




TERMINAL 1





RECOMMENDED SINGLE PANEL  
APPLICATION CUTOUT



RECOMMENDED FLUSH MOUNT  
PANEL APPLICATION CUTOUT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	MCNEAL	04NOV2008	 TE Connectivity	
		CHK	S TOBEY	04NOV2008		
		APVD	S TOBEY	04NOV2008		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
MM[Inches]				ASSY, CAT 6A, UTP AMP-TWIST JACK		
		0 PLC ±.1		PRODUCT SPEC		
		1 PLC ±.1		108-2458		
		2 PLC ±.1		APPLICATION SPEC		
		3 PLC ±.1		408-10470		
		4 PLC ±.1				
ANGLES ±.1		WEIGHT		SIZE CAGE CODE DRAWING NO		
FINISH		Customer Drawing		A100779C1933476		
MATERIAL				RESTRICTED TO		
-				-		