

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [08-65-0110](#)
Status: **Active**
Overview: [KK® Interconnect System - Molex](#)
Description: KK® 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, Gold Flash over 0.76µm Gold (Au)

Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-08-50 \(PDF\)](#)

General
Product Family Crimp Terminals
Series [2578](#)
Application Power
Crimp Quality Equipment Yes
Overview [KK® Interconnect System - Molex](#)
Product Name KK® 396
UPC 800753843813

Physical
Gender Female
Material - Metal Phosphor Bronze
Material - Plating Mating Gold
Material - Plating Termination Nickel
Net Weight 0.150/g
Packaging Type Reel
Plating min - Mating 0.762µm
Plating min - Termination 0.051µm
Wire Insulation Diameter 1.65mm max.
Wire Size AWG 22, 24, 26
Wire Size mm² N/A

Material Info
Old Part Number 2578-B(558)

Reference - Drawing Numbers
Product Specification PS-08-50
Sales Drawing SD-2578



image - Reference only

Series

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[2578Series](#)

Use With
[2574](#) , [2139](#) , [41695](#) , [3069](#) , [6422](#) , [5265](#) , [5239](#)

Application Tooling | FAQ
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global	
Description	Product #
Hand Crimp Tool for Crimp Terminals	0638117400
Mini-Mac™ Applicator	0638881000
Extraction Tool	0011030016
Terminator Die	0011402099

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[08-65-0110](#)