

PRODUCT NO.	BUTTON COLOR	COVER	MOUNT STYLE	STAND OFF	APPLICABLE HDR P/N	PACKAGING SPEC.	PRODUCT SPEC.	REVISIONS			
								REV	DESCRIPTION	ECN	BY
10026909-00ROC	BLACK	WITH	ABOVE	0 mm	62596-00A	GS-14-655	110-415	A	RELEASED	J03-0177	M.H 4/11/03
10026909-00R4C	GRAY										

- 上カバー装着品。
- ピンヘッダへの組込はB部を水平になるように押さえ、本品と確実嵌合させてから、C部をピンヘッダ上面まで押し込む。そして、取付穴へD部が嵌まるように手で押さえたままネジ締めを行う。
- 本品はタイプ1, 2カード、及びクリックカードに対応しています。
- 基板実装時の寸法を表す。
- 基板への取付はM2 x P0.4ネジ及び座金を各4個使用する。
- 取付ネジ長さは使用する基板厚と*寸法を確認の上選定のこと。
- 最大ネジ締めトルク: 0.245N·m (2.5kgf·cm)。
- 本品はピンヘッダーと合わせて使用する。

注記 1. ボタンとシャッターの色は表参照。

9. TOP COVER IS ATTACHED.

- AS MOUNTING METHOD TO PIN-HEADER, IT SHALL BE PUT MARKED PORTION B HORIZONTALLY AND BE FITTED ON COMPLETELY, THEN IT SHALL BE PUSHED MARKED PORTION C BY TOP SURFACE OF THE PIN-HEADER. AND, IT'S SUPPRESSED BY THE HAND TO FITTING IN MARKED PORTION D TO THE MOUNTING HOLE, AND SCREWING.
- PC CARD TYPE 1, 2 AND 'CLICK CARD' ARE APPLICABLE.
- SHOW P.C. BOARD MOUNTING DIMENSIONS.
- 4-M2xP0.4 SCREW WITH WASHER ARE REQUIRED FOR FASTENING CONNECTOR TO P.C. BOARD.
- DETERMINE MOUNTING SCREW LENGTH UPON CHECKING P.C. BOARD THICKNESS AND '*' DIMENSION. ('*' SHOWS REQUIRED SCREW LENGTH FROM MOUNTING SURFACE.)
- MAXIMUM TIGHTENING TORQUE: 0.245N·m (2.5kgf·cm).
- THIS PRODUCT USED WITH PIN-HEADER.


NOTE 1. BUTTON AND SHUTTER COLOR IS SPECIFIED IN TABLE.

(8)	SHUTTER FRAME	1	STAINLESS STEEL		
(7)	SHUTTER DOOR	1	ABS	CAR-201(for 00R4C)	UL 94HB
(6)	COVER	1	STAINLESS STEEL		
(5)	SPECIAL SPACER	2	ZINC ALLOY		
(4)	SPACER	2	STEEL	NI PLATING	
(3)	SHROUD	1	COPPER ALLOY	CONTACT AREA GOLD OVER NICKEL	
(2)	BUTTON	1	PBT	PLTG93911SC(for 00R4C)	UL 94HB
(1)	CASE	2	STAINLESS STEEL		for CLICK CARD
NO	DESCRIPTION	QTY	MATERIAL	FINISH	REMARKS

DO NOT SCALE PRINT THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT
NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN FCI PERSONNEL WITHOUT
WRITTEN AUTHORIZATION FROM FCI JAPAN K.K.

SHEET INDEX SH NO.	ISSUE	A	A	A											
	1	2	3												
TOLERANCES UNLESS OTHERWISE SPECIFIED					SEE TABLE	DR <i>M. Hasegawa</i>	DATE 4/11/03	CUSTOMER COPY	TITLE S/D SMTL CARDBUS EJECT MECH. 2-STEP ABOVE MOUNT						
LINEAR									ENGR <i>M. Hasegawa</i>	4/11/03					
ANGLES					SEE TABLE	FINISH <i>CHK</i>		THIRD ANGLE PROJ	PRODUCT FAMILY Header CB SMT IL			CODE JP			
						<i>4/14/03</i>	<i>APPD</i>		<i>4/14/03</i>	<i>MM</i>	SCALE 1/1	SIZE B	DWG. NO. 10026909	REV A	SHEET 1 OF 3

FCI



PRODUCT NO.											REVISIONS																																																																	
10026909-00ROC											REV	DESCRIPTION	ECN	BY	DATE																																																													
10026909-00R4C											A	RELEASED	J03-0177	M.H	4/11/03																																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 10%;">SHEET INDEX</td> <td style="width: 10%;">ISSUE</td> <td colspan="8"></td> <td rowspan="2" style="width: 10%;">CUSTOMER COPY</td> <td colspan="3" rowspan="2" style="width: 20%;">TITLE</td> </tr> <tr> <td>SH NO.</td> <td colspan="8"></td> <td>ENGR</td> <td>DATE</td> </tr> <tr> <td colspan="2" style="text-align: center;">TOLERANCES UNLESS OTHERWISE SPECIFIED</td> <td rowspan="2" style="width: 10%;">MAT SEE SHEET 1</td> <td rowspan="2" style="width: 10%;">DR <i>M. Hasegawa</i></td> <td rowspan="2" style="width: 10%;">DATE <i>4/11/03</i></td> <td colspan="2" rowspan="2" style="width: 10%;">CUSTOMER COPY</td> <td colspan="3" rowspan="2" style="width: 20%;">TITLE</td> </tr> <tr> <td rowspan="2" style="width: 10%;">LINEAR</td> <td rowspan="2" style="width: 10%;">FINISH SEE SHEET 1</td> <td>ENGR</td> <td>DATE</td> </tr> <tr> <td colspan="2" rowspan="2" style="width: 10%;">THIRD ANGLE PROJ</td> <td colspan="3" rowspan="2" style="width: 20%;">PRODUCT FAMILY</td> </tr> <tr> <td colspan="2" rowspan="2" style="width: 10%;">ANGLES SEE SHEET 1</td> <td>CHK</td> <td><i>St. 862-008</i></td> <td>DATE <i>4/11/03</i></td> <td colspan="3" rowspan="2" style="width: 20%;">CODE JP</td> </tr> <tr> <td colspan="2" rowspan="2" style="width: 10%;">APPD <i>M. Hasegawa</i></td> <td>UNIT</td> <td>MM</td> <td>INCH</td> <td>SCALE <i>1/1</i></td> <td>SIZE <i>B</i></td> <td>DWG. NO. <i>10026909</i></td> <td>REV <i>A</i></td> <td>SHEET <i>3 OF 3</i></td> </tr> </table>															SHEET INDEX	ISSUE									CUSTOMER COPY	TITLE			SH NO.									ENGR	DATE	TOLERANCES UNLESS OTHERWISE SPECIFIED		MAT SEE SHEET 1	DR <i>M. Hasegawa</i>	DATE <i>4/11/03</i>	CUSTOMER COPY		TITLE			LINEAR	FINISH SEE SHEET 1	ENGR	DATE	THIRD ANGLE PROJ		PRODUCT FAMILY			ANGLES SEE SHEET 1		CHK	<i>St. 862-008</i>	DATE <i>4/11/03</i>	CODE JP			APPD <i>M. Hasegawa</i>		UNIT	MM	INCH	SCALE <i>1/1</i>	SIZE <i>B</i>	DWG. NO. <i>10026909</i>	REV <i>A</i>	SHEET <i>3 OF 3</i>
SHEET INDEX	ISSUE									CUSTOMER COPY	TITLE																																																																	
	SH NO.													ENGR	DATE																																																													
TOLERANCES UNLESS OTHERWISE SPECIFIED		MAT SEE SHEET 1	DR <i>M. Hasegawa</i>	DATE <i>4/11/03</i>	CUSTOMER COPY		TITLE																																																																					
LINEAR	FINISH SEE SHEET 1									ENGR	DATE																																																																	
		THIRD ANGLE PROJ		PRODUCT FAMILY																																																																								
ANGLES SEE SHEET 1							CHK	<i>St. 862-008</i>	DATE <i>4/11/03</i>	CODE JP																																																																		
		APPD <i>M. Hasegawa</i>		UNIT	MM	INCH	SCALE <i>1/1</i>	SIZE <i>B</i>	DWG. NO. <i>10026909</i>				REV <i>A</i>	SHEET <i>3 OF 3</i>																																																														
FCI																																																																												
DO NOT SCALE PRINT THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT DF-004A REV F NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN FCI PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM FCI JAPAN K.K.																																																																												