


4

3


2

1


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
J	/		D	REVISED PER ECR-13-010724	05JUL2013	I.T S.Y




SEE DETAIL C



SECT. D-D
(SCALE 2:1)
(CONNECTOR NOT SECTION)



DETAIL C
(SCALE 2:1)



SECT. E-E
(SCALE 2:1)

WITHOUT PICK UP CAP

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± 0.3
1 PLC	± 0.3
2 PLC	± 0.3
3 PLC	± 0.3
4 PLC	± 0.3
ANGLES	± 3°
FINISH	

MATERIAL

DWN S.CHIEN 26SEP05

CHK T.FUTATSUGI 26SEP05

APVD W.KODAMA 26SEP05

PRODUCT SPEC

108-5560

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

YES Δ	3	30	75	61.8	220	8-6318491-6
NO	3	30	75	61.8	220	3-6318491-6
SEALANT	ROW	QTY	B	A	POS.	PART NO.

TE Connectivity

NAME

HARD TRAY ASSY
FH 0.5BTB CONNECTOR 220POS
PLUG 8H WITH GROUND PLATE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-6318491	



CUSTOMER DRAWING

SCALE 1:2


SHEET 1 OF 4

REV D


2		1				
LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION		DATE	DWN	APVD
J	—	SEE SHEET 1		—	—	—



SECT. C-C
(SCALE 2:1)




DETAIL E
(SCALE 4:1)



SECT. D-D
(SCALE 2:1)

WITH PICK UP CAP

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.CHIEEN 26SEP05	 TE Connectivity				
		CHK T.FUTATSUGI 26SEP05					
DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W.KODAMA 26SEP05	NAME HARD TRAY ASSY FH 0.5BTB CONNECTOR 220POS PLUG 8H WITH GROUND PLATE				
	0 PLC ± 0.3	PRODUCT SPEC					
	1 PLC ± 0.3	108-5560					
	2 PLC ± 0.3	APPLICATION SPEC					
	3 PLC ± 0.3	—	SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO
	4 PLC ± 0.3	WEIGHT —	A3		00779	C-6318491	
MATERIAL —	FINISH —	CUSTOMER DRAWING			SCALE 1:2	SHEET 2 OF 4	REV D

