

YAGI Antenna for GSM +11dB

- YAGI Antenna
- 900 / 1800MHz
- Active gain: +11dB
- VSWR < 1.5:1
- RG58 Connecting Lead (10metres)
- SMA Male connector
- 50ohm
- 'U' Bolt Mount
- All Aluminium
- Alternative Connectors:
 FME / Mini-UHF / TNC
- Polarization V or H
- Max Power 60W



Applications

- GSM
- Range Extension
- Directional Control

Description

A compact PCB Antenna for GSM Cellular applications where high performance is required from a small size. Using the ANT-GSMQB will give optimum range and reliability to your application.

	Length	Width	Cable Length	Connector
ANT-GSM-YAGI11	570	182	10metres	SMA (M)

R F Solutions Ltd., Unit 21, Cliffe Industrial Estate, Lewes, E. Sussex. BN8 6JL. England.

Email: sales@rfsolutions.co.uk http://www.rfsolutions.co.uk


Tel: +44 (0)1273 898 000 Fax: +44 (0)1273 480 661





YAGI Antenna for GSM +11dB

Mechanical Detail








YAGI Antenna for GSM +11dB

Performance Data



Disclaimer:

Whilst the information in this document is believed to be correct at the time of issue, RF Solutions Ltd does not accept any liability whatsoever for its accuracy, adequacy or completeness. No express or implied warranty or representation is given relating to the information contained in this document. RF Solutions Ltd reserves the right to make changes and improvements to the products) described herein without notice. Buyers and other users should determine for themselves the suitability of any such information or products for their own particular requirements or specification(s). RF Solutions Ltd shall not be liable for any loss or damage caused as a result of user's own determination of how to deploy or use R F Solutions Ltd's products. Use of RF Solutions Ltd products or components in life support and/or safety applications is not authorised except with express written approval. No licences are created, implicitly or otherwise, under any of RF Solutions Ltd's intellectual property rights. Liability for loss or damage resulting or caused by reliance on the information contained herein or from the use of the product (including liability resulting from negligence or where RF Solutions Ltd was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict QuasarUK Ltd's liability for death or personal injury resulting from its negligence.

R F Solutions Ltd., Unit 21, Cliffe Industrial Estate, Lewes, E. Sussex. BN8 6JL. England.

Email: sales@rfsolutions.co.uk

Tel: +44 (0)1273 898 000 Fax: +44 (0)1273 480 661

