


NOTES

1.製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS,PLEASE SEE THE DRAWING OF CONNECTOR ITSELF(NOT PACKAGED).




2.梱包数量：1300個/リール
NUMBER OF CONNECTORS：1300 PIECES/REEL


3.リードテープ長さ
LEAD TAPE LENGTH



4.材料
MATERIAL
CARRIER TAPE：POLYPROPYLENE.
トップテープ：PET,PE,REF
TOP TAPE：PET,PE,REF.
リール：ポリスチレン<リサイクル材を含む>

5.ELV AND RoHS COMPLIANT.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
REVISED	EC NO: 111079 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2016/12/05 2016/12/05 2016/12/05	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 1.0 ° 4 PLACES ± 0.2 3 PLACES ± 0.2 2 PLACES ± 0.2 1 PLACE ± 0.2 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DIMENSION UNITS		SCALE		molex®								
						MM		NTS										
						DRWN BY			DATE			PICO-CRASP 1.0W/B 1-ROW R/A 6-15 CKT. INNER LOCK TYPE EMBOSSED TAPE PKG (GOLD VERSION)						
						KOMORI			2016/09/01									
						CHK'D BY			DATE									
						SAKIYAMA			2016/09/21									
						APPR BY			DATE			PRODUCT CUSTOMER DRAWING						
						TKANEKO			2016/09/21									
						DRAWING SIZE		THIRD ANGLE PROJECTION			SERIES		MATERIAL NUMBER			CUSTOMER		
						A3					202396		SEE SHEET2			GENERAL		
					DOCUMENT NUMBER			DOC TYPE		DOC PART		SHEET NUMBER						
					2023960607			PSD		000		1 OF 2						

