










TOP VIEW
LATCH OPENING POSITION



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBER AS PER PCN#515767				molex DDR4 DIMM, 0.85MM PITCH 288CKTS, VERTICAL TH			
MM		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: CO-000019984 DRWN: Vishal Ramesh Hosur 03-Dec-2024 CHK'D: Ganesh Rao B 18-Dec-2024 APPR: Gurunandan GA 18-Dec-2024 INITIAL REVISION: DRWN: RFC_PLMIMP 22-Sep-2021 APPR:							
ANGULAR TOL ± 3°											
4 PLACES		± 0									
3 PLACES		± 0									
2 PLACES		± 0.2									
1 PLACE		± 0									
0 PLACES		± 0									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		78726		SEE TABLE	
										CUSTOMER	
										GENERAL MARKET	
										SHEET NUMBER	
										2 OF 6	



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBER AS PER PCN#515767				molex DDR4 DIMM, 0.85MM PITCH 288CKTS, VERTICAL TH							
MM		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: CO-000019984 DRWN: Vishal Ramesh Hosur03-Dec-2024 CHK'D: Ganesh Rao B18-Dec-2024 APPR: Gurunandan GA18-Dec-2024 INITIAL REVISION: DRWN: RFC_PLMIMP22-Sep-2021 APPR:											
ANGULAR TOL ± 3°															
4 PLACES		± 0													
3 PLACES		± 0													
2 PLACES		± 0.2													
1 PLACE		± 0													
0 PLACES		± 0													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		78726		SEE TABLE		GENERAL MARKET		3 OF 6	
PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-78726-002 DOC TYPE PSD DOC PART 000 REVISION A10															

10	9	8	7	6	5	4	3	2	1

10	9	8	7	6	5	4	3	2	1																																																																																																			
<table><tr><th rowspan="2">CKT SIZE</th><th rowspan="2">ASSEMBLY PART NO.</th><th rowspan="2">HOUSING COLOR</th><th rowspan="2">LATCH COLOR</th><th rowspan="2">DIM "P"</th><th rowspan="2">RECOMMENDED PCB THICKNESS</th><th colspan="2">PLATING OPTION</th><th rowspan="2">PRODUCT SPEC. NO.</th><th rowspan="2">PACKAGING SPEC. NO.</th></tr><tr><th>TERMINAL</th><th>FORKLOCK</th></tr><tr><td rowspan="19">288</td><td>78726-1045</td><td rowspan="4">BLACK</td><td rowspan="4">BLACK</td><td>2.40</td><td>1.57</td><td rowspan="13">0.38 MICROMETER (15 MICROINCH) MIN GOLD ON CONTACT</td><td rowspan="19">1 MICROMETER (40 MICROINCH) MIN TIN OVERALL (PRE-PLATED)</td><td rowspan="19">PS-78726-002</td><td rowspan="15">PK-78726-001</td></tr><tr><td>78726-1012</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1013</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1032</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1046</td><td rowspan="2">BLACK</td><td rowspan="2">WHITE</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1033</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1048</td><td rowspan="2">WHITE</td><td rowspan="2">WHITE</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1018</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1035</td><td rowspan="5">BLUE</td><td rowspan="5">BLUE</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1049</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1020</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1021</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1036</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1050</td><td rowspan="2">BLUE</td><td rowspan="2">WHITE</td><td>2.40</td><td>1.57</td><td rowspan="10">1.27 MICROMETER (50 MICROINCH) MIN NICKEL UNDERPLATE</td></tr><tr><td>78726-1037</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-3012</td><td rowspan="2">BLACK</td><td rowspan="2">BLACK</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-3032</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-3020</td><td rowspan="2">BLUE</td><td rowspan="2">BLUE</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-3036</td><td>3.50</td><td>3.00</td></tr><tr><td colspan="9"></td><td>787260003</td></tr></table>										CKT SIZE	ASSEMBLY PART NO.	HOUSING COLOR	LATCH COLOR	DIM "P"	RECOMMENDED PCB THICKNESS	PLATING OPTION		PRODUCT SPEC. NO.	PACKAGING SPEC. NO.	TERMINAL	FORKLOCK	288	78726-1045	BLACK	BLACK	2.40	1.57	0.38 MICROMETER (15 MICROINCH) MIN GOLD ON CONTACT	1 MICROMETER (40 MICROINCH) MIN TIN OVERALL (PRE-PLATED)	PS-78726-002	PK-78726-001	78726-1012	2.67	1.57	78726-1013	3.18	2.36	78726-1032	3.50	3.00	78726-1046	BLACK	WHITE	2.40	1.57	78726-1033	3.50	3.00	78726-1048	WHITE	WHITE	2.40	1.57	78726-1018	2.67	1.57	78726-1035	BLUE	BLUE	3.50	3.00	78726-1049	2.40	1.57	78726-1020	2.67	1.57	78726-1021	3.18	2.36	78726-1036	3.50	3.00	78726-1050	BLUE	WHITE	2.40	1.57	1.27 MICROMETER (50 MICROINCH) MIN NICKEL UNDERPLATE	78726-1037	3.50	3.00	78726-3012	BLACK	BLACK	2.67	1.57	78726-3032	3.50	3.00	78726-3020	BLUE	BLUE	2.67	1.57	78726-3036	3.50	3.00										787260003
CKT SIZE	ASSEMBLY PART NO.	HOUSING COLOR	LATCH COLOR	DIM "P"	RECOMMENDED PCB THICKNESS	PLATING OPTION		PRODUCT SPEC. NO.	PACKAGING SPEC. NO.																																																																																																			
						TERMINAL	FORKLOCK																																																																																																					
288	78726-1045	BLACK	BLACK	2.40	1.57	0.38 MICROMETER (15 MICROINCH) MIN GOLD ON CONTACT	1 MICROMETER (40 MICROINCH) MIN TIN OVERALL (PRE-PLATED)	PS-78726-002	PK-78726-001																																																																																																			
	78726-1012			2.67	1.57																																																																																																							
	78726-1013			3.18	2.36																																																																																																							
	78726-1032			3.50	3.00																																																																																																							
	78726-1046	BLACK	WHITE	2.40	1.57																																																																																																							
	78726-1033			3.50	3.00																																																																																																							
	78726-1048	WHITE	WHITE	2.40	1.57																																																																																																							
	78726-1018			2.67	1.57																																																																																																							
	78726-1035	BLUE	BLUE	3.50	3.00																																																																																																							
	78726-1049			2.40	1.57																																																																																																							
	78726-1020			2.67	1.57																																																																																																							
	78726-1021			3.18	2.36																																																																																																							
	78726-1036			3.50	3.00																																																																																																							
	78726-1050	BLUE	WHITE	2.40	1.57	1.27 MICROMETER (50 MICROINCH) MIN NICKEL UNDERPLATE																																																																																																						
	78726-1037			3.50	3.00																																																																																																							
	78726-3012	BLACK	BLACK	2.67	1.57																																																																																																							
	78726-3032			3.50	3.00																																																																																																							
	78726-3020	BLUE	BLUE	2.67	1.57																																																																																																							
	78726-3036			3.50	3.00																																																																																																							
									787260003																																																																																																			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

MM

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± 3 °

4 PLACES ± 0

3 PLACES ± 0


2 PLACES ± 0.2

1 PLACE ± 0

0 PLACES ± 0

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION



DRAWING

A3-SIZE

SERIES

78726

CURRENT REV DESC: REMOVED OBSOLETE PART
NUMBER AS PER PCN#515767

EC NO: CO-000019984

DRWN: Vishal Ramesh Hosur 03-Dec-2024

CHK'D: Ganesh Rao B 18-Dec-2024

APPR: Gurunandan GA 18-Dec-2024

INITIAL REVISION:
DRWN: RFC_PLMIMP 22-Sep-2021

APPR:

DOCUMENT NUMBER

SD-78726-002

DOC TYPE

PSD

DOC PART

000

REVISION

A10

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-78726-002

DOC TYPE

PSD

DOC PART

000

REVISION

A10

DOCUMENT STATUS

Production

RELEASE DATE

18-Dec-2024 06:17:40

FORMAT: master-lb-prod-A3
REVISION: J1
DATE: 2021/05/01

9

8

7

6

5

4

3

2

1