





NOTES.

- 1 . 製品詳細寸法については製品単体図面を参照ください。
ABOUT DETAILED DIMENSION, SEE PRODUCT DRAWING.
- 2 . 梱包数量 : 1 1 0 0 個 / リール
NUMBER OF CONNECTORS : 1100PIECES/REEL
- 3 . リードテープ長さ
LEAD TAPE LENGTH
- トップテープ接着部 (空エンボス)
20 PIECES. MIN.
TOP TAPE BONDED PART (EMPTY)
- 400MIN.
- 部品挿入部
COMPONENT
SUPPLIER
- 末端部
(空部)
TAIL PART
(EMPTY)
40MIN.
- 引き出し方向
PULL OUT
DIRECTION
- 4 . 材料
MATERIAL
キャリアテープ : ポリプロピレン
CARRIER TAPE : POLYPROPYLENE
トップテープ : P E T , P E , R E F
TOP TAPE
リール : ポリスチレン (リサイクル材を含む)
REEL : POLYSTYLENE (RECYCLE MATERIAL CONTAINED)

緑 GREEN	青 BLUE	赤 RED	黒 BLACK	自然色 NATURAL	色 COLOR
5013311562	5013311542	5013311522	5013311512	501331 1507	15
5013311462	5013311442	5013311422	5013311412	501331 1407	14
5013311362	5013311342	5013311322	5013311312	501331 1307	13
5013311262	5013311242	5013311222	5013311212	501331 1207	12
5013311162	5013311142	5013311122	5013311112	501331 1107	11
5013311062	5013311042	5013311022	5013311012	501331 1007	10
5013310962	5013310942	5013310922	5013310912	501331 0907	9
5013310862	5013310842	5013310822	5013310812	501331 0807	8
5013310762	5013310742	5013310722	5013310712	501331 0707	7
5013310662	5013310642	5013310622	5013310612	501331 0607	6
EMBOSSED PACKAGE	EMBOSSED PACKAGE	EMBOSSED PACKAGE	EMBOSSED PACKAGE	EMBOSSED PACKAGE	極数 CIRCUTIS
△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED EC NO: 120301 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2017/08/03 2017/08/04 2017/08/04	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 0.2 3 PLACES ± 0.2 2 PLACES ± 0.2 1 PLACE ± 0.2 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION UNITS MM SCALE ≠≠	DRWN BY QHE31 DATE 2017/08/03 CHK'D BY SAKIYAMA DATE 2017/08/04 APPR BY TKANEKO DATE 2017/08/04	DRAWING SIZE A3 THIRD ANGLE PROJECTION	molex®			
						PICO-CLASP 1.0 W/B SINGLE-ROW ST EMBSTP PKG WAFER ASS'Y			
						PRODUCT CUSTOMER DRAWING			
						SERIES 501331	MATERIAL NUMBER SEE TABLE OF SHEET 1	CUSTOMER	
						DOCUMENT NUMBER 5013310612-SD	DOC TYPE PSD	DOC PART 000	SHEET NUMBER 1 OF 3



37.4	33.4	32	14.2	18.3	15
				17.3	14
				16.3	13
29.4	25.4	24	11.5	15.3	12
				14.3	11
				13.3	10
				12.3	9
				11.3	8
				10.3	7
				9.3	6
E	D	C	(B)	(A)	極數 CIRCUITS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																							
RELEASED EC NO: 120301 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2017/08/03	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° <table border="1"> <tr> <td>4 PLACES</td> <td>± 0.2</td> </tr> <tr> <td>3 PLACES</td> <td>± 0.2</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.2</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.2</td> </tr> <tr> <td>0 PLACES</td> <td>± 0.2</td> </tr> </table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	4 PLACES	± 0.2	3 PLACES	± 0.2	2 PLACES	± 0.2	1 PLACE	± 0.2	0 PLACES	± 0.2	DIMENSION UNITS MM		SCALE		molex®						
	4 PLACES		± 0.2																				
	3 PLACES		± 0.2																				
	2 PLACES		± 0.2																				
	1 PLACE		± 0.2																				
	0 PLACES		± 0.2																				
	2017/08/04		DRWN BY QHE31				DATE 2017/08/03				PICO-CLASP 1.0 W/B SINGLE-ROW ST EMBSTP PKG WAFER ASS'Y												
	2017/08/04		CHK'D BY SAKIYAMA				DATE 2017/08/04				PRODUCT CUSTOMER DRAWING												
2017/08/04	APPR BY TKANEKO				DATE 2017/08/04																		
	DRAWING SIZE A3		THIRD ANGLE PROJECTION		SERIES 501331	MATERIAL NUMBER SEE TABLE OF SHEET 1			CUSTOMER														
A	REV					DOCUMENT NUMBER 5013310612-SD			DOC TYPE PSD	DOC PART 000	SHEET NUMBER 2 OF 3												

F



E

D

C

B

A



参考パターンレイアウト
RECOMMENDED PATTERN DIM. (REF)
SCALE:5:1

番号 NO.	部品 PART	材質 MATERIAL
①	ウエハー WAFER	耐熱ナイロン樹脂 UL94V-0 色:表参照 HEAT RESISTANCE NYLON UL94V-0, COLOR:SEE TABLE
②	ソルダーピン SOLDER PIN	りん青銅 PHOSPHOR BRONZE 錫メッキ:1.0μmMIN. TIN ニッケルメッキ(下地):1.0μmMIN. NICKEL(UNDER PLATING)
③	ネイル NAIL	りん青銅 PHOSPHOR BRONZE 錫メッキ:1.0μmMIN. TIN ニッケルメッキ(下地):1.0μmMIN. NICKEL(UNDER PLATING)
④	カバーテープ COVER TAPE	ポリイミドテープ POLYIMIDE TAPE

※対応可能な極数は、別途お問い合わせ下さい。

14.0	17.0	501331-1507	15	501331-**07
13.0	16.0	501331-1407	14	
12.0	15.0	501331-1307	13	
11.0	14.0	501331-1207	12	
10.0	13.0	501331-1107	11	
9.0	12.0	501331-1007	10	
8.0	11.0	501331-0907	9	
7.0	10.0	501331-0807	8	
6.0	9.0	501331-0707	7	
5.0	8.0	501331-0607	6	
B	A	MATERIAL NO.	CKT.	MODEL NO.

NOTES.

- 嵌合相手: 501330-****
MATE WITH: 501330-****
- ソルダーピン及びネイル平坦度は、0.1MAX.
SOLDER PIN AND NAIL COPLANARITY TO BE 0.1MAX.
- 極数=偶数に適用
APPLY FOR CKT SIZE=EVEN
- 2~5極は、SD-501331-001を参照下さい。
REFER TO SD-501331-001 ABOUT 2-5CKT.
- ELV及びRoHS適合品。
ELV AND RoHS COMPLIANT.

REVISED EC NO: J2014-1509 DRWN:TYAJI MA01 CHKD:KASAKAWA APPR:NUKITA J	DESCRIPTION 2014/04/04 2014/04/07 2014/04/07	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2004/07/30	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) 6-15CKT molex				
		10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2004/07/30					
		30 OVER	± 0.3	APPROVED BY MIYAZAWA	DATE 2004/07/30					
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.	SHEET NO.
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE					SD-501331-002	
	REV	SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

		10		9		8		7		6		5		4		3		2		1											
F																				紫 PA46 VIOLET		橙 PA46 ORANGE		茶 PA46 BROWN		緑 PA46 GREEN		色 COLOR			
																				501331-1597		501331-1587		501331-1577		501331-1567		15			
																				501331-1497		501331-1487		501331-1477		501331-1467		14			
																				501331-1397		501331-1387		501331-1377		501331-1367		13			
																				501331-1297		501331-1287		501331-1277		501331-1267		12			
																				501331-1197		501331-1187		501331-1177		501331-1167		11			
																				501331-1097		501331-1087		501331-1077		501331-1067		10			
																				501331-0997		501331-0987		501331-0977		501331-0967		9			
																				501331-0897		501331-0887		501331-0877		501331-0867		8			
																				501331-0797		501331-0787		501331-0777		501331-0767		7			
																				501331-0697		501331-0687		501331-0677		501331-0667		6			
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS			
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																									
E																				青 PA46 BLUE		黄 PA46 YELLOW		赤 PA46 RED		黒 PA46 BLACK		自然色 PA6T NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
D																				REVISED EC NO: J2014-1509 DRWN:TYAJ/MA01 2014/04/04 CHKD:KASAKAWA 2014/04/07 APPR:NUKITA 2014/04/07 J		DESCRIPTION GENERAL TOLERANCES (UNLESS SPECIFIED) 10 UNDER ±0.2 10 OVER 30 UNDER ±0.25 30 OVER ±0.3 ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE NYOSHIDA 2004/07/30 CHECKED BY DATE MYAGI 2004/07/30 APPROVED BY DATE MIYAZAWA 2004/07/30 MATERIAL NO. SEE TABLE		SCALE --- TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) 6-15CKT molex DOCUMENT NO. SD-501331-002		DESIGN UNITS METRIC THIRD ANGLE PROJECTION		SHEET NO. 2 OF 2	
C																				REVISED EC NO: J2014-1509 DRWN:TYAJ/MA01 2014/04/04 CHKD:KASAKAWA 2014/04/07 APPR:NUKITA 2014/04/07 J		DESCRIPTION GENERAL TOLERANCES (UNLESS SPECIFIED) 10 UNDER ±0.2 10 OVER 30 UNDER ±0.25 30 OVER ±0.3 ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE NYOSHIDA 2004/07/30 CHECKED BY DATE MYAGI 2004/07/30 APPROVED BY DATE MIYAZAWA 2004/07/30 MATERIAL NO. SEE TABLE		SCALE --- TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) 6-15CKT molex DOCUMENT NO. SD-501331-002		DESIGN UNITS METRIC THIRD ANGLE PROJECTION		SHEET NO. 2 OF 2	
B																				REVISED EC NO: J2014-1509 DRWN:TYAJ/MA01 2014/04/04 CHKD:KASAKAWA 2014/04/07 APPR:NUKITA 2014/04/07 J		DESCRIPTION GENERAL TOLERANCES (UNLESS SPECIFIED) 10 UNDER ±0.2 10 OVER 30 UNDER ±0.25 30 OVER ±0.3 ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE NYOSHIDA 2004/07/30 CHECKED BY DATE MYAGI 2004/07/30 APPROVED BY DATE MIYAZAWA 2004/07/30 MATERIAL NO. SEE TABLE		SCALE --- TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) 6-15CKT molex DOCUMENT NO. SD-501331-002		DESIGN UNITS METRIC THIRD ANGLE PROJECTION		SHEET NO. 2 OF 2	
A																				REVISED EC NO: J2014-1509 DRWN:TYAJ/MA01 2014/04/04 CHKD:KASAKAWA 2014/04/07 APPR:NUKITA 2014/04/07 J		DESCRIPTION GENERAL TOLERANCES (UNLESS SPECIFIED) 10 UNDER ±0.2 10 OVER 30 UNDER ±0.25 30 OVER ±0.3 ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE MM ONLY DRAWN BY DATE NYOSHIDA 2004/07/30 CHECKED BY DATE MYAGI 2004/07/30 APPROVED BY DATE MIYAZAWA 2004/07/30 MATERIAL NO. SEE TABLE		SCALE --- TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) 6-15CKT molex DOCUMENT NO. SD-501331-002		DESIGN UNITS METRIC THIRD ANGLE PROJECTION		SHEET NO. 2 OF 2	

tb_frame_A3_J_ME_S
Rev G 2012/01/25

10

9

8

7

6

5

4

3

2

1

F


E

D

C

B

A



NOTES.

- 製品詳細寸法については製品単体図面を参照ください。
ABOUT DETAILED DIMENSION, SEE PRODUCT DRAWING.
- 梱包数量: 1100個/リール
NUMBER OF CONNECTORS: 1100PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH
トップテープ接着部 (空エンボス)
20 PIECES. MIN.
TOP TAPE BONDED PART (EMPTY)
部品挿入部
COMPONENT
SUPPLIER
末端部
(空部)
TAIL PART
(EMPTY)
40MIN.
400MIN.
引き出し方向
PULL OUT DIRECTION
- 材料
MATERIAL
キャリアテープ: ポリプロピレン
CARRIER TAPE: POLYPROPYLENE
トップテープ: PET、PE、REF
TOP TAPE
リール: ポリスチレン (リサイクル材を含む)
REEL: POLYSTYLENE (RECYCLE MATERIAL CONTAINED)
- ELV 及び RoHS適合品
ELV AND RoHS COMPLIANT.
- ハイバリア梱包 (シリカゲル入り) 対応品である。(501331-**07除く)
THIS PRODUCT IS HIGH BARRIER PACKAGE.(WITH SILICAGEL)
(BESIDES 501331-**07)
- 開梱後の保管条件に注意のこと。(ハイバリア品対象: PS-501331-001参照)
REFER TO PS-501331-001(HIGH BARRIER PRODUCT)
FOR CONDITIONS AFTER OPEN.

REVISED EC NO: J2014-1509 DRWN:TYAJI MA01 CHKD:KASAKAWA APPR:NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2005/01/18	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) EMBSTP PKG				
		10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2005/01/18					
		30 OVER	± 0.3	APPROVED BY ANODA	DATE 2005/01/18	molex				
		ANGULAR ±1 °		MATERIAL NO.						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 3		SD-501331-004		1 OF 3			
	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

9

8

7


6

5

4

3

2



37.4	33.4	32	14.2	18.3	5013311507
				17.3	5013311407
				16.3	5013311307
29.4	25.4	24	11.5	15.3	5013311207
				14.3	5013311107
				13.3	5013311007
				12.3	5013310907
				11.3	5013310807
				10.3	5013310707
				9.3	5013310607
E	D	C	(B)	(A)	製品番号 MATERIAL NO.

REVISED	EC NO: J2014-1509 DRAWN:TYAJIMAO1 CHKD:KASAKAWA APPR:NUKITA	2014/04/04 2014/04/07 2014/04/07	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION			
				10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2005/01/18	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) EMBSTP PKG						
				10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2005/01/18							
				30 OVER	± 0.3	APPROVED BY ANODA	DATE 2005/01/18							
				ANGULAR ±1 °		MATERIAL NO.						DOCUMENT NO.		SHEET NO.
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 3						SD-501331-004		2 OF 3
				REV				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

		10		9		8		7		6		5		4		3		2		1											
F																				紫 VIOLET		橙 ORANGE		茶 BROWN		緑 GREEN		色 COLOR			
																				501331-1597		501331-1587		501331-1577		501331-1567		15			
																				501331-1497		501331-1487		501331-1477		501331-1467		14			
																				501331-1397		501331-1387		501331-1377		501331-1367		13			
																				501331-1297		501331-1287		501331-1277		501331-1267		12			
																				501331-1197		501331-1187		501331-1177		501331-1167		11			
																				501331-1097		501331-1087		501331-1077		501331-1067		10			
																				501331-0997		501331-0987		501331-0977		501331-0967		9			
																				501331-0897		501331-0887		501331-0877		501331-0867		8			
																				501331-0797		501331-0787		501331-0777		501331-0767		7			
																				501331-0697		501331-0687		501331-0677		501331-0667		6			
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS			
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																									
E																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
D																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
C																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
B																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
A																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
F																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
E																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
D																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS	
オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																							
C																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR	
																				501331-1547		501331-1537		501331-1527				501331-1507		15	
																				501331-1447		501331-1437		501331-1427				501331-1407		14	
																				501331-1347		501331-1337		501331-1327				501331-1307		13	
																				501331-1247		501331-1237		501331-1227				501331-1207		12	
																				501331-1147		501331-1137		501331-1127				501331-1107		11	
																				501331-1047		501331-1037		501331-1027				501331-1007		10	
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9	
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8	
																				501331-0747		501331-0737		501331-0727				501331-0707		7	
																				501331-0647		501331-0637		501331-0627		501331-06					