

REVISION		
REV	DESCRIPTION	DATE
H1	REVISED PER ECO-11-005139	29MAR11





NOTES:

- 1. All dimensions are in inches [millimeters]
- 2. Dimensions appearing in table are as follows:
 - a As Supplied
 - b After Unrestricted Recovery
- 3. Adhesive is optional. As supplied dimensions appearing in table are for uncoated parts. When adhesive is added, entry diameters will be reduced by .06 max.
- 4. Part numbers SSC-2 thru SSC-7 available with valves by adding TV to the part number.
- 5. Material: polyolefin, commercial, rigid per PPS-3011/25. Adhesive: PPS 3012/70.
- Parts are to be marked with part number in white ink. (IE. SSC-X)
- 7. SSC-1 has a smooth coating of adhesive. SSC-2 thru SSC-7 have the adhesive applied in a spiral bead.

TABLE OF DIMENSIONS W Н **PART** +15% ±20% Min Max -10%NUMBER b b b a 1.5 .39 .16 80. SSC-1 [10] [4] [38,0] [2,0] .79 .30 2.2 .09 SSC-2 [20] [7,5] [55,0] [2,3] 1.38 .59 3.5 .12 SSC-3 [15] [35] [90,0] [3,0] 2.17 .98 5.6 .13 SSC-4 [25] [55] [143,0] [3,3]2.95 1.25 5.9 .13 SSC-5 [75] [32] [150,0] [3,3]1.25 2.95 3.1 .13 SSC-5M1 [75] [32] [79,3] [3,3]3.94 1.77 6.4 .15 SSC-6 [45] [100] [162.0] [3,8] 4.72 2.76 5.7 .15 SSC-7 [120] [70] [145,0] [3,8]

ORDERING INFORMATION:

End cap, uncoated: SSC-X/U

Self sealing end cap with thermoplastic adhesive: SSC-X/239 and valves: SSC-XTV/239.

