



A B C D E F G H

ALL DIMENSIONS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. U.S. PATENTED. NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

DWG. NO.	ZONE	REV.	DESCRIPTION	DATE	APPROVED
XXB-50X-D		X1	CUSTOMER APPROVAL	03/26/99	E.V.
		X2	ADD RETRACTED LENGTH	03/29/99	E.V.




WIRE DIAGRAM	
P1	P2
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN

TABULATION BLOCK

488-148-505-D	121-810-022	14.0 FT (4.3 M)	50.0 IN (1270.0 MM)	WHITE
488-148-504-D	121-810-012	14.0 FT (4.3 M)	50.0 IN (1270.0 MM)	BLACK
488-148-503-D	121-810-002	14.0 FT (4.3 M)	50.0 IN (1270.0 MM)	SILVER SATIN
488-108-502-D	121-810-021	10.0 FT (3.0 M)	42.0 IN (1066.8 MM)	WHITE
488-108-501-D	121-810-011	10.0 FT (3.0 M)	42.0 IN (1066.8 MM)	BLACK
488-108-500-D	121-810-001	10.0 FT (3.0 M)	42.0 IN (1066.8 MM)	SILVER SATIN
488-078-505-D	121-810-020	7.0 FT (2.1 M)	28.0 IN (711.2 MM)	WHITE
488-078-504-D	121-810-010	7.0 FT (2.1 M)	28.0 IN (711.2 MM)	BLACK
488-078-503-D	121-810-000	7.0 FT (2.1 M)	28.0 IN (711.2 MM)	SILVER SATIN
488-058-502-D	121-810-023	5.0 FT (1.5 M)	22.0 IN (558.8 MM)	WHITE
488-058-501-D	121-810-013	5.0 FT (1.5 M)	22.0 IN (558.8 MM)	BLACK
488-058-500-D	121-810-003	5.0 FT (1.5 M)	22.0 IN (558.8 MM)	SILVER SATIN
IOI PART NUMBER	IOI CABLE PART NUMBER	EXTENDED LENGTH *X*	RETRACTED LENGTH *R*	

CUSTOMER APPROVAL
ENGR. SIGN *Matt Lerner*
DATE: 4-13-99

- NOTES: UNLESS OTHERWISE SPECIFIED.
1. TEST CABLE FOR ALL OPENS & SHORTS.
 2. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.



THIRD ANGLE PROJECTION
UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETERS)
2) TOLERANCES:
XX ± 0.25 (6.35)

I/O INTERCONNECT SANTA ANA, CALIFORNIA	
FILE NO.	898C/898C COIL CABLE, REVERSE STYLE, CABLE ASSEMBLY
REV.	PART NO. 488-XXB-50X-D
CHANGED	DWG NO. 488-XXB-50X-D
DATE/PAID	CUSTOMER DIGI KEY
REV. X2	SCALE NONE SHEET 1 OF 1

ITEM	QTY	IOI	MFG.	DESCRIPTION
2	2 PCS	325-881-50X	IOI PART NO.	MODULAR COIL CABLE, 26 AVG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, PVC JACKET, (SEE TABULATION BLOCK FOR COLOR).
1	2 PCS	325-881-50X	IOI PART NO.	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.


CABLE ASSEMBLY PARTS LIST

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC.,
 U.S.A. AND SHALL NOT BE REPRODUCED, COPIED, OR USED BY ANY OTHER PARTY WITHOUT THE
 PRIOR WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

DWG. NO.	ZONE	REV.	DESCRIPTION	DATE	APPROVED
XXB-510-D	X1		CUSTOMER APPROVAL	03/24/99	E.V.

WIRE DIAGRAM

P1	P2
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN



CUSTOMER APPROVAL

ENGR. SIGN Matt Jones
 DATE: 4-12-99

NOTES: UNLESS OTHERWISE SPECIFIED.

1. CABLE TO BE BUNDLED AND TWIST TIED.
2. TEST CABLE FOR ALL OPENS & SHORTS.
3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

H1883-25-ND
 H1883-14-ND
 H1883-07-ND

488-258-510-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-510-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-510-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM

PART NUMBER	LENGTH "X"
I/O INTERCONNECT	



THIRD ANGLE PROJECTION

I/O INTERCONNECT SANTA ANA, CALIFORNIA	
TITLE: BPBP MODULAR, STANDARD STYLE PART NO: 488-XXB-510-D REV: X1	PART NO: 488-XXB-510-D REV: X1

ITEM	QTY	MFG.	DESCRIPTION
2	"X"	101	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, SILVER SATIN PVC.
1	2 PCS	101	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AU, FLAT TYPE EXIT.

CABLE ASSEMBLY PARTS LIST


A B C D E F G H

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC., U.S.A. AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

DWG. NO.	ZONE	REV.	DESCRIPTION	DATE	APPROVED
XX8-511-D		X1	CUSTOMER APPROVAL	03/24/99	E.V.

WIRE DIAGRAM

P1	P2
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN



CUSTOMER APPROVAL
ENGR. SIGN Math Nemeo
DATE: 4-12-99

- NOTES: UNLESS OTHERWISE SPECIFIED.
1. CABLE TO BE BUNDLED AND TWIST TIED.
 2. TEST CABLE FOR ALL OPENS & SHORTS.
 3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

488-259-511-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-511-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-511-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM

PART NUMBER	LENGTH "X"
-------------	------------


 I/O INTERCONNECT
SANTA ANA, CALIFORNIA

THIRD ANGLE PROJECTION


UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETER)
2) TOLERANCES:
X.XX ± 0.25 (6.35)

ITEM	QTY	MFG.	IOI PART NO.	DESCRIPTION
2	*X*	IOI	120-810-010	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, BLACK PVC.
1	2 PCS	IOI	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" Au, FLAT TYPE EXIT.
CABLE ASSEMBLY PARTS LIST				

REV. X1	DIGI KEY
SCALE: NONE	SHEET 1 OF 1



CUSTOMER APPROVAL
ENGR. SIGN Math Amec
DATE: 4-12-99

NOTES: UNLESS OTHERWISE SPECIFIED:
1. CABLE TO BE BUNDLED AND TWIST TIED.
2. TEST CABLE FOR ALL OPENS & SHORTS.
3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

2	*X*	101	120-810-010	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, BLACK PVC.
1	2 PCS	101	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AW, FLAT TYPE EXIT.
ITEM	QTY	MFG.	IOI PART NO.	DESCRIPTION
CABLE ASSEMBLY PARTS LIST				

488-258-501-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-501-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-501-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM
PART NUMBER	LENGTH *X*
I/O INTERCONNECT	

THIRD ANGLE PROJECTION

UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETER)
2) TOLERANCES:
XXX ± 0.25 (6.35)

I/O INTERCONNECT
SANTA ANA, CALIFORNIA

TITLE: BP8P MODULAR, REVERT STYLE, BLACK, CABLE ASSEMBLY

REV. NO. 488-XXB-501-D

DWG. NO. 488-XXB-501-D

CUSTOMER DIGI KEY

SCALE: NONE


SHEET 1 OF 1

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. NO PARTS OR SUBASSEMBLIES MAY BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

A		B		C		D		E		F		G		H	
DWG. NO.		ZONE		REV.		DESCRIPTION		DATE		APPROVED		E.V.			
XXB-500-D				X1		CUSTOMER APPROVAL		03/24/99							

WIRE DIAGRAM

P1	P2
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN



POS 1 POS 8

P2

P1

CUSTOMER APPROVAL

ENGR. SIGN 4 Matt Jensen

DATE: 4-17-99

NOTES: UNLESS OTHERWISE SPECIFIED.

1. CABLE TO BE BUNDLED AND TWIST TIED.

2. TEST CABLE FOR ALL OPENS & SHORTS.

3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

H2883-25-ND

H2883-14-ND

H2883-07-ND

488-258-500-D


488-148-500-D

488-078-500-D

PART NUMBER
I/O INTERCONNECT

LENGTH 'X'

THIRD ANGLE PROJECTION



UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETER)
2) TOLERANCES:
XXX ± 0.25 (6.35)

I/O INTERCONNECT
SANTA ANA, CALIFORNIA

REV	DATE	BY	CHKD	APP'D	DESCRIPTION
1					SILVER SATIN, CABLE ASSEMBLY
2					488-XXB-500-D
3					488-XXB-500-D
4					CUSTOMER
5					DIGI KEY
6					REV
7					X1
8					REV
9					REV
10					REV
11					REV
12					REV
13					REV
14					REV
15					REV
16					REV
17					REV
18					REV
19					REV
20					REV
21					REV
22					REV
23					REV
24					REV
25					REV
26					REV
27					REV
28					REV
29					REV
30					REV
31					REV
32					REV
33					REV
34					REV
35					REV
36					REV
37					REV
38					REV
39					REV
40					REV
41					REV
42					REV
43					REV
44					REV
45					REV
46					REV
47					REV
48					REV
49					REV
50					REV
51					REV
52					REV
53					REV
54					REV
55					REV
56					REV
57					REV
58					REV
59					REV
60					REV
61					REV
62					REV
63					REV
64					REV
65					REV
66					REV
67					REV
68					REV
69					REV
70					REV
71					REV
72					REV
73					REV
74					REV
75					REV
76					REV
77					REV
78					REV
79					REV
80					REV
81					REV
82					REV
83					REV
84					REV
85					REV
86					REV
87					REV
88					REV
89					REV
90					REV
91					REV
92					REV
93					REV
94					REV
95					REV
96					REV
97					REV
98					REV
99					REV
100					REV

MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED,
SILVER SATIN PVC.

CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.

DESCRIPTION



CABLE ASSEMBLY PARTS LIST

SCALE	NONE	SHEET	1	OF	1
-------	------	-------	---	----	---

A		B	C	D	E	F	G	H
DWG. NO.		ZONE	REV.	DESCRIPTION	DATE	APPROVED		
XXB-521-D			X1	CUSTOMER APPROVAL	03/24/99	E.V.		

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. NO PARTS MAY BE REPRODUCED OR USED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

1



1 2 PCS

P1

OPEN END

WIRE DIAGRAM

P1	OPEN END
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN

3



CUSTOMER APPROVAL
ENGR. SIGN Math Nemes
DATE: 4-12-99


H3882-25-ND
H3882-14-ND
H3882-07-ND

NOTES: UNLESS OTHERWISE SPECIFIED.

- CABLE TO BE BUNDLED AND TWIST TIED.
- TEST CABLE FOR ALL OPENS & SHORTS.
- PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

488-258-521-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-521-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-521-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM

PART NUMBER
I/O INTERCONNECT



THIRD ANGLE PROJECTION		I/O INTERCONNECT	
FRONT VIEW	ISOMETRIC	TITLE	SANTA ANA, CALIFORNIA
UNLESS OTHERWISE NOTED, DIMENSIONS ARE IN INCHES (MILLIMETER)		8P8P MODULAR TO OPEN END	BLACK, CABLE ASSEMBLY
XX ± 0.25 (6.35)		PART NO.	488-XXB-521-D
		DWG. NO.	488-XXB-521-D
		CUSTOMER	DIGI KEY
		SCALE	NONE
		SHEET	1 OF 1

MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, BLACK PVC.

CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AU, FLAT TYPE EXIT.

DESCRIPTION

CABLE ASSEMBLY PARTS LIST

5


ITEM	QTY	MFG.	IDT PART NO.	DESCRIPTION
2	1	101	120-810-010	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, BLACK PVC.
1	1	101	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AU, FLAT TYPE EXIT.

A	B	C	D	E	F	G	H
DWG. NO.	ZONE	REV.	DESCRIPTION	DATE	APPROVED		
XXB-520-D		X1	CUSTOMER APPROVAL	03/24/99	E.V.		

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. NO PARTS OR MATERIALS ARE TO BE USED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

WIRE DIAGRAM

PI	OPEN END
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN



OPEN END



CUSTOMER APPROVAL

ENGR. SIGN Math. Armer
DATE: 4-12-99

H3883-25-ND
H3883-14-ND
H3883-67-ND

NOTES: UNLESS OTHERWISE SPECIFIED.


1. CABLE TO BE BUNDLED AND TWIST TIED.
2. TEST CABLE FOR ALL OPENS & SHORTS.
3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

ITEM	QTY	PC	IOI	MFG.	IOI PART NO.	DESCRIPTION	THIRD ANGLE PROJECTION	SCALE	SHEET	OF
2			IOI		120-810-000	MODULAR CABLE, 26 AVG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, SILVER SATIN PVC.			1	1
1		1 PC	IOI		325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.				
CABLE ASSEMBLY PARTS LIST							I/O INTERCONNECT SANTA ANA, CALIFORNIA			
							TITLE: 8P8P MODULAR TO OPEN END SILVER SATIN, CABLE ASSEMBLY			
							PART NO. 488-XXB-520-D			
							REV. 488-XXB-520-D			
							CARTOON DIGI KEY			
							REV. X1			

488-258-320-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-320-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-320-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM
PART NUMBER	LENGTH "X"
I/O INTERCONNECT	

A		B	C	D	E	F	G	H
DWG. NO.		ZONE	REV.	DESCRIPTION		DATE	APPROVED	
XXB-51X-D			X1	CUSTOMER APPROVAL		03/26/99	E.V.	
			X2	ADD RETRACTED LENGTH		03/29/99	E.V.	

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC., U.S.A. AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.




WIRE DIAGRAM	
POS 1	POS 8
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN

CUSTOMER APPROVAL
ENGR. SIGN Math Lemmer
DATE: 4-13-99

- NOTES: UNLESS OTHERWISE SPECIFIED.
1. TEST CABLE FOR ALL OPENS & SHORTS.
 2. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

8					BROWN		1		THIRD ANGLE PROJECTION						I/O INTERCONNECT		SANTA ANA, CALIFORNIA	
2		X' FT	DOI	SEE	MODULAR COIL CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, PVC JACKET, (SEE TABULATION BLOCK FOR COLOR).													
1		PCS	DOI	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U' AU, FLAT TYPE EXIT.													
ITEM		QTY	MFG.	DOI PART NO.	DESCRIPTION													
					CABLE ASSEMBLY PARTS LIST													




CUSTOMER APPROVAL
ENGR. SIGN Math Lane
DATE: 4-12-99

NOTES: UNLESS OTHERWISE SPECIFIED,
1. CABLE TO BE BUNDLED AND TWIST TIED.
2. TEST CABLE FOR ALL OPENS & SHORTS.
3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

THIRD ANGLE PROJECTION		I/O INTERCONNECT	
UNLESS OTHERWISE NOTED: 1) DIMENSIONS ARE IN INCHES (MILLIMETER) 2) TOLERANCES: XXX ± 0.25 (6.35)		SANTA ANA, CALIFORNIA	
MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, WHITE PVC.		PART NO. 488-XXB-512-D	
CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.		DWG NO. 488-XXB-512-D	
CABLE ASSEMBLY PARTS LIST		CUSTOMER DIGI KEY	
		SCALE NONE	
		SHEET 1 OF 1	


A	B	C	D	E	F	G
ALL SPECIFICATIONS ARE THE SOLE PROPERTY OF L/O INTERCONNECT INC. AND NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF L/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.						
					DWG. NO. XXB-52X-D	ZONE REV.
						X1 CUSTOMER APPROVAL
						X2 ADD RETRACTED LENGTH



OPEN END



POS 1	POS 8
GRAY	
ORANGE	
BLACK	
RED	
GREEN	
YELLOW	
BLUE	
BROWN	



PI	WIRE DIAGRAM
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN

CUSTOMER APPROVAL
ENGR. SIGN Walt Lerner
DATE: 4-13-99

NOTES: UNLESS OTHERWISE SPECIFIED,

1. TEST CABLE FOR ALL OPENS & SHORTS.
2. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

CABLE ASSEMBLY PARTS LIST			
ITEM	QTY	MFG.	DESCRIPTION
2	"X" FT	IOI	SEE "TABULATION BLOCK"
1	1 PC	IOI	325-881-50X CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AU, FLAT TYPE EXIT.
CABLE ASSEMBLY PARTS LIST			