






FCIconnect.com

Copyright FCI


PRODUCT NUMBER
SEE TABLE AND NOTES 1 & 2 ONSHEET 3





mat'l. code SEE NOTE 3				surface ISO 1302 ✓				tolerance ISO 406 ISO 1101				projection 			product family HPC															
ltr ecn no dr date				tolerances unless otherwise specified															title											
S I11-0094 SAL 2011-05-23				angles linear		.XX±.01/.3						4 ROW VERTICAL HEADER																		
T ELX-I-13738 MJA 2012-12-21						.XXX±.005/.13						W/PRESS-FIT PINS, 0 G.P.																		
U ELX-I-16877 MJA 2014-01-29				0°±2°		.XXX±.0020/.051						scale 1:1			dwg no sheet 1 of 14 size 50009 A3 type Product Customer Drawing															
- - - -				dr		D.HORCHLER		2005-06-29																						
N V05-0999 DAI 10/29/05				enr		D.HORCHLER		2005-06-29																						
P M06-0283 MHT 7/27/06				chr		M JACOB		2014-01-29																						
R M06-0447 AGS 11/07/06				appd		BIJU K PAUL		2014-01-29																						
sheet index		revision sheet		U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U						
				1	2	3	4	5	6	7	8	9	10	11	12	13	14													

PRODUCT NO.
SEE TABLE



SECTION U-U




SECTION X-X



RECOMMENDED PCB LAYOUT
(ALL HOLES LOCATED ON .100/2.54 GRID
UNLESS OTHERWISE SPECIFIED)

mat'l. code SEE NOTE 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family HPC									
ltr	ecn no	dr	date	tolerances unless otherwise specified						title									
U				angles	linear	.XX±.01/.3		INCH/MM 	4 ROW VERTICAL HEADER										
						.XXX±.005/.13			W/PRESS—FIT PINS, 0 G.P.										
				0°±2°		.XXX±.0020/.051		scale 1:1											
				dr	D.HORCHLER	2005—06—21			dwg no						sheet 2 of 14		size		
				enr	D.HORCHLER	2005—06—21			50009								A3		
				chr	M JACOB	2014—01—29													
				appd	BIJU K PAUL	2014—01—29													
sheet index		revision sheet																	

PRODUCT NO.	ITEM KEY	SIGNAL DATA			
		SIZE 4 x 25	TOTAL NO. OF POSITIONS –100	NO. OF POSITIONS LOADED – 100	
				PRESS FIT STYLE	
		PLATING	QTY.	MATING LENGTH	TAIL LENGTH
50009–XX005	A	SEE SHEET 3	98	.220 / 5.59	.177 / 4.50
	B	SEE SHEET 3	2	.260 / 6.60	.177 / 4.50
50009–XX005LF	A	SEE SHEET 3	98	.220 / 5.59	.177 / 4.50
	B	SEE SHEET 3	2	.260 / 6.60	.177 / 4.50





- ALL POSITIONS ARE LOADED WITH "A", EXCEPT AS SHOWN.
- COLUMN 1, ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code SEE NOTE 3				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family HPC			
ltr	ecn no	dr	date	tolerances unless otherwise specified		scale 1:1	title 4 ROW VERTICAL HEADER W/PRESS–FIT PINS, 0 G.P.			
U				angles	linear					
				0°±2°						
				dr	D.HORCHLER	2005–06–29	FCJ	dwg no		sheet 4 of 14
				enr	D.HORCHLER	2005–06–29		50009		A3
				chr	M JACOB	2014–01–29				
				appd	BIJU K PAUL	2014–01–29		type		Product Customer Drawing
sheet index	revision sheet									


PRODUCT NO.	ITEM KEY	SIGNAL DATA				
		SIZE 4 x 50	TOTAL NO. OF POSITIONS – 200		NO. OF POSITIONS LOADED – 200	
		PIN PLATING	QTY.	MATING LENGTH	TAIL LENGTH	TOTAL PIN LENGTH
50009–XX076	A	SEE SHEET 3	130	.230 / 5.84	.177 / 4.50	.595 / 15.11
	B	SEE SHEET 3	68	.270 / 6.86	.177 / 4.50	.634 / 16.10
	C	SEE SHEET 3	2	.190 / 4.83	.177 / 4.50	.555 / 14.10
50009–XX076LF	A	SEE SHEET 3	130	.230 / 5.84	.177 / 4.50	.595 / 15.11
	B	SEE SHEET 3	68	.270 / 6.86	.177 / 4.50	.634 / 16.10
	C	SEE SHEET 3	2	.190 / 4.83	.177 / 4.50	.555 / 14.10

	1		5		10		15		20		25		30		35		40		45		50		
D	B	C		B			B			B			B			B			B			B	C
C	B			B			B			B			B			B			B			B	
B	B			B			B			B			B			B			B			B	
A	B			B			B			B			B			B			B			B	
PIN																							



1. ALL POSITIONS ARE LOADED WITH "A", EXCEPT AS SHOWN.
2. COLUMN 1, ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code SEE NOTE 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family HPC																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ltr	ecn no	dr	date	tolerances unless otherwise specified				INCH/MM 		title 4 ROW VERTICAL HEADER W/PRESS-FIT PINS, 0 G.P.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
U				angles	linear	.XX±.01/.3																scale 1:1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						.XXX±.005/.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				0°±2°		.XXX±.0020/.051		 dwg no 50009 sheet 7 of 14 size A3 type Product Customer Drawing																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				dr	D.HORCHLER	2005-06-29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				engr	D.HORCHLER	2005-06-29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				chr	M JACOB	2014-01-29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				appd	BIJU K PAUL	2014-01-29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
sheet index		revision sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

PRODUCT NO.	SIGNAL DATA				
	SIZE 4 x 35	TOTAL NO. OF POSITIONS -140	NO OF POSITIONS LOADED - 140		
	ITEM KEY	PINS: PLATING:	QUANTITY	MATING LENGTH	TAIL LENGTH
50009-XX124	A	SEE SHEET 3	140	.220 / 5.59	.603 / 15.32
50009-XX124LF	A	SEE SHEET 3	140	.220 / 5.59	.603 / 15.32



1. ALL POSITIONS ARE LOADED WITH "A".
2. COLUMN 1 ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code SEE NOTE 3				surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family HPC							
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM 	title 4 ROW VERTICAL HEADER W/PRESS-FIT PINS, 0 G.P.							
U				angles	linear									
				0°±2°										
				dr	D.HORCHLER	2005-06-29		dwg no		sheet 8 of 14		size		
				enr	D.HORCHLER	2005-06-29		50009				A3		
				chr	M JACOB	2014-01-29								
				appd	BIJU K PAUL	2014-01-29		type		Product Customer Drawing				
sheet index	revision sheet													


PRODUCT NUMBER	ITEM KEY	SIGNAL DATA			
		SIZE 4 x 50	TOTAL NO. OF POSITIONS –200	NO. OF POSITIONS LOADED – 200	
				PRESS FIT STYLE	
		PIN PLATING	QTY.	MATING LENGTH	TAIL LENGTH
50009–XX187	A	SEE SHEET 3	85	.220 / 5.59	.561 / 14.25
	B	SEE SHEET 3	1	.180 / 4.57	.521 / 13.23
	C	SEE SHEET 3	8	.260 / 6.60	.601 / 15.27
	D	SEE SHEET 3	106	.220 / 5.59	.177 / 4.50
50009–XX187LF	A	SEE SHEET 3	85	.220 / 5.59	.561 / 14.25
	B	SEE SHEET 3	1	.180 / 4.57	.521 / 13.23
	C	SEE SHEET 3	8	.260 / 6.60	.601 / 15.27
	D	SEE SHEET 3	106	.220 / 5.59	.177 / 4.50

	1	5	10	15	20	25
D						
C	A	A			A	
B	A	A	C	A		A
A	A		C		A	C
	A	A	A		A	

PIN
1

26	30	35	40	45	50
A		A		A	
	A		A		C
	A		A		C
A		A		A	



1. ALL POSITIONS ARE LOADED WITH "D" EXCEPT AS SHOWN.
2. COLUMN 1, ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code SEE NOTE 3				surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family HPC
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM scale 1:1	title 4 ROW VERTICAL HEADER W/PRESS–FIT PINS, 0 G.P.
U				angles	linear		
				0°±2°			
				dr	D.HORCHLER	2005–06–29	dwg no 50009 type Product Customer Drawing
				enr	D.HORCHLER	2005–06–29	
				chr	M JACOB	2014–01–29	
				appd	BIJU K PAUL	2014–01–29	sheet 9 of 14 size A3
sheet index	revision sheet						

PRODUCT NUMBER	ITEM KEY	SIGNAL DATA			
		SIZE 4 x 80	TOTAL NO. OF	POSITIONS –320	NO. OF POSITIONS LOADED – 320
		PRESS FIT STYLE			
		PIN PLATING	QTY.	MATING LENGTH	TAIL LENGTH
50009–XX188	A	SEE SHEET 3	304	.210 / 5.33	.533 / 13.54
	B	SEE SHEET 3	16	.244 / 6.20	.533 / 13.54
50009–XX188LF	A	SEE SHEET 3	304	.210 / 5.33	.533 / 13.54
	B	SEE SHEET 3	16	.244 / 6.20	.533 / 13.54

	1	5	10	15	20	25	30	35	40	
D	B	B								
C	B	B								
B	B	B								
A	B	B								
PIN 1										
	41	45	50	55	60	65	70	75	80	
									B	B
									B	B
									B	B
									B	B


1. ALL POSITIONS ARE LOADED WITH "A" EXCEPT AS SHOWN.
2. COLUMN 1, ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code SEE NOTE 3				surface ISO 1302	tolerance ISO 406 ISO 1101	projection 	product family HPC			
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM 	title 4 ROW VERTICAL HEADER W/PRESS–FIT PINS, 0 G.P.			
U				angles	linear					
				0°±2°						
				dr	D.HORCHLER	2005–06–29		dwg no		sheet10 of 14size
				enr	D.HORCHLER	2005–06–29		50009		A3
				chr	M JACOB	2014–01–29		type Product Customer Drawing		
				appd	BIJU K PAUL	2014–01–29				
sheet index	revision sheet									

1. ALL POSITIONS ARE LOADED WITH "A" EXCEPT AS SHOWN.
2. COLUMN 1, ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code		surface		tolerance		projection		product family							
SEE NOTE 3		ISO 1302 ✓		ISO 406 ISO 1101				HPC							
ltr	ecn no	dr	date	tolerances unless otherwise specified				title							
U				angles	linear										
				0°±2°				4 ROW VERTICAL HEADER W/PRESS-FIT PINS, 0 G.P.							
				dr	D.HORCHLER	2005-06-29			dwg no		sheet 11 of 14		size		
				enr	D.HORCHLER	2005-06-29			50009				A3		
				chr	M JACOB	2014-01-29									
				appd	BIJU K PAUL	2014-01-29			type		Product Customer Drawing				
sheet index	revision sheet														

PRODUCT NO.	SIGNAL DATA				
	SIZE 4 x 55	TOTAL NO. OF POSITIONS –220	NO OF POSITIONS LOADED – 220		
	ITEM KEY	PINS: PLATING:	QUANTITY	MATING LENGTH	TAIL LENGTH
50009–XX190	A	SEE SHEET 3	220	.220 / 5.59	.250 / 6.35
50009–XX190LF	A	SEE SHEET 3	220	.220 / 5.59	.250 / 6.35



PIN
1

- ALL POSITIONS ARE LOADED WITH "A".
- COLUMN 1, ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code SEE NOTE 3				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family HPC
ltr	ecn no	dr	date	tolerances unless otherwise specified		scale 1:1	title 4 ROW VERTICAL HEADER W/PRESS–FIT PINS, 0 G.P.
U				angles	linear		
				0°±2°			
				dr	D.HORCHLER	2005–06–29	dwg no 50009
				engr	D.HORCHLER	2005–06–29	
				chr	M JACOB	2014–01–29	
				appd	BIJU K PAUL	2014–01–29	type Product Customer Drawing
sheet index	revision sheet						




PRODUCT NO.	ITEM KEY	SIGNAL DATA			
		SIZE 4 x 35	TOTAL NO. OF POSITIONS –140	NO. OF POSITIONS LOADED – 140	
		PLATING	QTY.	PRESS FIT STYLE	
				MATING LENGTH	TAIL LENGTH
50009–XX191	A	SEE SHEET 3	137	.220 / 5.59	.250 / 6.35
	B	SEE SHEET 3	3	.180 / 4.57	.250 / 6.35
50009–XX191LF	A	SEE SHEET 3	137	.220 / 5.59	.250 / 6.35
	B	SEE SHEET 3	3	.180 / 4.57	.250 / 6.35

	1	5	10	15	20	25	30	35
D	B							B
C								
B								
A					B			

PIN
1

1. ALL POSITIONS ARE LOADED WITH "A", EXCEPT AS SHOWN.
2. COLUMN 1, ROW A IS DESIGNATED AS SIGNAL PIN 1, AS VIEWED FROM THE MATING FACE.

mat'l. code SEE NOTE 3				surface ISO 1302 ✓			tolerance ISO 406 ISO 1101			projection 			product family HPC																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
ltr	ecn no	dr	date	tolerances unless otherwise specified										title																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
U				angles 0°±2°	linear	.XX±.01/.3				INCH/MM 			4 ROW VERTICAL HEADER W/PRESS-FIT PINS, 0 G.P.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
						.XXX±.005/.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
						.XXXX±.0020/.051																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				dr	D.HORCHLER	2005-06-29							dwg no					sheet13 of 14					size A3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				engr	D.HORCHLER	2005-06-29							50009																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				chr	M JACOB	2014-01-29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				appd	BIJU K PAUL	2014-01-29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
sheet index		revision sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

