


PART NUMBER 10106262-D006001LF



spec ref		-		dr		Peng-Bing Fu	2012/02/27	projection		MM	size		A3	scale		3:2
tolerance std	ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Peng-Bing Fu	2012/11/14				ecn no		ELX-DG-013143-1			
				chr		Shao-Qi Kuang	2012/11/15				rel level			Released		
				appr		Pei-Ming Zheng	2012/11/15	product family			PwrBlade+					
surface		linear	0.X	±0.5		title				13HP + 24S	dwg no	10106262-D006001		rev	B	
			0.XX	±0.25												
			0.XXX	±0.10												
ASME Y14.5		angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw				sheet 1 of 3				

A

B

C

D

A

B

C


D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

spec ref -				dr Peng-Bing Fu		2012/02/27		projection 	MM 	size A3		scale 3:2	
tolerance std ASME Y14.5 TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Peng-Bing Fu		2012/11/14				ecn no ELX-DG-013143-1			
				chr Shao-Qi Kuang		2012/11/15				rel level Released			
				appr Pei-Ming Zheng		2012/11/15		product family PwrBlade+					
surface 		linear	0.X	±0.5		title 13HP + 24S RA STB HEADER				dwg no 10106262-D006001	rev B		
			0.XX	±0.25									
			ASME Y14.5	angular		0°	±2°	www.fci.com	cat. no.				Product - Customer Drw