







LOC		DIST		REVISIONS				
AD	00	P	LYR	DESCRIPTION	DATE	OWN	APVD	
			C	REVISED PER ECO-11-025276	24DEC11	KH	DY	

- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.
6. KEYING PIN SHOWN IN POSITION A, SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.



RIGHT GUIDED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. K. SHOBER 24DEC11		 TE Connectivity	
DIMENSIONS:		CHK J. EABY 24DEC11			
mm		APVD J. EABY 24DEC11		NAME IMPACT, 3 PAIR, 16 COLUMN, HEADER RIGHT GUIDED, OPEN END WALL SIGNAL MODULE, 0.36 PTH	
		PRODUCT SPEC			
		APPLICATION SPEC			
		MATERIAL		FINISH SEE TABLE	
		WEIGHT -		A100779C=2007797	
		CUSTOMER DRAWING		SCALE 6:1 SHEET 1 OF 2 REV C	

LOC		DIST		REVISIONS						
AD		00		P	LTR	DESCRIPTION		DATE	DWN	APVD
				-	-	SEE SHEET 1		-	-	-

	H	5.5	8-2007797-6
	H	4.9	8-2007797-5
	H	4.5	8-2007797-4
	H	5.5	8-2007797-3
	H	4.9	8-2007797-2
	H	4.5	8-2007797-1
	G	5.5	7-2007797-6
	G	4.9	7-2007797-5
	G	4.5	7-2007797-4
	G	5.5	7-2007797-3
	G	4.9	7-2007797-2
	G	4.5	7-2007797-1
	F	5.5	6-2007797-6
	F	4.9	6-2007797-5
	F	4.5	6-2007797-4
	F	5.5	6-2007797-3
	F	4.9	6-2007797-2
	F	4.5	6-2007797-1
	E	5.5	5-2007797-6
	E	4.9	5-2007797-5
	E	4.5	5-2007797-4
	E	5.5	5-2007797-3
	E	4.9	5-2007797-2
	E	4.5	5-2007797-1
	D	5.5	4-2007797-6
	D	4.9	4-2007797-5
	D	4.5	4-2007797-4
	D	5.5	4-2007797-3
	D	4.9	4-2007797-2
	D	4.5	4-2007797-1
	C	5.5	3-2007797-6
	C	4.9	3-2007797-5
	C	4.5	3-2007797-4
	C	5.5	3-2007797-3
	C	4.9	3-2007797-2
	C	4.5	3-2007797-1
	B	5.5	2-2007797-6
	B	4.9	2-2007797-5
	B	4.5	2-2007797-4
	B	5.5	2-2007797-3
	B	4.9	2-2007797-2
	B	4.5	2-2007797-1
	A	5.5	1-2007797-6
	A	4.9	1-2007797-5
	A	4.5	1-2007797-4
	A	5.5	1-2007797-3
	A	4.9	1-2007797-2
	A	4.5	1-2007797-1
	-	5.5	2007797-6
	-	4.9	2007797-5
	-	4.5	2007797-4
	-	5.5	2007797-3
	-	4.9	2007797-2
	-	4.5	2007797-1
FINISH	KEY POSITION	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

KEY POSITION
CHART

NONE

A

E

B

F

C

G

D

H

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	J. K. SHOBER	24DEC11	TE Connectivity			
			CHK	J. EABY	24DEC11				
			APVD	J. EABY	24DEC11	NAME			
						IMPACT, 3 PAIR, 16 COLUMN, HEADER			
						RIGHT GUIDED, OPEN END WALL			
						SIGNAL MODULE, 0.36 PTH			
						SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
						A100779C=2007797			-
						CUSTOMER DRAWING			
						SCALE	5:1	SHEET 2 OF 2	REV C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2007797-1](#)