

Copyright FCI.

10023061 - □ □ □ □ □

STYLE : MECHANICAL KEYING
1 : 1.8 VOLT. W/ CENTER KEY#1
2 : 2.5 VOLT. W/ LEFT KEY#1
3 : X.X VOLT. W/ RIGHT KEY#1

COLOR OF HOUSING
0 : BLACK HOUSING
1 : BLUE HOUSING

TAIL LENGTH	
CODE	DIM "B"
0	2.54
1	2.67
2	3.18

PLATING


CODE	CONTACT	SOLDERTAIL	UNDERPLATE
1	10u" (0.25um) MIN. GOLD	100u" (2.54um) MIN. TIN/LEAD	50u" (1.27um) MIN. NICKEL OVERALL
2	15u" (0.38um) MIN. GOLD		
3	30u" (0.76um) MIN. GOLD		
4	3u" (0.076um) MIN. GOLD		
6LF	10u" (0.25um) MIN. GOLD	100u" (2.54um) MIN. 100% TIN	50u" (1.27um) MIN. NICKEL OVERALL
7LF	15u" (0.38um) MIN. GOLD		
8LF	30u" (0.76um) MIN. GOLD		
9LF	3u" (0.076um) MIN. GOLD		

COLOR OF EJECTOR
0 : IVORY EJECTOR
2 : BLACK EJECTOR

- NOTES:
1. MATERIAL:
HOUSING: HIGH PERFORMANCE RESINS, GLASS FILLED UL94V-0 RATED.
EJECTOR: HIGH PERFORMANCE RESINS, GLASS FILLED UL94V-0 RATED.
TERMINAL: PHOSPHOR BRONZE
2. FCI LOGO TO BE APPROXIMATELY LOCATED AS SHOWN ON PRINT.
3. PRODUCT SPECIFICATION: GS-12-251.
4. PACKAGING SPECIFICATION: GS-14-899.
5. THE DATE CODE IS SHOWN "MM-DD-YY".
6. DIMENSION MARKED "■" NEED CPK>1.5

spec ref	*	dr	MAGGIE WU	02/17/03	projection	MM	size	A4	scale	1.000		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED						ecn no	*				
surface	linear	0.X	±	Su-Hua Miao	2010/11/03							
		0.XX	±	Nickor Zuo	2011/08/25							
		0.XXX	±	Pei-Ming Zheng	2011/08/25							
	angular	0°	±°									
		www.fci.com		cat. no.	*	Product - Customer Drw		sheet 3 of				

Print File - REV C - 2009-06-09



Copyright FCI.

REMARK: spec ref. PROD. NO. MARK "*" SEE ABOVE PART NO. PLATING CODE DESCR. 021/10N/03 2. TERMINAL PART NO. MARK "*" SHOULD BE THE SAME AS IN PRODUCT PART NO..				projection 		MM 		size A4		scale 1.000	
tolerance std TOLERANCES UNLESS OTHERWISE SPECIFIED				Su-Hua Miao 2010/11/03 Nickor Zuo 2011/08/25		product family		ecn no *		rel level	
surface	linear	0.X	±		2011/08/25	dwg no	10023000				
		0.XX	±				Released				
		0.XXX	±				N				
angular	0°	±°		www.fci.com	cat. no.	*	Product - Customer Drw			sheet 4 of	

Print File - REV C - 2009-06-09