

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	6JUN2016	Z.W	X.X

DATE CODE

YY WW X

YY=YEAR
EX:15=2015

WW=WEEK
EX:12=12

X=DAY
EX:5=5

STE

DATE CODE

9.80

25.50

10.50

11.55

8.45

5.00

NOTE:

1. PART NUMBER: SEE TABLE.

2. MATERIAL:
TERMINAL: COPPER ALLOY
HOUSING: THERMOPLASTIC,UL94-V0.

3. FINISH
TERMINAL: TIN PLATING OVERALL.

4. PACKAGING: PLASTIC BAG.

5. APPLICABLE WIRE:
SOLID: 18-22AWG.
STRANDED WIRE: 16-20 AWG(26 STRANDS MAX. FOR 16 AWG
16 STRANDS MAX. FOR 18AWG, 7 STRANDS MAX. FOR 20AWG.
(14AWG: 7 STRANDS,16 AWG: 26 STRANDS, 18AWG:16STRANDS)

△ MARK APPROXIMATION LOCATION.

AS SHOWN: 2834049-1/2/3/4

2834049-4

2834048-4

RED

2834049-3

2834048-3

ORANGE

2834049-2

2834048-2

BLACK

2834049-1

2834048-1

NATURAL

PART NUMBER

MATING SIDE P/N

PART COLOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 18DEC2015
Zhang Wei

CHK 18DEC2015
SHI MING

APVD 18DEC2015
XU XIANG

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:

mm

0-PLC

1-PLC

2-PLC

3-PLC

4-PLC

ANGLES

FINISH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±0.50

±1°

STE

TE Connectivity

NAME

2 PIN LATCHED WIRE TO WIRE CONNECTOR
PLUG ASSEMBLY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2834049

-

SCALE

SHEET

OF


REV

2:1

1

4

A



1470-19 (3/13)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20





© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



P / N : 2 - 2834049 - 1 / 2 / 3

P / N : 3 - 2834049 - 1 / 2

3-2834049-2	2P+2P+2P MODULAR	ORANGE+BLACK+RED
3-2834049-1		NATURAL+BLACK+RED
2-2834049-3	2P+2P MODULAR	ORANGE+ORANGE
2-2834049-2		BLACK+RED
2-2834049-1		NATURAL+BLACK
PART NUMBER	DESCRIPTION	PART COLOR

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ZHANG WEI	18DEC2015	 TE Connectivity	
		CHK SHI MING	18DEC2015		
		APVD XU XIANG	18DEC2015		
		PRODUCT SPEC			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.50		NAME 2 PIN WIRE TO WIRE CONNECTOR PLUG ASSEMBLY	
		0-PLC	±		
		1-PLC	±		
		2-PLC	±		
		3-PLC	±		
		4-PLC	±		
		ANGLES	±1°		
MATERIAL		FINISH		SIZE	
-		-		CAGE CODE	
-		-		DRAWING NO	
		WEIGHT		RESTRICTED TO	
		-		-	
		CUSTOMER DRAWING		SCALE	
				2:1	
				SHEET	
				3 OF 4	
				REV	
				A	

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


NOTE:
1. PACKAGING QUANTITY: SEE TABLE.

PART NUMBER	PAIRS PER BAG	BAGS PER CARTON	PAIRS PER CARTON
2834049-*	500	8	4000


PART NUMBER	PAIRS PER BAG	BAGS PER CARTON	PAIRS PER CARTON
1-2834049-*	500	8	4000

PART NUMBER	PAIRS PER BAG	BAGS PER CARTON	PAIRS PER CARTON
2-2834049-*	300	8	2400


PART NUMBER	PAIRS PER BAG	BAGS PER CARTON	PAIRS PER CARTON
3-2834049-*	200	8	1600



PLASTIC BAG



CARTON



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±1°
MATERIAL	FINISH
-	-
-	-

DWN	ZHANG WEI	18DEC2015
CHK	SHI MING	18DEC2015
APVD	XU XIANG	18DEC2015
PRODUCT SPEC	-	
APPLICATION SPEC	-	
WEIGHT	-	
CUSTOMER DRAWING		



TE Connectivity

NAME
2 PIN WIRE TO WIRE CONNECTOR
PLUG ASSEMBLY

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2834049	-
SCALE	2:1	SHEET	4 OF 4
REV	A		