





B

1 2

3

4

963P
CONTACT
NUMBERING
SYSTEM



SPECIFICATIONS:

INSULATOR MATERIAL:	30% GLASS-FILLED NYLON 6-12, FLAME RETARDANT
CONTACT BASR MATERIAL:	CA72500
CONTACT PLATING:	70 MICROINCHES MIN OF DGR-156 (DIFFUSED Au IN PdAg)
POINT OF CONTACT FROM INSULATOR FACE:	0.115 (963P AND 963PH) 0.145 (963PX)
PIN STOP FROM INSULATOR FACE:	0.245
RECOMMENDED MATING PIN LENGTH:	0.225+/-0.030
CONTACT WIRE GAUGE:	22-29 GA.
CONTACT WIRE TERMINATION:	OPEN BARREL CRIMP
CONTACT CURRENT:	1.5 A MAX*
CONTACT RESISTANCE:	6 MILLIOHMS TYPICAL
VOLTAGE BREAKDOWN:	1000 VAC
MAXIMUM ALLOWABLE PULL ON WIRE:	4 LBS. MAX AXIAL LOAD ON EACH CONTACT
AVG INSERTION FORCE/RETANTION FORCE PER CONTACT	.3/.2 LBS - 963P .5/.3 LBS - 963PH .65/.45 - 963PX .7/.4 - 963PS
TERMINATION EQUIPMENT	
CRIMP TOOL, HAND, FOR 22-28 GAUGE WIRE:	1000B

*BASED ON 30 DEG. C TEMP RISE, ALL CONTACTS SIMULTANEOUSLY CARRYING SAME CURRENT, FREE CONVECTION COOLING.


		HOUSING (SEE TABLE)	2
		CONTACT (SEE TABLE)	1
REQ.	IDENT NO.	DESCRIPTION	ITEM
STOCKLIST			

CONFIDENTIAL


mat'l. code --				tolerances unless otherwise specified						CUSTOMER COPY				 Electronics FCI www.fciconnect.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
ltr	ecn no	dr	date	linear	XX ±.01						projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
A	V20380	CGD	2/25/02		.XXX ±.003																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					.XXXX ±.0020																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				angles	0° ±2°						 INCH 	product family					FASTECH					code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				dr	C. DAILY			2/25/02				scale 1:1	size		dwg no								213																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				engr	R.CONRAD			2/25/02					A		A83KC4169								sheet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				chr	R.CONRAD			2/25/02													1 of 7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				appd	R.CONRAD			2/25/02																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
sheet index		revision sheet		A	A	A	A	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

cage code
22526


4



963 P
CONNECTOR CODING
SYSTEM
.100" CENTERS














CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified				CUSTOMER COPY			 Electronics FCI www.fciconnect.com											
ltr	ecn no	dr	date	linear	.XX ±.01				projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS												
A					.xxx ±.003																	
					.xxxx ± .0020																	
				angles	0° ±2°				INCH  scale 1:1	product family FASTECH						code 213						
				dr	C. DAILY	2/25/02				size	dwg no						sheet 2 of					
				engr	R. CONRAD	2/25/02					A A83KC4169											
				chr	R. CONRAD	2/25/02																
				appd	R. CONRAD	2/25/02																
sheet index		revision sheet																				


cage code
22526



CONTACT TABLE
963 P CONTACT FAMILY
IDENTIFICATION

	STANDARD	HIGH RETENTION	EXTRA HIGH RETENTION	SOLDER
24 - 27 GAUGE WIRE	  963P * 843939612 ** 845576255	  963PH * 845381235 ** 845576263	  963PX * 845575125 ** 845576271	  963PS * 846288082 ** 845852243
22 GAUGE WIRE	  963P22 * 845380187 ** 845576289	  963PH22 * 845575950 ** 845576297	  963PX22 * 845575968 ** 845576305	
28 GAUGE WIRE	  963P28 * 845856574 ** 845855428			
** LOOSE CONTACTS 500 PCS./BAG		* CONTACTS REELS 20,000/REEL		

CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified		CUSTOMER COPY	Electronics FCI www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX ±.01		title 963P CONNECTOR ASSEMBLY .100" CENTERS			
A					.xxx ±.003					
					.xxxx ±.0020					
				angles	0° ±2°	projection  INCH scale 1:1	product family FASTECH			
				dr	C. DAILY	2/25/02	size A A83KC4169			
				engr	R. CONRAD	2/25/02				
				chr	R. CONRAD	2/25/02				
				appd	R. CONRAD	2/25/02				
sheet index	revision sheet									

cage code
22526

PDM: Rev:A STATUS: Released

Printed: Jul 24, 2003

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



B

963P2
SINGLE ROW PLUGGED





TABLE D

	CODE	DIM. A REF.	HOUSING SIZE	ITEM 1 NO. REQD.	ITEM 2 COMCODE	ITEM 2 NO. REQD.
○	963P2-2	.296	1 X 3	2	844636787	1
	963P2-3	.396	1 X 4	3	844636795	1
	963P2-4	.496	1 X 5	4	844636803	1
○	963P2-5	.596	1 X 6	5	844636811	1
○	963P2-6	.696	1 X 7	6	844636829	1
○	963P2-7	.796	1 X 8	7	844636837	1
○	963P2-8	.896	1 X 9	8	844636845	1
○	963P2-9	.996	1 X 10	9	844636852	1
○	963P2-10	1.096	1 X 11	10	844636860	1
○	963P2-11	1.196	1 X 12	11	844636878	1
○	963P2-12	1.296	1 X 13	12	844636886	1
	963P2-13	1.396	1 X 14	13	844636894	1
○	963P2-14	1.496	1 X 15	14	844636902	1



CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified		CUSTOMER COPY	Electronics FCI www.fciconnect.com			
ltr	ecn no	dr	date	linear	XX ±.01					
A					.XXX ±.003	projection	title 963P CONNECTOR ASSEMBLY .100" CENTERS			
				angles	.XXXX ±.0020					
				dr	C. DAILY	2/25/02	INCH	product family		code
				engr	R. CONRAD	2/25/02		FASTECH		213
				chr	R. CONRAD	2/25/02	scale	size	dwg no	sheet
				appd	R. CONRAD	2/25/02				
sheet index		revision sheet								

cage code
22526

B

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



B

1 2




3

4


TABLE C

CODE	DIM. A REF.	HOUSING SIZE	ITEM 1 NO. REQD.	ITEM 2 COMCODE	ITEM 2 NO. REQD.
963P4-1	.096	1 X 1	1	844637165	1
963P4-2	.196	1 X 2	2	844637173	1
963P4-3	.296	1 X 3	3	844637181	1
963P4-4	.396	1 X 4	4	844637199	1
963P4-5	.496	1 X 5	5	844637207	1
963P4-6	.596	1 X 6	6	844637215	1
963P4-7	.696	1 X 7	7	844637223	1
963P4-8	.796	1 X 8	8	844637231	1
963P4-9	.896	1 X 9	9	844637249	1
963P4-10	.996	1 X 10	10	844637256	1
963P4-11	1.096	1 X 11	11	844637264	1
963P4-12	1.196	1 X 12	12	844637272	1
963P4-13	1.296	1 X 13	13	844637280	1
963P4-14	1.396	1 X 14	14	844637298	1
963P4-15	1.496	1 X 15	15	845074368	1

963P4
SINGLE ROW



CONFIDENTIAL

mat'l. code — —				tolerances unless otherwise specified				CUSTOMER COPY			 Electronics FCI www.fciconnect.com									
ltr	ecn no	dr	date	linear	XX ±.01				projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS										
A					.XXX ±.003					product family FASTECH										
					.XXXX ±.0020					size dwg no										
				angles	0° ±2°				 INCH	code 213										
				dr	C. DAILY	2/25/02				A A83KC4169										
				engr	R. CONRAD	2/25/02				sheet 5 of										
				chr	R. CONRAD	2/25/02			scale 1:1											
				appd	R. CONRAD	2/25/02														
sheet index	revision sheet																			

1 2

3

4

cage code
22526





TABLE E

CODE SEE NOTE 5	DIM. A REF.	HOUSING SIZE	ITEM 1 NO. REQD.	ITEM 2 COMCODE	ITEM 2 NO. REQD.
963P3-4	.196	2 X 2	4	844636910	1
963P3-6	.296	2 X 3	6	844636928	1
963P3-8	.396	2 X 4	8	844636936	1
963P3-10	.496	2 X 5	10	844636944	1
963P3-12	.596	2 X 6	12	844636951	1
963P3-14	.696	2 X 7	14	844636969	1
963P3-16	.796	2 X 8	16	844636977	1
963P3-18	.896	2 X 9	18	844636985	1
963P3-20	.996	2 X 10	20	844636993	1
963P3-22	1.096	2 X 11	22	844637009	1
963P3-24	1.196	2 X 12	24	844637017	1
963P3-26	1.296	2 X 13	26	844637025	1
963P3-28	1.396	2 X 14	28	844637033	1
963P3-30	1.496	2 X 15	30	844637041	1
963P3-32	1.596	2 X 16	32	844637058	1
963P3-34	1.696	2 X 17	34	844637066	1
963P3-36	1.796	2 X 18	36	844637074	1
963P3-38	1.896	2 X 19	38	844637082	1
963P3-40	1.996	2 X 20	40	844637090	1
963P3-42	2.096	2 X 21	42	844637108	1
963P3-44	2.196	2 X 22	44	844637116	1
963P3-46	2.296	2 X 23	46	844637124	1
963P3-48	2.396	2 X 24	48	844637132	1
963P3-50	2.496	2 X 25	50	844637140	1

CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified				CUSTOMER COPY		 Electronics FCI www.fciconnect.com									
ltr	ecn no	dr	date	linear	.XX ±.01				projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS									
A					.xxx ±.003														
					.xxxx ±.0020														
				angles	0° ±2°				 INCH scale 1:1	product family FASTECH						code 213			
				dr	C. DAILY		2/25/02			size		dwg no				sheet 6 of			
				engr	R. CONRAD		2/25/02			A A83KC4169									
				chr	R. CONRAD		2/25/02												
				appd	R. CONRAD		2/25/02												
sheet index		revision sheet																	

cage code
22526

PDM: Rev:A STATUS: Released

Printed: Jul 24, 2003

