

10 SPY COURT
MARKHAM, ON L3R 5H6

WaveControl Current Monitoring Module

- Current monitoring for 0-5A or 0-10A input signals
- Input wire fed through the top of the module
- True RMS measuring for DC (0Hz) or AC signals up to 2kHz frequency
- Selectable analogue outputs: 0-10Vdc, 0/4-20mA
- Input/output electrically isolated
- DIP switches for setting input and output ranges
- No calibration necessary

Special Price
\$175.00



CANADA	POSTES
POST	CANADA
Postage paid	Port payé
Addressed Admail	Médiaposte avec adresse
5473608	

Catalog #	Regular Price	Special Price
WAS2 CMA 5/10A AC/DC 8526610000	\$290.50 ea.	\$175.00 ea.

QUOTATION #Q4-2009

This number must appear on purchase order to receive special prices.

Valid from October 1 until December 31, 2009

Q-Specials 2009

4th Quarter

CP T SNT Power Supply Series - NEW

The T-SERIES power supplies comply with the latest safety and EMC standards for industrial environments.

- Industrial grade design
- Rugged metal case for harsh industrial environments
- Autoselect input and international safety approvals including C1D2/Z2 for hazardous locations
- Industrial operating temperature range: -25°C to +70°C
- Variable output voltage
- Indefinite short circuit, overvoltage and over-temperature protection
- Power OK signal
- Remote On/Off
- Shock and vibration proof

Catalog #	Regular Price	Special Price
CP T SNT 70W 12V 6A 1105430000	\$221.50 ea.	\$190.00 ea.
CP T SNT 140W 12V 12A 1105440000	\$307.50 ea.	\$265.00 ea.
CP T SNT 90W 24V 3.8A 1105790000	\$194.00 ea.	\$170.00 ea.
CP T SNT 180W 24V 7.5A 1105810000	\$287.70 ea.	\$220.00 ea.
CP T SNT 360W 24V 15A 1105820000	\$442.60 ea.	\$335.00 ea.
CP T SNT 600W 24V 25A 1105840000	\$668.10 ea.	\$500.00 ea.

Special Price from
\$170.00

Info Line: 1-800-268-4080
(ISO 9001 Registered)
<http://www.weidmuller.ca>



**Special
Price**
\$100.00

Industrial Ethernet Cable Tester

Used for testing Ethernet cable on:

- Wire breakage
- Short-circuit
- Check for cross connections
- Suitable for network patch, BNC coaxial and modular telephone cable
- RJ45 Network cable tester for LAN and USB type A/B connections
- Includes remote tester
- Manual and automatic test
- Display of connection error (cable break, wrong connection, wrong cable)
- 9V battery included

Catalog #	Regular Price	Special Price
IE-LAN USB TESTER 9205400000	\$134.10 ea.	\$100.00 ea.




**Special
Price from**
\$260.00

Crimp Set Kit PZ6/5 & Stripax

Crimp set for cutting, stripping and crimping ferrules up to 6.0 mm², consisting of:

- Stripax insulation stripping tool for conductors with PVC insulation 0.08...6.0mm²
- PZ 6/5 crimping tool for ferrules 0.25...6.0mm²
- Ferrules with plastic collar H 0.5...H 6.0

Catalog #	Regular Price	Special Price
CRIMP-SET PZ 6/5 & STRIPAX 9028740000	\$388.60 ea.	\$260.00 ea.



**Special
Price**
\$6.25

Low Leakage Flat Top Indicating Fuse Blocks*

- TS35 mountable fuse block with hinged fuse holder
- Low profile of LED indicator (67mm high compared to 80mm for the standard WSI 6/2/LD)
- 20-8AWG (0.5-6mm²) clamping wire range
- 24Vac/dc and 120Vac/dc versions without polarity
- For 1/4" x 1 1/4" size fuses up to 10A
- Extra low leakage current of the blown fuse indicator (<0.5mA)

* Limited quantities

Catalog #	Regular Price	Special Price
WSI 6/2/LD 120VAC/DC 1/4" X 1 1/4" 9907400000	\$16.55 ea.	\$6.25 ea.
WSI 6/2/LD 24VAC/DC 1/4" X 1 1/4" 9907410000	\$16.55 ea.	\$6.25 ea.



**Special
Price**
\$5.00

Swivel Head Screwdriver

- Slotted screwdriver with swivel head for easy use
- Shaft is 60mm long and the blade is 3.5mm wide and 0.6mm thick
- Ideal for 2.5 and 4mm² terminals

Catalog #	Regular Price	Special Price
SD 0.6X3.5X60 SWIVEL HEAD 9918110000	\$10.90 ea.	\$5.00 ea.

HELP US CONSERVE!!!

If you would prefer an electronic copy,
contact: marketing@weidmuller.ca

CONDITIONS: Prices valid from October 1, 2009 to December 31, 2009. Orders must be received by Weidmuller by this date. Orders must be sent to an authorized Weidmuller distributor. Orders must reference quotation number Q4-2009. Please note that all prices (Regular Price and Special Price) are suggested pricing only.

NEW

High Performance T-Series Power Supplies

Autoselect Input

Eliminates possibility of selecting the wrong input type and damage to the unit

Hazardous Area Approvals

cCSAus Class 1, Division 2, Groups A, B, C, D

Operating Temperature Range of -25°C to +70°C

Suitable for industrial environments

Indefinite Short Circuit, Overvoltage and Over-temperature Protection

Protects the power supply and circuitry from damage

Remote On/Off

Turn a remote cabinet On/Off without shutting down the entire control panel

Shock and Vibration Proof

Extremely durable with design flexibility in harsh industrial environments

Variable Output Voltage

Automatically adjusts and overcomes voltage drops/dip, eliminating lost circuits.



WaveControl Current Monitoring Module

The modules in the WAVE SERIES are ideal when users need analogue separating transducers. Weidmüller's WAVE SERIES combines the compact, space-saving design of the WAVEBOX housing with many different functions. The product range offers a wide range of signal transducers.

WAVECONTROL is a sub-section of the WAVESERIES range, focused on AC current monitoring. Typical applications include current monitoring for AC motors. Apart from including the WAVE construction features above, WAVECONTROL offers.

- Direct AC or DC current inputs up to 60 A
- Inputs and DC outputs are selectable via DIP switches, without further calibration
- Hall-effect sensor option, which allows the cable measured to be fed through the WAVECONTROL housing, making the use of a current transformer unnecessary for applications up to 60 A.
- AC/DC version for TRUE RMS measuring for DC (0Hz) or AC signals up to 2kHz frequency
- Can be used on 600 Vac circuits




Weidmüller 

COMING
SOON

Heat Trace Connector

In the operation of oil pipelines, the system temperature, for example, in arctic environments, has to remain above a certain level in order to guarantee smooth flow. Thus, pipelines are equipped with heating units, which need to be connected in a simple yet secure manner.

Especially for these harsh environments, Weidmüller has developed a connector that has been listed (according to CSA) for use in temperatures ranging from -50°C to +60°C. The coaxial design allows for connections to be made at all angle positions (360°). The inserts are wired with the use of reliable screw clamps. The latching mechanism guarantees the connection, which can be released only with the simple use of a screwdriver. An accidental opening of the connector can thus be eliminated.



- Two-part design for time and cost saving installation
- Simplified connector component positioning through the use of color-coded inserts and protective caps
- Ease of connecting without having to turn the housings
- CSA listing
 - Class I, Division 2, Groups A, B, C, D, T6, Tamb -50°C to +60°C, Type 6
 - Class I, Zone 2; Ex nA, IIC, T6, Tamb -50°C to +60°C, IP67
- Robust, spiral spring contacts for a reliable electrical connection; designed for 35 A / 600 V
- Protection class IP67, also in the unconnected state with the use of protective caps
- Housing made of high quality aluminum

Weidmüller Services and Solutions


Weidmüller can Design, Build and Deliver various Services and Solutions for your business

Complete DIN-Rail Assemblies

- Rail design using our RailDesigner software
- One part number for the complete assembly
- Reduce inventories of spare parts
- DIN-Rail cut to length
- Pre-printed marking tags
- Competitive pricing

Other Services and Solutions offered

- Custom Electronics
- Specialty Enclosures (ATEX)
- Special Printed Marker Tags
- Special Product Kitting



Weidmüller 