

Safety Products for Eye, Head and Face Protection

Issue Date 03/01/04

Stylish eyewear that puts safety first.

Introducing the new 3M™ Protective Eyewear 1750, 1751, 1752 and 1760.

The new 3M Protective Eyewear features lightweight frames, a contemporary look and high quality protection.

Features Include:

- Sporty, wraparound design helps provide side protection.
- Strong, polycarbonate lenses are shatter resistant.
- Anti-scratch coating helps keep lenses crystal clear.
- 99% UV protection for safe, outdoor use.
- Each pair of eyewear is individually bagged.
- Models 1750, 1751 and 1752 feature soft, gel-like nosepieces and soft temples with rubber tips for long wear comfort.
- ANSI compliant to help provide limited eye and face protection against flying particles.

Description:


1750—grey frame, with clear lens

1751—grey frame, smoke lens

1752—blue frame, mirrored, indoor/outdoor lens

1760—clear frame, clear lens

All 3M Protective Eyewear models meet both physical and optical requirements of the ANSI Z87.1-2003 Standard as



New 3M™ Protective Eyewear Products — 2004

high impact protectors. New ANSI high impact marking requirements will be phased-in during production in 2004.

3M™ Protective Eyewear products are also available in several other styles and lens options. They offer wearer comfort and safety.

See page 2 for additional 3M Protective Eyewear offerings.

3M™ Safety Glasses

3M™ Safety Glasses are available in a variety of colors and with several lens options. See Ordering Information table on page 5 for color and lens options.

Lens Options

- Clear lenses are not tinted and are ideal for indoor use.
- Amber lenses are tinted to help enhance visual contrast. Recommended for low light applications or other situations where greater contrast is desired.
- Smoke lenses are shaded for greater comfort in bright sunlight.
- Mirror lenses feature a silver reflective finish on the outside of the lens.

3M™ Safety Products for Eye, Head and Face Protection

3M™ Protective Eyewear 1700, 1701, 1702*

Stylish safety glasses that help provide comfortable eye protection. Low-profile, frame-less design.

3M™ Protective Eyewear 1710, 1711, 1712*

Lightweight plastic frames. 4-position adjustable temples for enhanced fit.

3M™ Protective Eyewear 1720, 1721, 1722, 1723*

5-position adjustable temples and soft, vinyl nose pad for comfort. Non-slip rubber head grip for secure fit.

3M™ Protective Eyewear 1730, 1731, 1733*


Stylish wrap-around safety glasses. Comfortable fit with 4-position adjustable temple and vinyl nose pad. One piece, hard coated lens helps protect brow and cheek areas.

3M™ Protective Eyewear 1740, 1741, 1743*

Designed with a stylish wrap-around lens. Temples are adjustable with a wire core. A vinyl nose cushion enhances wearer comfort and fit.

3M™ Visitor Specs 1611*

An economical alternative for short term eye protection. Can be worn alone or over prescription glasses. Ideal for plant or job site visitors.



3M™ Protective Eyewear Products

3M™ Safety Goggles

3M™ Safety Goggles 1620*

Multi-purpose safety goggles with perforated vinyl frames for added ventilation and comfort. Helps reduce exposure to a variety of eye hazards including limited impact protection. **Do not use for protection against splash or dust hazards.**

3M™ Safety Goggles

for Splash 1621*

Helps reduce exposure to a variety of eye hazards including impact, splash and dust. Vinyl frames allow for excellent fit. Four indirect vents for air flow.

PROTECTIVE EYEWEAR ⚠ WARNING

3M protective eyewear products help provide limited eye and face protection against flying particles. Misuse or failure to follow warnings and instructions may result in serious personal injury, including blindness, or death. For proper use, see supervisor, read instructions and warnings on the package, or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

* See Ordering Information table on page 5 for color and lens options.

3M™ Head Protection Products

Features of all 3M™ Hard Hats:


- Available in a variety of colors and with several head suspension options.
- Meet the requirements of the American National Standard for Industrial Head Protection ANSI Z89.1-1997, Type I, Class C, E and G. Certified when headband is installed in reverse position or when hard hat is worn backwards.
- Molded from lightweight, high-density polyethylene.
- Fully cushioned brow pad absorbs moisture.
- 6-point suspension.
- Universal accessory slots accommodate many ear muffs and visors.
- Color options include white, yellow, orange, red and blue.

3M™ Hard Hat*, 1921, 1922, 1923, 1925, 1926


This lightweight, economical hard hat features a short peak and trim profile. 6-point molded, polyethylene suspension. Easy-to-use slide to quickly adjust head size from 6-1/2 to 7-3/4.

3M™ Omega II™ Hard Hat* with Standard Suspension, 1901, 1902, 1903, 1905, 1906

A durable, lightweight hard hat featuring a well-balanced, low-profile design. Comfortable, impact-absorbing 6-point woven nylon suspension. Easy-to-use slide to quickly adjust head size from 6-1/2 to 7-3/4.



3M™ Omega II™ Hard Hat



3M™ Hard Hat



3M™ Faceshield Kit



3M™ Head and Face Protection Products

3M™ Omega II™ Hard Hat* with Ratchet Suspension, 1911, 1912, 1913, 1915, 1916

A durable, lightweight hard hat featuring a well-balanced, low-profile design. Ratchet suspension makes fitting easy and helps keep the hard hat secure in the most physically active jobs or extreme weather conditions. Fits head sizes 5-7/8 to 8. Comfortable, impact-absorbing 6-point woven nylon suspension.

HARD HAT ⚠ WARNING

3M hard hats provide limited protection only. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, read instructions and warnings on the package, or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

*Hard Hat part # indicates color (white, yellow, orange, red, blue) and suspension options. See page 5 for options.

3M™ Face Protection Products

3M™ Faceshield Kit 1631

Helps provide additional protection of the face and eyes when protective eyewear is being worn. A cam-lock helps hold the faceshield in place. Features a replaceable, polycarbonate lens for clear vision. Meets the requirements of the American National Standard Practice for Occupational and Educational Eye and Face Protection, ANSI Z87.1-1989.

FACESHIELD WARNING

3M face protection products help provide limited eye and face protection against flying particles. Misuse or failure to follow warnings and instructions may result in serious personal injury, including blindness, or death. For proper use, see supervisor, read instructions and warnings on the package, or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

3M™ Bump Caps

Designed to help reduce chance of minor scrapes and bumps to the head. **Recommended for situations where hard hats are not required.**

3M™ Bump Cap* 1801, 1803

Easy to use adjustable 4-point suspension fits head sizes 6-1/2 to 7-3/4. Available in white or black. Fully cushioned brow pad absorbs moisture and is washable and replaceable. **Recommended for situations where hard hats are not required.** Perforated sides allow for air circulation and ventilation.

*Bump Cap part # indicates color. See page 5 for options.

BUMP CAP WARNING

Bump caps do not provide protection against impact from falling or glancing objects. They do not protect against electrical hazards. Bump caps do not meet the requirements of ANSI Z89.1. When head protection is required, wear a protective hard hat or helmet which meets the requirements of ANSI Z89.1. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, read instructions and warnings on the package, or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Ordering Information

Product Number	Name/Description	UPC	Packaging Quantity
Eye Protection Products			
1611	Visitor Specs	0 51131 37101 4	300/case
1620	Safety Goggles, Perforated	0 51131 37102 1	288/case
1621	Safety Goggles, Splash	0 51138 76798 8	288/case
1700	Protective Eyewear, Black Frame, Clear Lens	0 51131 37103 8	24/case
1701	Protective Eyewear, Smoke Frame, Smoke Lens	0 51138 76800 8	24/case
1702	Protective Eyewear, Clear Frame, Clear Lens	0 51138 76801 5	24/case
1710	Protective Eyewear, Black Frame, Clear Lens	0 51131 37104 5	24/case
1711	Protective Eyewear, Blue Frame, Clear Lens	0 51138 76802 2	24/case
1712	Protective Eyewear, Black Frame, Smoke Lens	0 51138 76803 9	24/case
1720	Protective Eyewear, Black Frame, Clear Lens	0 51138 70804 6	24/case
1721	Protective Eyewear, Black Frame, Mirrored Lens	0 51138 76805 3	24/case
1722	Protective Eyewear, R,W,B Frame, Clear Lens	0 51138 76806 0	24/case
1723	Protective Eyewear, Black Frame, Amber Lens	0 51131 37109 0	24/case
1730	Protective Eyewear, Black Frame, Clear Lens	0 51131 37105 2	24/case
1731	Protective Eyewear, Blue Frame, Clear Lens	0 51138 76807 7	24/case
1733	Protective Eyewear, Black Frame, Amber Lens	0 51131 37108 3	24/case
1740	Protective Eyewear, Black Frame, Clear Lens	0 51131 37110 6	24/case
1741	Protective Eyewear, Black Frame, Mirror Lens	0 51131 37111 3	24/case
1743	Protective Eyewear, Black Frame, Amber Lens	0 51131 37112 0	24/case
1750	Protective Eyewear, Grey Frame, Clear Lens	0 51131 37113 7	24/case
1751	Protective Eyewear, Grey Frame, Smoke Lens	0 51131 37114 4	24/case
1752	Protective Eyewear, Blue Frame, Mirror Lens	0 51131 37115 1	24/case
1760	Protective Eyewear, Clear Frame, Clear Lens	0 51131 37116 8	24/case
Face Protection Products			
1631	Faceshield Kit	0 51131 37106 9	5/case
1632	Replacement Visor	0 51131 37107 6	10/case
Head Protection Products			
1801	Bump Cap, Black	0 51131 37100 2	6/case
1803	Bump Cap, White	0 51131 52589 9	6/case
1901	Omega II™ Hard Hat, Standard, White	0 51138 76809 1	30/case
1902	Omega II™ Hard Hat, Standard, Yellow	0 51138 76810 7	30/case
1903	Omega II™ Hard Hat, Standard, Orange	0 51138 76811 4	30/case
1904	Replacement Standard Suspension*	0 51138 76812 1	10/case
1905	Omega II™ Hard Hat, Standard, Red	0 51138 52590 5	30/case
1906	Omega II™ Hard Hat, Standard, Blue	0 51138 52591 2	30/case
1911	Omega II™ Hard Hat, Ratchet, White	0 51138 76813 8	30/case
1912	Omega II™ Hard Hat, Ratchet, Yellow	0 51138 76814 5	30/case
1913	Omega II™ Hard Hat, Ratchet, Orange	0 51138 76815 2	30/case
1914	Replacement Ratchet Suspension***	0 51138 76816 9	10/case
1915	Omega II™ Hard Hat, Ratchet, Red	0 51131 52592 9	30/case
1916	Omega II™ Hard Hat, Ratchet, Blue	0 51131 52593 6	30/case
1921	Hard Hat, White	0 51138 76817 6	30/case
1922	Hard Hat, Yellow	0 51138 76818 3	30/case
1923	Hard Hat, Orange	0 51138 76819 0	30/case
1924	Replacement Hard Hat Suspension**	0 51138 76820 6	10/case
1925	Hard Hat, Red	0 51138 52595 0	30/case
1926	Hard Hat, Blue	0 51138 52596 7	30/case
1950	Replacement Hard Hat Brow Pad**	0-51138 76831 2	10/case

* For 1901, 1902, 1903, 1905, 1906

** For 1921, 1922, 1923, 1925, 1926

*** For 1911, 1912, 1913, 1915, 1916

Omega II™ is a registered trademark of ERB Industries.

3M Occupational Health and Environmental Safety Division

3M Center, Building 235-2W-70
St. Paul, MN 55144-1000

For more information, please contact:

3M Occupational Health and Environmental Safety Division (OH&ESD)

In the U.S., contact:

Sales Assistance

1-800-896-4223

Technical Assistance

1-800-243-4630

Fax On Demand

1-800-646-1655

Internet

<http://www.3M.com/occsafety>

For other 3M products

1-800-3M HELPS

In Canada, contact:

3M Canada Company, OH&ESD

P.O. Box 5757

London, Ontario N6A 4T1

Sales Assistance

1-800-265-1840, ext. 6137

Technical Assistance (Canada only)

1-800-267-4414

Fax On Demand

1-800-646-1655

Internet

<http://www.3M.com/CA/occsafety>

Technical Assistance In Mexico

01-800-712-0646

5270-2255, 5270-2119 (Mexico City only)

Technical Assistance In Brazil

0800-132333

Fax On Demand O.U.S. Locations

1-651-732-6530