











ロック形状
LOCK FORM



吸着エリア
PICK UP AREA



基板パターンレイアウト (参考)
P.W.B. PATTERN LAYOUT (REFERENCE)
(メタルマスク厚み150um,開口率100%)
(METAL MASK THICKNESS150um,OPEN APERTURE RATIO100%)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
RELEASED EC NO: 105541 DRWN: TENAGASE CHK'D: KOMURAKAMI REV APPR: TKANEKO	2016/05/12	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®								
	2016/06/23		MM		5:1										
	2016/06/23		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		MICRO-LOCK PLUS 2.0MM PITCH WIRE TO BOARD PLUG ASSEMBLY RA						
	4 PLACES		±	TENAGASE		2016/05/12									
				CHK'D BY		DATE									
	3 PLACES		±	KOMURAKAMI		2016/06/23									
	2 PLACES		± 0.2	APPR BY		DATE		PRODUCT CUSTOMER DRAWING							
	1 PLACE		± 0.25	TKANEKO		2016/06/23									
0 PLACES	± 0.3	DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER			CUSTOMER				
A	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	A3			505578					GENERAL				
						DOCUMENT NUMBER			DOC TYPE		DOC PART		SHEET NUMBER		
						5055780001			PSD		000		2 OF 2		

