



MATING GUIDE



Interconnect Solutions Mating Guide

How to Search this Guide

This document was designed to be used in conjunction with the search function that is built into the Adobe Acrobat program. It will quickly provide you with all the mating connector possibilities of interest.

Acrobat “Search” function instructions:

1. Press **CONTROL F (Ctrl F)**
2. When the dialog box appears, type in the words, product number, or tech sheet number (**TS-XXXX**) of the product you are looking for, and press **ENTER**.
3. Depending on your version of Acrobat, it will either take you directly to the first instance found, or it will display a list of pages where the text or numbers can be found.
4. In some cases, there may be more than one choice or family of connectors. Please make sure to either go through the list of options Acrobat makes available, or click the **NEXT** button (depending on your Acrobat version).

QUICK ACCESS Links

Click on **Product Category** to quickly access product information.

3M™ Connectors, .100"

3M Board-to-Wire Copper Connectors
3M Board-to-Board Copper Connectors
3M Wire-to-Board Copper Connectors
3M Wire-to-Wire Copper Connectors
3M Low Profile Board-to-Board Copper Connectors
3M Board Stacking Connectors
3M Input/Output Wire-to-Wire Copper Connectors

3M™ Mini D Ribbon (MDR) and J Shells

3M Board-to-Wire Copper Connectors
3M MDR Wire-to-Wire Copper Connectors
3M MDR Board-to-Board Copper Connectors
3M Round Cable Junction Shells
3M Round Cable Non-Shielded Junction Shells
3M Flat Cable Junction Shells
3M Dust Cover for Panel Mount Receptacle

3M™ MetPak™ 2-FB Connectors

3M MetPak Board-to-Board Copper Connectors
3M MetPak Shroud Board-to-Board Copper Connectors
3M MetPak Power Board-to-Board Copper Connectors

3M™ Pak 5, 8, 10 Connectors

3M Pak 5 Board-to-Board Copper Connectors
3M Pak 5 Board Stacking System, P0N5
3M Pak 8 Board-to-Board Copper Connectors
3M Pak 8 Board-to-Board Hermaphroditic Connectors
3M Pak 10 Board-to-Board Copper Connectors
3M Pak 10 Board Stacking System, P10

3M™ Pak 20 Connectors

3M Pak 20 Boardmount-to-Wiremount Connectors
3M Pak 20 Shunt-to-Boardmount Connectors

3M™ Pak 50 Connectors

3M Pak 50 Board-to-Board Stacking Connectors
3M Pak 50 Board-to-Board Connectors
3M Pak 50 Board-to-Board Maxi-Mate Connectors
3M Pak 50 Low Profile Board-to-Board Surface Mount Connectors
3M Pak 50 Low Profile Board-to-Board Connectors
3M Pak 50 Wiremount-to-Boardmount Connectors
3M Pak 50 I/O Board/Panelmount-Wiremount Connectors
3M Pak 50 I/O Wiremount Junction Shells
3M Pak 50 Low Profile Wiremount-to-A66 Boardmount Connectors
3M Pak 50 Board-to-Wiremount Connectors





Interconnect Solutions Mating Guide

Table of Contents

To quickly access the Mating Chart you are looking for, simply click on either the product description or page number you would like to view.

3M™ Connectors, .100"

3M Board-to-Wire Copper Connectors.....	7
.100" x .100" Mating Chart	
3M Board-to-Board Copper Connectors.....	13
.100" x .100" Mating Chart	
3M Wire-to-Board Copper Connectors.....	16
.100" x .100" Mating Chart	
3M Wire-to-Wire Copper Connectors.....	19
.100" x .100" Mating Chart	
3M Low Profile Board-to-Board Copper Connectors.....	20
.100" Mating Chart	
3M Board Stacking Connectors.....	20
.100" x .100" Mating Chart	
3M Input/Output Wire-to-Wire Copper Connectors.....	21
.100" Mating Chart	





Interconnect Solutions Mating Guide

Table of Contents

To quickly access the Mating Chart you are looking for, simply click on either the product description or page number you would like to view.

3M™ Mini D Ribbon (MDR) and J Shells

3M Board-to-Wire Copper Connectors.....23
.50" x .50" Mating Chart

3M MDR Wire-to-Wire Copper Connectors.....26
.50" x .50" Mating Chart

3M MDR Board-to-Board Copper Connectors.....27
.100" x 100" x 100" Mating Chart

3M Round Cable Junction Shells.....27
.50" x .50" Mating Chart

3M Round Cable Non-Shielded Junction Shells.....28
.50" x .50" Mating Chart

3M Flat Cable Junction Shells.....29
.50" x .50" Mating Chart

3M Dust Cover for Panel Mount Receptacle.....30
.50" x .50" Mating Chart



3M™ MetPak™ 2-FB Connectors

3M MetPak Board-to-Board Copper Connectors31
2 mm 5-Row Solder or Press-Fit Tails

3M MetPak Board-to-Board Copper Connectors32
2 mm 4/5-Row Solder or Press-Fit Tails

3M MetPak Shroud Board-to-Board Copper Connectors33
2 mm 4/5-Row Solder or Press-Fit Tails

3M MetPak Power Board-to-Board Copper Connectors34
2 mm 4/5-Row Socket and Header





Interconnect Solutions Mating Guide

Table of Contents

To quickly access the Mating Chart you are looking for, simply click on either the product description or page number you would like to view.

3M™ Pak 5 Connectors

3M Pak 5 Board-to-Board Copper Connectors.....	35
.5 mm Mating Chart	

3M Board Stacking System, P0N5.....	36
.5 mm Mating Chart	

3M™ Pak 8 Connectors

3M Pak 8 Board-to-Board Copper Connectors.....	37
.8 mm Mating Chart	

3M Pak 8 Board-to-Board Hermaphroditic Connectors.....	38
.8 mm Mating Chart	

3M™ Pak 10 Connectors

3M Pak 10 Board-to-Board Copper Connectors.....	38
1 mm Mating Chart	

3M Pak 10 Board-to-Board Stacking Connectors.....	39
1 mm Mating Chart	

3M Board Stacking System, P10.....	39
1 mm Mating Chart	

3M™ Pak 20 Connectors

3M Pak 20 Boardmount-to-Wiremount Connectors.....	40
2 mm Boardmount Latch/Eject Headers and 2 mm Wiremount Sockets	

3M Pak 20 Boardmount-to-Wiremount Connectors.....	41
2 mm Boardmount Pin Strip Heads and 2 mm Wiremount Sockets	

3M™ Shunt-to-Boardmount Connectors.....	42
--	-----------







Interconnect Solutions Mating Guide

Table of Contents

To quickly access the Mating Chart you are looking for, simply click on either the product description or page number you would like to view.

3M™ Pak 50 Connectors



3M Pak 50 Board-to-Board Stacking Connectors.....	43
3M Pak 50 Board-to-Board Connectors.....	44
3M Pak 50 Board-to-Board Maxi-Mate Connectors.....	45
3M Pak 50 Low Profile Board-to-Board Surfacemount Connectors.....	45
3M Pak 50 Low Profile Board-to-Board Connectors.....	46
3M Pak 50 Wiremount-to-Boardmount Connectors.....	48
3M Pak 50 I/O Board/Panelmount-Wiremount Connectors.....	49
3M Pak 50 I/O Wiremount Junction Shells.....	49
3M Pak 50 Low Profile-to-A66 Boardmount Connectors.....	50
3M Pak 50 Board-to-Wiremount Connectors.....	51



3M™ Board-to-Wire Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

								
TS-0772			TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Latch/Eject Header			Mating Wiremount Socket					
Positions	Vertical 4-Wall	Right Angle 4-Wall	3000 Series		79 Series	891 Series	CHG Series	
			Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
10	X3793-6XXX	X3793-5XXX	3473-6XXX	3473-7XXX	-	89110-0XXX	CHG -2010-01010	CHG -2010-X01010
14	X3314-6XXX	X3314-5XXX	3385-6XXX	3385-7XXX	-	89114-0XXX	CHG -2014-01010	CHG -2014-X01010
16	X3408-6XXX	X3408-5XXX	3452-6XXX	3452-7XXX	-	89116-0XXX	CHG -2016-01010	CHG -2016-X01010
20	X3428-6XXX	X3428-5XXX	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG -2020-01010	CHG -2020-X01010
24	X3627-6XXX	X3627-5XXX	3626-6XXX	3626-7XXX	-	89124-0XXX	CHG -2024-01010	CHG -2024-X01010
26	X3429-6XXX	X3429-5XXX	3399-6XXX	3399-7XXX	-	89126-0XXX	CHG -2026-01010	CHG -2026-X01010
30	X3440-6XXX	X3440-5XXX	3419-6XXX	3419-7XXX	-	89130-0XXX	CHG -2030-01010	CHG -2030-X01010
34	X3431-6XXX	X3431-5XXX	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG -2034-01010	CHG -2034-X01010
40	X3432-6XXX	X3432-5XXX	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG -2040-01010	CHG -2040-X01010
50	X3433-6XXX	X3433-5XXX	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG -2050-01010	CHG -2050-X01010
60	X3372-6XXX	X3372-5XXX	3334-6XXX	3334-7XXX	-	89160-0XXX	CHG -2060-01010	CHG -2060-X01010
64	X3764-6XXX	X3764-5XXX	-	-	7964-6500	-	CHG -2064-01010	CHG -2064-X01010
								
TS-0771			TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Latch/Eject Header			Mating Wiremount Sockets					
Positions	Vertical 3-Wall	Right Angle 3-Wall	3000 Series		79 Series	891 Series	CHG Series	
			Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
10	X3793-2XXX	X3793-1XXX	3473-6XXX	3473-7XXX	-	89110-0XXX	CHG -2010-01010	CHG -2010-X01010
14	X3314-2XXX	X3314-1XXX	3385-6XXX	3385-7XXX	-	89114-0XXX	CHG -2014-01010	CHG -2014-X01010
16	X3408-2XXX	X3408-1XXX	3452-6XXX	3452-7XXX	-	89116-0XXX	CHG -2016-01010	CHG -2016-X01010
20	X3428-2XXX	X3428-1XXX	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG -2020-01010	CHG -2020-X01010
24	X3627-2XXX	X3627-1XXX	3626-6XXX	3626-7XXX	-	89124-0XXX	CHG -2024-01010	CHG -2024-X01010
26	X3429-2XXX	X3429-1XXX	3399-6XXX	3399-7XXX	-	89126-0XXX	CHG -2026-01010	CHG -2026-X01010
30	X3440-2XXX	X3440-1XXX	3419-6XXX	3419-7XXX	-	89130-0XXX	CHG -2030-01010	CHG -2030-X01010
34	X3431-2XXX	X3431-1XXX	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG -2034-01010	CHG -2034-X01010
40	X3432-2XXX	X3432-1XXX	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG -2040-01010	CHG -2040-X01010
50	X3433-2XXX	X3433-1XXX	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG -2050-01010	CHG -2050-X01010
60	X3372-2XXX	X3372-1XXX	3334-6XXX	3334-7XXX	-	89160-0XXX	CHG -2060-01010	CHG -2060-X01010
64	X3764-2XXX	X3764-1XXX	-	-	7964-6500	-	CHG -2064-01010	CHG -2064-X01010

Date Modified: October 10, 2007

TS-2203-A

Sheet 1 of 45

3M™ Board-to-Wire Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

								
TS-0773		TS-0774	TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Latch/Eject Condo Header			Mating Wiremount Socket					
Positions	Right Angle 3-Wall	Right Angle 4-Wall	3000 Series		79 Series	891 Series	CHG Series	
			Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
10	X3793-DX0X	X3793-LX0X	3473-6XXX	3473-7XXX	-	89110-0XXX	CHG-2010-01010	CHG-2010-X01010
14	X3314-DX0X	X3314-LX0X	3385-6XXX	3385-7XXX	-	89114-0XXX	CHG-2014-01010	CHG-2014-X01010
16	X3408-DX0X	X3408-LX0X	3452-6XXX	3452-7XXX	-	89116-0XXX	CHG-2016-01010	CHG-2016-X01010
20	X3428-DX0X	X3428-LX0X	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG-2020-01010	CHG-2020-X01010
26	X3429-DX0X	X3429-LX0X	3399-6XXX	3399-7XXX	-	89126-0XXX	CHG-2026-01010	CHG-2026-X01010
34	X3431-DX0X	X3431-LX0X	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG-2034-01010	CHG-2034-X01010
40	X3432-DX0X	X3432-LX0X	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG-2040-01010	CHG-2040-X01010
50	X3433-DX0X	X3433-LX0X	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG-2050-01010	CHG-2050-X01010
60	X3372-DX0X	X3372-LX0X	3334-6XXX	3334-7XXX	-	89160-0XXX	CHG-2060-01010	CHG-2060-X01010
64	X3764-DX0X	X3764-LX0X	-	-	7964-6500	-	CHG-2064-01010	CHG-2064-X01010
								
TS-0478			TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Compliant Pin Header			Mating Wiremount Socket					
Positions	Compliant Pin		3000 Series		79 Series	891 Series	CHG Series	
			Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
10	X3793-6X0T02XX		3473-6XXX	3473-7XXX	-	89110-0XXX	CHG -2010-01010	CHG -2010-X01010
14	X3314-6X0T02XX		3385-6XXX	3385-7XXX	-	89114-0XXX	CHG -2014-01010	CHG -2014-X01010
16	X3408-6X0T02XX		3452-6XXX	3452-7XXX	-	89116-0XXX	CHG -2016-01010	CHG -2016-X01010
20	X3428-6X0T02XX		3421-6XXX	3421-7XXX	-	89120-0XXX	CHG -2020-01010	CHG -2020-X01010
24	X3627-6X0T02XX		3626-6XXX	3626-7XXX	-	89124-0XXX	CHG -2024-01010	CHG -2024-X01010
26	X3429-6X0T02XX		3399-6XXX	3399-7XXX	-	89126-0XXX	CHG -2026-01010	CHG -2026-X01010
30	X3440-6X0T02XX		3419-6XXX	3419-7XXX	-	89130-0XXX	CHG -2030-01010	CHG -2030-X01010
34	X3431-6X0T02XX		3414-6XXX	3414-7XXX	-	89134-0XXX	CHG -2034-01010	CHG -2034-X01010
40	X3432-6X0T02XX		3417-6XXX	3417-7XXX	-	89140-0XXX	CHG -2040-01010	CHG -2040-X01010
50	X3433-6X0T02XX		3425-6XXX	3425-7XXX	-	89150-0XXX	CHG -2050-01010	CHG -2050-X01010
60	X3372-6X0T02XX		3334-6XXX	3334-7XXX	-	89160-0XXX	CHG -2060-01010	CHG -2060-X01010
64	X3764-6X0T02XX		-	-	7964-6500	-	CHG -2064-01010	CHG -2064-X01010

Date Modified: October 10, 2007

TS-2203-A

Sheet 2 of 46

3M™ Board-to-Wire Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

							
TS- 0161		TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Pinless Shroud		Mating Wiremount Socket					
Positions	Pinless Shroud Header	3000 Series		79 Series	891 Series	CHG Series	
		Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
20	6420-9X00	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG-2020-01010	CHG-2020-X01010
26	6426-9X00	3626-6XXX	3626-7XXX	-	89126-0XXX	CHG-2026-01010	CHG-2026-X01010
34	6434-9X00	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG-2034-01010	CHG-2034-X01010
40	6440-9X00	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG-2040-01010	CHG-2040-X01010
50	6450-9X00	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG-2050-01010	CHG-2050-X01010
							
TS- 0168		TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Pinless Shroud		Mating Wiremount Socket					
Positions	Surfacemount Header	3000 Series		79 Series	891 Series	CHG Series	
		Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
10	N4610-2XX0	3473-6XXX	3473-7XXX	-	89110-0XXX	CHG-2010-01010	CHG-2010-X01010
14	-	-	-	-	-	-	-
16	N4616-2XX0	3452-6XXX	3452-7XXX	-	89116-0XXX	CHG-2016-01010	CHG-2016-X01010
20	N4620-2XX0	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG-2020-01010	CHG-2020-X01010
24	-	-	-	-	-	-	-
26	N4626-2XX0	3399-6XXX	3399-7XXX	-	89126-0XXX	CHG-2026-01010	CHG-2026-X01010
30	-	-	-	-	-	-	-
34	N4634-2XX0	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG-2034-01010	CHG-2034-X01010
40	N4640-2XX0	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG-2040-01010	CHG-2040-X01010
50	N4650-2XX0	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG-2050-01010	CHG-2050-X01010
60	N4660-2XX0	3334-6XXX	3334-7XXX	-	89160-0XXX	CHG-2060-01010	CHG-2060-X01010
64	-	-	-	-	-	-	-

Date Modified: October 10, 2007

TS-2203-A

Sheet 3 of 46

3M™ Board-to-Wire Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

								
TS-0818			TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Low Profile Header			Mating Wiremount Socket					
			3000 Series		79 Series	891 Series	CHG Series	
Positions	Vertical 4-Wall	Right Angle 4-Wall	Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
6	30306-6XXX	30306-5XXX	-	-	-	-	-	-
8	30308-6XXX	30308-5XXX	-	-	-	-	-	-
10	30310-6XXX	30310-5XXX	3473-6XXX	3473-7XXX	-	89110-0XXX	CHG-2010-01010	CHG-2010-X01010
14	30314-6XXX	30314-5XXX	3385-6XXX	3385-7XXX	-	89114-0XXX	CHG-2014-01010	CHG-2014-X01010
16	30316-6XXX	30316-5XXX	3452-6XXX	3452-7XXX	-	89116-0XXX	CHG-2016-01010	CHG-2016-X01010
20	30320-6XXX	30320-5XXX	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG-2020-01010	CHG-2020-X01010
24	-	-	3626-6XXX	3626-7XXX	-	89124-0XXX	CHG-2024-01010	CHG-2024-X01010
26	30326-6XXX	30326-5XXX	3399-6XXX	3399-7XXX	-	89126-0XXX	CHG-2026-01010	CHG-2026-X01010
30	-	-	3419-6XXX	3419-7XXX	-	89130-0XXX	CHG-2030-01010	CHG-2030-X01010
34	30334-6XXX	30334-5XXX	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG-2034-01010	CHG-2034-X01010
40	30340-6XXX	30340-5XXX	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG-2040-01010	CHG-2040-X01010
50	30350-6XXX	30350-5XXX	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG-2050-01010	CHG-2050-X01010
60	-	-	3334-6XXX	3334-7XXX	-	89160-0XXX	CHG-2060-01010	CHG-2060-X01010
64	-	-	-	-	7964-6500	-	CHG-2064-01010	CHG-2064-X01010

Date Modified: October 10, 2007

TS-2203-A

Sheet 4 of 45

3M™ Board-to-Wire Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

								
TS-0770			TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Low Profile Header			Mating Wiremount Socket					
			3000 Series		79 Series	891 Series	CHG Series	
Positions	Vertical 4-Wall	Right Angle 4-Wall	Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
10	X2510-6XXX	X2510-5XXX	3473-6XXX	3473-7XXX	-	89110-0XXX	CHG-2010-01010	CHG-2010-X01010
14	X2514-6XXX	X2514-5XXX	3385-6XXX	3385-7XXX	-	89114-0XXX	CHG-2014-01010	CHG-2014-X01010
16	X2516-6XXX	X2516-5XXX	3452-6XXX	3452-7XXX	-	89116-0XXX	CHG-2016-01010	CHG-2016-X01010
20	X2520-6XXX	X2520-5XXX	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG-2020-01010	CHG-2020-X01010
24	X2524-6XXX	X2524-5XXX	3626-6XXX	3626-7XXX	-	89124-0XXX	CHG-2024-01010	CHG-2024-X01010
26	X2526-6XXX	X2526-5XXX	3399-6XXX	3399-7XXX	-	89126-0XXX	CHG-2026-01010	CHG-2026-X01010
30	X2530-6XXX	X2530-5XXX	3419-6XXX	3419-7XXX	-	89130-0XXX	CHG-2030-01010	CHG-2030-X01010
34	X2534-6XXX	X2534-5XXX	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG-2034-01010	CHG-2034-X01010
40	X2540-6XXX	X2540-5XXX	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG-2040-01010	CHG-2040-X01010
50	X2550-6XXX	X2550-5XXX	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG-2050-01010	CHG-2050-X01010
60	X2560-6XXX	X2560-5XXX	3334-6XXX	3334-7XXX	-	89160-0XXX	CHG-2060-01010	CHG-2060-X01010
64	X2564-6XXX	X2564-5XXX	-	-	7964-6500	-	CHG-2064-01010	CHG-2064-X01010


Date Modified: October 10, 2007

TS-2203-A

Sheet 5 of 45

3M™ Board-to-Wire Copper Connectors










100" and .100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).					
					
TS-See chart below		TS-0815		TS-0814	TS-0189 TS-0191
Pin Strip Header		Boardmount Socket		Through-Board Socket	CHG Wiremount Socket
1-Row					
Straight	Right Angle				
23XX-61X1TX Gold Plating	23XX-51X1TX Gold Plating	TS-0766	9X9850-01-XX-XX	9X9841-01-XX-XX	CHG-10XX-001010-KXP
929647-XX-XX Gold Plating	929648-XX-XX Gold Plating	TS-0769	9X9850-01-XX-XX	9X9841-01-XX-XX	CHG-10XX-001010-KXP
929705-XX-XX Gold Plating	-		9X9850-01-XX-XX	9X9841-01-XX-XX	CHG-10XX-001010-KXP
929834-XX-XX Tin Plating	929835-XX-XX Tin Plating		9X9974-01-XX-XX		
929700-XX-XX Tin Plating	929730-XX-XX Tin Plating		9X9974-01-XX-XX		
2-Row					
23XX-61X1TX Gold Plating	23XX-51X1 TX Gold Plating	TS-0766	9X9852-01-XX-XX	9X9842-01-XX-XX	CHG-20XX-001010-KXP
929665-XX-XX	929667-XX-XX	TS-0769 Gold Plated	9X9852-01-XX-XX	9X9842-01-XX-XX	CHG-20XX-001010-KXP
929715-XX-XX	929745-XX-XX		9X9852-01-XX-XX	9X9842-01-XX-XX	CHG-20XX-001010-KXP
929836-XX-XX	929838-XX-XX	TS-0769 Tin Plated	9X9975-01-XX-XX		
929710-XX-XX	-		9X9975-01-XX-XX		

3M™ Board-to-Board Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

											
TS-0772			TS-0414		TS-0413		TS-0689		TS-0690		
Latch/Eject Header			Mating Boardmount Socket								
Positions	Vertical 4-Wall	Right Angle 4-Wall	5100 Series	8500 Series	6800 Series	9100 Series					
			Right Angle Vertical	Vertical							
10	X3793-60XX	X3793-50XX	-	8510-4500XL	-	-					
14	X3314-60XX	X3314-50XX	-	-	-	-					
16	X3408-60XX	X3408-50XX	-	8516-4500XL	-	-					
20	X3428-60XX	X3428-50XX	5120-B7A2XX	8520-4500XL	-	9120-4500XL					
24	X3627-60XX	X3627-50XX	-	-	-	-					
26	X3429-60XX	X3429-50XX	5126-B7A2XX	8526-4500XL	-	9126-4500XL					
30	X3440-60XX	X3440-50XX	5130-B7A2XX	-	-	-					
34	X3431-60XX	X3431-50XX	5134-B7A2XX	8534-4500XL	6834-4500XL	9134-4500XL					
40	X3432-60XX	X3432-50XX	5140-B7A2XX	8540-4500XL	6840-4500XL	9140-4500XL					
50	X3433-60XX	X3433-50XX	5150-B7A2XX	8550-4500XL	6850-4500XL	9150-4500XL					
60	X3372-60XX	X3372-50XX	5160-B7A2XX	8560-4500XL	-	9160-4500XL					
64	X3764-60XX	X3764-50XX	5164-B7A2XX	8564-4500XL	-	9164-4500XL					
											
TS-0771			TS-0414		TS-0413		TS-0689		TS-0690		
Latch/Eject Header			Mating Boardmount Socket								
Positions	Vertical 3-Wall	Right Angle 3-Wall	5100 Series	8500 Series	6800 Series	9100 Series					
			Right Angle Vertical	Vertical							
10	X3793-20XX	X3793-10XX	-	8510-4500XL	-	-					
14	X3314-20XX	X3314-10XX	-	-	-	-					
16	X3408-20XX	X3408-10XX	-	8516-4500XL	-	-					
20	X3428-20XX	X3428-10XX	5120-B7A2XX	8520-4500XL	-	9120-4500XL					
24	X3627-20XX	X3627-10XX	-	-	-	-					
26	X3429-20XX	X3429-10XX	5126-B7A2XX	8526-4500XL	-	9126-4500XL					
30	X3440-20XX	X3440-10XX	5130-B7A2XX	-	-	-					
34	X3431-20XX	X3431-10XX	5134-B7A2XX	8534-4500XL	6834-4500XL	9134-4500XL					
40	X3432-20XX	X3432-10XX	5140-B7A2XX	8540-4500XL	6840-4500XL	9140-4500XL					
50	X3433-20XX	X3433-10XX	5150-B7A2XX	8550-4500XL	6850-4500XL	9150-4500XL					
60	X3372-20XX	X3372-10XX	5160-B7A2XX	8560-4500XL	-	9160-4500XL					
64	X3764-20XX	X3764-10XX	5164-B7A2XX	8564-4500XL	-	9164-4500XL					
It is recommended the latch option not be used with the boardmount sockets.											

Date Modified: October 10, 2007









TS-2203-A

Sheet 7 of 45

3M™ Board-to-Board Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

											
TS-0818			TS-0414		TS-0413		TS-0689		TS-0690		
Headers, Low Profile			Mating Boardmount Socket								
Positions	303 Series		5100 Series	8500 Series	6800 Series	9100 Series					
	Vertical 4-Wall	Right Angle 4-Wall	Right Angle	Vertical							
6	30306-60XX	30306-50XX	-	-	-						
8	30308-60XX	30308-50XX	-	-	-						
10	30310-60XX	30310-50XX	-	8510-4500XL	-						
14	30314-60XX	30314-50XX	-	-	-						
16	30316-60XX	30316-50XX	-	8516-4500XL	-						
20	30320-60XX	30320-50XX	5120-B7A2XX	8520-4500XL	-	9120-4500XL					
24	-	-	-	-	-						
26	30326-60XX	30326-50XX	5126-B7A2XX	8526-4500XL	-	9126-4500XL					
30	-	-	5130-B7A2XX	-	-						
34	30334-60XX	30334-50XX	5134-B7A2XX	8534-4500XL	6834-4500XL	9134-4500XL					
40	30340-60XX	30340-50XX	5140-B7A2XX	8540-4500XL	6840-4500XL	9140-4500XL					
50	30350-60XX	30350-50XX	5150-B7A2XX	8550-4500XL	6850-4500XL	9150-4500XL					
60	-	-	5160-B7A2XX	8560-4500XL	-	9160-4500XL					
64	-	-	5164-B7A2XX	8564-4500XL	-	9164-4500XL					
											
TS-0770			TS-0414		TS-0413		TS-0689		TS-0690		
Headers, Low Profile			Mating Boardmount Socket								
Positions	2500 Series		5100 Series	8500 Series	6800 Series	9100 Series					
	Vertical 4-Wall	Right Angle 4-Wall	Right Angle	Vertical							
10	X2510-6XXX	X2510-5XXX	-	8510-4500XL	-						
14	X2514-6XXX	X2514-5XXX	-	-	-						
16	X2516-6XXX	X2516-5XXX	-	8516-4500XL	-						
20	X2520-6XXX	X2520-5XXX	5120-B7A2XX	8520-4500XL	-	9120-4500XL					
24	X2524-6XXX	X2524-5XXX	-	-	-						
26	X2526-6XXX	X2526-5XXX	5126-B7A2XX	8526-4500XL	-	9126-4500XL					
30	X2530-6XXX	X2530-5XXX	5130-B7A2XX	-	-						
34	X2534-6XXX	X2534-5XXX	5134-B7A2XX	8534-4500XL	6834-4500XL	9134-4500XL					
40	X2540-6XXX	X2540-5XXX	5140-B7A2XX	8540-4500XL	6840-4500XL	9140-4500XL					
50	X2550-6XXX	X2550-5XXX	5150-B7A2XX	8550-4500XL	6850-4500XL	9150-4500XL					
60	X2560-6XXX	X2560-5XXX	5160-B7A2XX	8560-4500XL	-	9160-4500XL					
64	X2564-6XXX	X2564-5XXX	5164-B7A2XX	8564-4500XL	-	9164-4500XL					

It is recommended the latch option not be used with the boardmount sockets.

Date Modified: October 10, 2007

TS-2203-A

Sheet 8 of 45


3M™ Board-to-Board Copper Connectors

.100" and .100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).					
					
TS-0766			TS-0815		
Pin Strip Header		Single-Row Boardmount Socket		2-Row Boardmount Socket	
TS-0766		TS-0815		TS-0815	
2300 Series		929 Series		929 Series	
Straight Solder Tail	Right Angle Solder Tail	Gold Plating	Tin Plating	Gold Plating	Tin Plating
23XX-6XX1	23XX-5XX1	9X9850	9X9974	9X9852	9X9975
					
TS-0766			TS-0814		
Pin Strip Header			Mating Through-Board Socket		
TS-0766			TS-0814		
2300 Series		929 Series		929 Series	
Straight	Right Angle	Single-Row		2-Row	
23XX-6XX1	23XX-5XX1	929841		929842	

3M™ Board-to-Board Copper Connectors

.100" x .75" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).			
			
TS-0300		TS-0322	
502 Series		501 Series	
Compact Headers, Right Angle		Mating Wiremount Socket	
Pos	Compact Header Part	Compact Socket Part	
16	50216-B002	50116-B000	
20	50220-B002	50120-B000	
26	50226-B002	50126-B000	
34	50234-B002	50134-B000	
40	50240-B002	50140-B000	
44	50244-B002	50144-B000	
50	50250-B002	50150-B000	

Date Modified: October 10, 2007

TS-2203-A

Sheet 9 of 45

3M™ Wire-to-Board Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

TS-0086			TS-0414	TS-0413	TS-0689	TS-0690
Wiremount Plug (Header)			Mating Boardmount Socket			
Positions	4600 Series		5100 Series	8500 Series	6800 Series	9100 Series
	Open Cover	Closed Cover	Right Angle	Vertical		
	10	4610-60XX 4610-70XX		8510-4500XL	-	-
	14	4614-60XX 4614-70XX			-	-
	16	4616-60XX 4616-70XX		8516-4500XL	-	-
	20	4620-60XX 4620-70XX	5120-B7A2XX	8520-4500XL	-	9120-4500XL
	24	4624-60XX 4624-70XX			-	
	26	4626-60XX 4626-70XX	5126-B7A2XX	8526-4500XL	-	9126-4500XL
	30	4630-60XX 4630-70XX	5130-B7A2XX		-	-
	34	4634-60XX 4634-70XX	5134-B7A2XX	8534-4500XL	6834-4500XL	9134-4500XL
	40	4640-60XX 4640-70XX	5140-B7A2XX	8540-4500XL	6840-4500XL	9140-4500XL
	50	4650-60XX 4650-70XX	5150-B7A2XX	8550-4500XL	6850-4500XL	9150-4500XL
	60	4660-60XX 4660-70XX	5160-B7A2XX	8560-4500XL	-	9160-4500XL
	64	4664-60XX 4664-70XX	5164-B7A2XX	8564-4500XL	-	9164-4500XL

3M™ Wire-to-Board Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).


TS-0086			TS-0414	TS-0413	TS-0689	TS-0690
Wiremount Plug (Header)			Mating Boardmount Socket			
Positions	4600 Series		5100 Series	8500 Series	6800 Series	9100 Series
	Open Cover	Closed Cover	Right Angle	Vertical		
	10	4610-60XX 4610-70XX		8510-4500XL	-	-
	14	4614-60XX 4614-70XX			-	-
	16	4616-60XX 4616-70XX		8516-4500XL	-	-
	20	4620-60XX 4620-70XX	5120-B7A2XX	8520-4500XL	-	9120-4500XL
	24	4624-60XX 4624-70XX			-	
	26	4626-60XX 4626-70XX	5126-B7A2XX	8526-4500XL	-	9126-4500XL
	30	4630-60XX 4630-70XX	5130-B7A2XX		-	-
	34	4634-60XX 4634-70XX	5134-B7A2XX	8534-4500XL	6834-4500XL	9134-4500XL
	40	4640-60XX 4640-70XX	5140-B7A2XX	8540-4500XL	6840-4500XL	9140-4500XL
	50	4650-60XX 4650-70XX	5150-B7A2XX	8550-4500XL	6850-4500XL	9150-4500XL
	60	4660-60XX 4660-70XX	5160-B7A2XX	8560-4500XL	-	9160-4500XL
	64	4664-60XX 4664-70XX	5164-B7A2XX	8564-4500XL	-	9164-4500XL

3M™ Wire-to-Board Copper Connectors

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (**TS-XXXX**).

.100" Wiremount Card-Edge

			Printed Circuit Board
TS-0012	TS-0010	TS-0011	Card-edge connectors were designed for a board thickness of .054" to .070".
3000 Series	3000 Series	3000 Series	
Drilled Mounting Flanges	Without Mounting Flanges	Slotted Mounting Flanges	
Pos			
10	3358-0000	3358-0001	
16	3368-0000	3368-0001	
20	3461-0000	3461-0001	
26	3462-0000	3462-0001	
34	3463-0000	3463-0001	
40	3464-0000	3464-0001	
50	3415-0000	3415-0001	
60	3666-0000	3666-0001	
64	3403-0000	3403-0001	

3M™ Wire-to-Wire Copper Connectors


.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

								
TS-0086			TS-0718		TS-0094	TS-0449	TS-0191	TS-0192
Wiremount Plug (Header)			Mating Wiremount Socket					
4600 Series			3000 Series		79 Series	891 Series	CHG Series	
Positions	Open Cover	Closed Cover	Open Cover Sockets	Closed Cover Sockets	Open Cover Half High Center Bump	Preassem. Open Cover Only	2-Row No Center Bump	DIN Style Polarization
10	4610-60XX	4610-70XX	3473-6XXX	3473-7XXX	-	89110-0XXX	CHG-2010-01010	CHG-2010-X01010
14	4614-60XX	4614-70XX	3385-6XXX	3385-7XXX	-	89114-0XXX	CHG-2014-01010	CHG-2014-X01010
16	4616-60XX	4616-70XX	3452-6XXX	3452-7XXX	-	89116-0XXX	CHG-2016-01010	CHG-2016-X01010
20	4620-60XX	4620-70XX	3421-6XXX	3421-7XXX	-	89120-0XXX	CHG-2020-01010	CHG-2020-X01010
24	4624-60XX	4624-70XX	3626-6XXX	3626-7XXX	-	89124-0XXX	CHG-2024-01010	CHG-2024-X01010
26	4626-60XX	4626-70XX	3399-6XXX	3399-7XXX	-	89126-0XXX	CHG-2026-01010	CHG-2026-X01010
30	4630-60XX	4630-70XX	3419-6XXX	3419-7XXX	-	89130-0XXX	CHG-2030-01010	CHG-2030-X01010
34	4634-60XX	4634-70XX	3414-6XXX	3414-7XXX	-	89134-0XXX	CHG-2034-01010	CHG-2034-X01010
40	4640-60XX	4640-70XX	3417-6XXX	3417-7XXX	-	89140-0XXX	CHG-2040-01010	CHG-2040-X01010
50	4650-60XX	4650-70XX	3425-6XXX	3425-7XXX	-	89150-0XXX	CHG-2050-01010	CHG-2050-X01010
60	4660-60XX	4660-70XX	3334-6XXX	3334-7XXX	-	89160-0XXX	CHG-2060-01010	CHG-2060-X01010
64	4664-60XX	4664-70XX	-	-	7964-6500	-	CHG-2064-01010	CHG-2064-X01010
It is recommended that the latch option not be used with the Boardmount Sockets.								



3M™ Low Profile Board-to-Board Copper Connectors

.100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).				
				
TS-0816			TS-0211	
Pin Strip Header			Mating Boardmount Socket	
TS-0816			TS-0211	
929 Series			929 Series	929 Series
Single-Row	Single-Row	2-Row	Gold	Tin
9X9805	9X9800	9X9815	929870	929984

3M™ Board Stacking Connector

.100" x .100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).				
				
Shrunk Shroud Header			Mating Boardmount Socket	
Positions	924 Series	925 Series	929 Series	
			2-Row Gold Plating	2-Row Tin Plating
	TS-0548	TS-0549	TS-0815	TS-0815
10	924327-XX-10-I	925320-01-10-10	929852-01-05-XX	929975-01-05-XX
14	924327-XX-14-I	925320-01-14-10	929852-01-07-XX	929975-01-07-XX
16	924327-XX-16-I	925320-01-16-10	929852-01-08-XX	929975-01-08-XX
20	924327-XX-20-I	925320-01-20-10	929852-01-10-XX	929975-01-10-XX
26	924327-XX-26-I	925320-01-26-10	929852-01-13-XX	929975-01-13-XX
34	924327-XX-34-I	925320-01-34-10	929852-01-17-XX	929975-01-17-XX
40	924327-XX-40-I	925320-01-40-10	929852-01-20-XX	929975-01-20-XX
50	924327-XX-50-I	925320-01-50-10	929852-01-25-XX	929975-01-25-XX
60	924327-XX-60-I	925320-01-60-10	929852-01-30-XX	929975-01-30-XX
64	924327-XX-64-I	925320-01-64-10	929852-01-32-XX	929975-01-32-XX

Date Modified: October 10, 2007

TS-2203-A

Sheet 13 of 45

3M™ Input/Output Wire-to-Wire Copper Connectors

.100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).

D Sub Connectors and Junction Shells

								
TS-0234		TS-0235		TS-0037	TS-0031	TS-0036	TS-0032	TS-0245
8200 Series		8200 Series		Non-Shielded 9 to 37 Pos.	EMI Shielded 9 to 37 Pos.	EMI Shielded 9 to 37 Pos.	EMI Shielded 9 to 37 Pos.	EMI Shielded 50 Pos. Only
D Sub Plug		D Sub Socket						
Pos								
9	8209-600X 8209-700X	8309-600X 8309-700X		3485-2100F 3485-2100R	Plug 3357-4109 Socket 3357-5109	3357-9209	3357-6509	
15	8215-600X 8215-700X	8315-600X 8315-700X		3485-2200F 3485-2200R	Plug 3357-4115 Socket 3357-5115	3357-9315	3357-6515	
25	8225-600X 8225-700X	8325-600X 8325-700X		3485-2300F 3485-2300R	Plug 3357-4125 Socket 3357-5125	3357-9325	3357-6525	
37	8237-600X 8237-700X	8337-600X 8337-700X		3485-2400F 3485-2400R	Plug 3357-4137 Socket 3357-5137	3357-9337	3357-6537	
50	8250-600X 8250-700X	8350-600X 8350-700X						3357-9250

Date Modified: October 10, 2007

TS-2203-A

Sheet 14 of 45

3M™ Input/Output Wire-to-Wire Copper Connectors

.100" Mating Chart

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).						
D Ribbon Connectors						
						
TS-0819		TS-0441		TS-0820		
3000 Series		3564 Series		3000 Series		
Wiremount Plug		Wiremount Plug		Wiremount Socket		
Pos	Plastic Face	Metal Face	Plastic Face	Metal Face	Metal Face	
14	3572-1000 3572-1001 3557-1002		3573-1000 3573-1001 3553-1002 3553-1006	3573-2000		
				3573-2002		
24	IEEE488 3548-1000 3548-1001 3548-1002		3549-1000 3549-1001 3549-1002 3549-1006	3549-2000		
						3549-2002
36	3366-1000 3366-1001 3366-1002		3567-1000 3567-1001 3567-1002 3567-1006	3567-2000		3367-3000
				3567-2002		3367-3002
50	3564-1000 3564-1001 3564-1002	3564-2000 3564-2001	3565-1000 3565-1001 3565-1002 3565-1006	3565-2000	3582-3000 3565-3000	
				3573-2002	3582-3002 3565-3002	

Date Modified: October 10, 2007

TS-2203-A

Sheet 15 of 45

3M™ Board-to-Wire Copper Connectors

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

.050" MDR Vertical Boardmount Receptacle		Mating Wiremount Plug		
		Shielded	Shielded Solder Cup	Non-Shielded
Pos	102 Series TS-0427	101 Series TS-0423	101 Series TS-0669	101 Series TS-0514
14	10214-6212XX	10114-6000EC	10114-3000XX	-
20	10220-6212XX	10120-6000EC	10120-3000XX	-
26	10226-6212XX	10126-6000EC	10126-3000XX	-
36	10236-6212XX	10136-6000EC	10136-3000XX	-
40	10240-6212XX	10140-6000EC	10140-3000XX	-
50	10250-6212XX	10150-6000EC	10150-3000XX	10150-8X00EE
68	10268-6212XX	10168-6000EC	-	10168-8X00EE
80	10280-6212XX	10180-6000EC	-	-
100	102A0-6212XX	101A0-6000EC	-	-
.050" MDR Right Angle Boardmount Receptacle		Mating Wiremount Plug		
		Shielded	Shielded Solder Cup	Non-Shielded
Pos	102 Series TS-0531	101 Series TS-0423	101 Series TS-0669	101 Series TS-0514
14	N10214-52XXXX	10114-6000EC	10114-3000XX	-
20	N10220-52XXXX	10120-6000EC	10120-3000XX	-
26	N10226-52XXXX	10126-6000EC	10126-3000XX	-
36	N10236-52XXXX	10136-6000EC	10136-3000XX	-
40	N10240-52XXXX	10140-6000EC	10140-3000XX	-
50	N10250-52XXXX	10150-6000EC	10150-3000XX	10150-8X00EE
68	N10268-52XXXX	10168-6000EC	-	10168-8X00EE
80	N10280-52XXXX	10180-6000EC	-	-
100	N102A0-52XXXX	101A0-6000EC	-	-

Date Modified: October 10, 2007




TS-2203-A

Sheet 16 of 45

3M™ Board-to-Wire Copper Connectors

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

							
.050" MDR Right Angle Boardmount Receptacle		Mating Wiremount Plug					
		Shielded		Shielded Solder Cup		Non-Shielded	
Pos	102 Series TS-0621	101 Series TS-0423	101 Series TS-0669	101 Series TS-0514			
14	10214-55X3XX	10114-6000EC	10114-3000XX	-			
20	10220-55X3XX	10120-6000EC	10120-3000XX	-			
26	10226-55X3XX	10126-6000EC	10126-3000XX	-			
36	10236-55X3XX	10136-6000EC	10136-3000XX	-			
40	10240-55X3XX	10140-6000EC	10140-3000XX	-			
50	10250-55X3XX	10150-6000EC	10150-3000XX	10150-8X00EE			
68	10268-55X3XX	10168-6000EC	-	10168-8X00EE			
							
.050" MDR Right Angle Boardmount Receptacle		Mating Wiremount Plug					
		Shielded		Shielded Solder Cup		Non-Shielded	
Pos	102 Series TS-0790	101 Series TS-0423	101 Series TS-0669	101 Series TS-0514			
36	10236-5DX3XX	10136-6000EC	10136-3000XX	-			
							
.050" MDR Vertical Compliant Pin Receptacle		Mating Wiremount Plug					
		Shielded		Shielded Solder Cup		Non-Shielded	
Pos	102 Series TS-0961	101 Series TS-0423	101 Series TS-0669	101 Series TS-0514			
14	10214-R2XXXS	10114-6000EC	10114-3000XX	-			
20	10220-R2XXXS	10120-6000EC	10120-3000XX	-			
26	10226-R2XXXS	10126-6000EC	10126-3000XX	-			
36	10236-R2XXXS	10136-6000EC	10136-3000XX	-			
40	10240-R2XXXS	10140-6000EC	10140-3000XX	-			
50	10250-R2XXXS	10150-6000EC	10150-3000XX	10150-8X00EE			
68	10268-R2XXXS	10168-6000EC	-	10168-8X00EE			
80	10280-R2XXXS	10180-6000EC	-	-			

Date Modified: October 10, 2007




TS-2203-A

Sheet 17 of 45

3M™ Board-to-Wire Copper Connectors

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

				
.050" MDR Right Angle Condo Receptacle, Through-Hole		Mating Wiremount Plug		
		Shielded	Shielded Solder Cup	Non-Shielded
Pos	102 Series TS-0671	101 Series TS-0423	101 Series TS-0669	101 Series TS-0514
20	10220-M218VE	10120-6000EC	10120-3000XX	-
50	10250-M218VE	10150-6000EC	10150-3000XX	10150-8X00EE
68	10268-M218VE	10168-6000EC	-	10168-8X00EE
				
.050" MDR Surface Mount Vertical Receptacle		Mating Wiremount Plug		
		Shielded	Shielded Solder Cup	Non-Shielded
Pos	102 Series TS-0638	101 Series TS-0423	101 Series TS-0669	101 Series TS-0514
20	10220-22X0XE	10120-6000EC	10120-3000XX	-
26	10226-22X0XE	10126-6000EC	10126-3000XX	-
36	10236-22X0XE	10136-6000EC	10136-3000XX	-

Date Modified: October 10, 2007





TS-2203-A

Sheet 18 of 45

3M™ Board-to-Wire Copper Connectors

.50" x .50" Mating Chart




Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

				
.050" MDR Surfacemount Vertical Receptacle		Mating Wiremount Plug		
		Shielded	Shielded Solder Cup	Non-Shielded
Pos	102 Series	101 Series	101 Series	101 Series
	TS-0874	TS-0423	TS-0669	TS-0514
26	10226-1A10XE	10126-6000EC	10126-3000XX	-
				
.050" MDR Surfacemount Vertical Receptacle		Mating Wiremount Plug		
		Shielded	Shielded Solder Cup	Non-Shielded
Pos	102 Series	101 Series	101 Series	101 Series
	TS-0755	TS-0423	TS-0669	TS-0514
14	10214-1210XE	10114-6000EC	10114-3000XX	-
20	10220-1210XE	10120-6000EC	10120-3000XX	-
26	10226-1210XE	10126-6000EC	10126-3000XX	-
40	10240-1210XE	10140-6000EC	10140-3000XX	-
50	10250-1210XE	10150-6000EC	10150-3000XX	10150-8X00EE

3M™ MDR Wire-to-Wire Copper Connectors

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

				
.050" MDR Wiremount/Panel-mount Receptacle, Shielded		Mating Wiremount Plug		
		Shielded	Shielded Solder Cup	Non-Shielded
Pos	102 Series	101 Series	101 Series	101 Series
	TS-0425	TS-0423	TS-0669	TS-0514
20	10220-0210EC	10120-6000EC	10120-3000XX	-
26	10226-0210EC	10126-6000EC	10126-3000XX	-
36	10236-0210EC	10136-6000EC	10136-3000XX	-
40	10240-0210EC	10140-6000EC	10140-3000XX	-
50	10250-0210EC	10150-6000EC	10150-3000XX	10150-8X00EE
68	10268-0210EC	10168-6000EC	-	10168-8X00EE
68	10268-0210EC	10168-6000EC	-	10168-8X00EE

Date Modified: October 10, 2007


TS-2203-A

Sheet 19 of 45

3M™ MDR Board-to-Board Copper Connectors

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

					
Through-Hole Right Angle Plug			Mating Boardmount Receptacle		
Pos	Normal	Inverse	Right Angle	Right Angle	Right Angle
	101 Series		102 Series	102 Series	102 Series
	TS-0620		TS-0531	TS-0621	TS-0790
20	10120-52X2	10120-72X2	N10220-52XXXX	10220-55X3XX	-
26	10126-52X2	10126-72X2	N10220-52XXXX	10226-55X3XX	-
36	10136-52X2	10136-72X2	N10220-52XXXX	10236-55X3XX	10236-5DX3XX
50	10150-52X2	10150-72X2	N10220-52XXXX	10250-55X3XX	-

3M™ Round Cable Junction Shells

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

						
.050" MDR Shielded Wiremount Plug		Mating Round Cable Junction Shell				
		Plastic Shielded	Plastic Shielded	Plastic Shielded	Metal Shell 60° Exit	Metal Shell
Pos	101 Series TS-0423	103 Series				
	TS-0423	TS-0571	TS-0534	TS-0535	TS-0394	TS-0341
14	10114-6000EC	10314-3210-00X	-	-	10314-A500-00	10314-A200-00
20	10120-6000EC	10320-3210-00X	-	-	-	10320-A200-00
26	10126-6000EC	10326-3210-00X	-	10326-32J0-00X	10326-A500-00	10326-A200-00
36	10136-6000EC	10336-3210-00X	-	-	10336-A500-00	10336-A200-00
40	10140-6000EC	10340-3210-00X	-	-	10340-A500-00	10340-A200-00
50	10150-6000EC	10350-3210-00X	10350-3280-000-X	10326-32J0-00X	10350-A500-00	10350-A200-00
68	10168-6000EC	10368-3210-00X	10368-3280-000-X	10326-32J0-00X	10368-A500-00	10368-A200-00
80	10180-6000EC	10380-3210-00X	10380-3280-000-X	-	10380-A500-00	10380-A200-00
100	101A0-6000EC	103A0-3210-00X	-	-	-	103A0-A200-00

3M™ Round Cable Non-Shielded Junction Shells

.50" x .50" Mating Chart


Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

		This junction shell is the only shell designed to be used with the 3M™ Wiremount Plug 101XX-3000EC Solder Cup . For further information or questions concerning this application, contact 3M Technical Service.	
.050" MDR Shielded Wiremount Plug		Mating Round Cable Junction Shell Non-Shielded Plastic Junction Shell	
Pos	TS-0669	TS-0670	
14	-	-	-
20	10120-3000EC	10320-52F0-008	-
26	10126-3000EC	10326-52F0-008	-
36	10136-3000EC	10336-52F0-008	-
40	10140-3000EC	-	-
50	10150-3000EC	10350-52F0-008	-

3M™ Flat Cable Junction Shells

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).

					
.050" MDR Shielded Wiremount Plug		Mating Flat Cable Junction Shell			
		Metal Junction Shell		Metal Junction Shell	
Pos	101 Series	103 Series		103 Series	
	TS-0423	TS-0655		TS-0666	
14	10114-6000EC	-		-	
20	10120-6000EC	10320-1230-00		-	
26	10126-6000EC	10326-1230-00		-	
36	10136-6000EC	10336-1230-00		-	
40	10140-6000EC	10340-1230-00		-	
50	10150-6000EC	-			
68	10168-6000EC	-		10368-12R1-00	
80	10180-6000EC	-		10380-12R1-00	
100	101A0-6000EC	-		10380-12R1-00	

3M™ Dust Cover for Panel Mount Receptacle

.50" x .50" Mating Chart

Note: All connector options and ordering information can be obtained from the technical data sheet (TS-XXXX).



This dust cover was designed to be used with all 3M™ 102XX Panel Mount receptacles.




For further information or questions concerning this application, contact 3M Technical Service.

MDR Dust Cover for Panel Mount Receptacle		Panel Mount MDR Connector
Pos	TS-0399	
14	3412-10214	10214-XXXXX
20	3412-10220	10220-XXXXX
26	3412-10226	10226-XXXXX
36	3412-10236	10236-XXXXX
40	3412-10240	10240-XXXXX
50	3412-10250	10250-XXXXX
68	3412-10268	10268-XXXXX

3M™ MetPak™ Board-to-Board Copper Connectors

2 mm 5-Row Solder or Press-Fit Tails

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).



MP2 Series

TS-1122



TS-1124

TS-1117

Inverse Header

Mating Right Angle Socket

Positions	Right Angle Solder Tails	Right Angle Solder Tails	Capped Solder Tails	Press-Fit Tails
30	MP2-P030-5XM1-XXXX	---	MP2-S030G-5XXX-C-XXXX	MP2-S030G-5XXX-XXXX
60	MP2-P060-5XM1-XXXX	---	MP2-S060G-5XXX-C-XXXX	MP2-S060G-5XXX-XXXX
90	MP2-P090-5XM1-XXXX	---	MP2-S090G-5XXX-C-XXXX	MP2-S090G-5XXX-XXXX
120	MP2-P120-5XM1-XXXX	---	MP2-S120G-5XXX-C-XXXX	MP2-S120G-5XXX-XXXX
150	MP2-P150-5XM1-XXXX	---	MP2-S150G-5XXX-C-XXXX	MP2-S150G-5XXX-XXXX
180	MP2-P180-5XM1-XXXX	---	MP2-S180G-5XXX-C-XXXX	MP2-S180G-5XXX-XXXX
210	MP2-P210-5XM1-XXXX	MP2-P210E-51M1-XXXX	MP2-S210G-5XXX-C-XXXX	MP2-S210G-5XXX-XXXX
240	MP2-P240-5XM1-XXXX	MP2-P240E-51M1-XXXX	MP2-S240G-5XXX-C-XXXX	MP2-S240G-5XXX-XXXX
270	MP2-P270-5XM1-XXXX	---	---	---
300	MP2-P300-5XM1-XXXX	---	---	---
420	MP2-P420-5XM1-XXXX	---	---	---



MP2 Series

TS-1122

TS-1123

TS-1121

Inverse Header

Mating Vertical Inverse Socket

Positions	Right Angle Solder Tails	Vertical Solder/Press-Fit Tail	Solder Tails	Press-Fit Tails
30	MP2-P030-5XM1-XXXX	MP2-PS030-51X1-XXXX	MP2-R030-5XSX-XXXX	MP2-R030-5XPX-XXXX
60	MP2-P060-5XM1-XXXX	MP2-PS060-51X1-XXXX	MP2-R060-5XSX-XXXX	MP2-R060-5XPX-XXXX
90	MP2-P090-5XM1-XXXX	MP2-PS090-51X1-XXXX	MP2-R090-5XSX-XXXX	MP2-R090-5XPX-XXXX
120	MP2-P1200-5XM1-XXXX	MP2-PS120-51X1-XXXX	MP2-R120-5XSX-XXXX	MP2-R120-5XPX-XXXX
150	MP2-P150-5XM1-XXXX	MP2-PS150-51X1-XXXX	MP2-R150-5XSX-XXXX	MP2-R150-5XPX-XXXX
180	MP2-P180-5XM1-XXXX	MP2-PS180-51X1-XXXX	MP2-R180-5XSX-XXXX	MP2-R180-5XPX-XXXX
210	MP2-P210-5XM1-XXXX	MP2-PS210-51X1-XXXX	MP2-R210-5XSX-XXXX	MP2-R210-5XPX-XXXX
240	MP2-P240-5XM1-XXXX	MP2-PS240-51X1-XXXX	MP2-R240-5XSX-XXXX	MP2-R240-5XPX-XXXX
270	MP2-P270-5XM1-XXXX	MP2-PS270-51X1-XXXX	MP2-R270-5XSX-XXXX	MP2-R270-5XPX-XXXX
300	MP2-P300-5XM1-XXXX	MP2-PS300-51X1-XXXX	MP2-R300-5XSX-XXXX	MP2-R300-5XPX-XXXX
420	MP2-P420-5XM1-XXXX	---	---	---

Date Modified: October 10, 2007




TS-2203-A

Sheet 24 of 45

3M™ MetPak™ Board-to-Board Copper Connectors

2 mm 4/5 - Row Solder or Press-Fit Tails

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).



MP2 Series

TS-1120			TS-1118		TS-1115	
Positions	Vertical Header		Mating Vertical Socket		Mating Right Angle Socket	
	4-Row Vertical Header with Shoulder Pins for Compliant Pin Assembly	PCB Mounting Style	4-Row Vertical Stacking Socket	PCB Mounting Style	4-Row Right Angle Socket with Tail Cover	PCB Mounting Style
24	MP2-H024-4XSX-S-XXXX MP2-H024-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS024-41SX-XXXX MP2-SS024-41PX-XXXX	Solder Tail Press-Fit	MP2-S024-41XX-C-XXXX MP2-S024-41XX-XXXX	Sldr/Tail w/cap Press-Fit
48	MP2-H048-4XSX-S-XXXX MP2-H048-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS048-41SX-XXXX MP2-SS048-41PX-XXXX	Solder Tail Press-Fit	MP2-S048-41XX-C-XXXX MP2-S048-41XX-XXXX	Sldr/Tail w/cap Press-Fit
72	MP2-H072-4XSX-S-XXXX MP2-H072-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS072-41SX-XXXX MP2-SS072-41PX-XXXX	Solder Tail Press-Fit	MP2-S072-41XX-C-XXXX MP2-S072-41XX-XXXX	Sldr/Tail w/cap Press-Fit
96	MP2-H096-4XSX-S-XXXX MP2-H096-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS096-41SX-XXXX MP2-SS096-41PX-XXXX	Solder Tail Press-Fit	MP2-S096-41XX-C-XXXX MP2-S096-41XX-XXXX	Sldr/Tail w/cap Press-Fit
120	MP2-H120-4XSX-S-XXXX MP2-H120-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS120-41SX-XXXX MP2-SS120-41PX-XXXX	Solder Tail Press-Fit	MP2-S120-41XX-C-XXXX MP2-S120-41XX-XXXX	Sldr/Tail w/cap Press-Fit
144	MP2-H144-4XSX-S-XXXX MP2-H144-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS144-41SX-XXXX MP2-SS144-41PX-XXXX	Solder Tail Press-Fit	MP2-S144-41XX-C-XXXX MP2-S144-41XX-XXXX	Sldr/Tail w/cap Press-Fit
168	MP2-H168-4XSX-S-XXXX MP2-H168-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS168-41SX-XXXX MP2-SS168-41PX-XXXX	Solder Tail Press-Fit	MP2-S168-41XX-C-XXXX MP2-S168-41XX-XXXX	Sldr/Tail w/cap Press-Fit
192	MP2-H192-4XSX-S-XXXX MP2-H192-4XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS192-41SX-XXXX MP2-SS192-41PX-XXXX	Solder Tail Press-Fit	MP2-S192-41XX-C-XXXX MP2-S192-41XX-XXXX	Sldr/Tail w/cap Press-Fit
Positions	Vertical Header		Mating Vertical Socket		Mating Right Angle Socket	
	5-Row Vertical Header with Shoulder Pins for Compliant Pin Assembly	PCB Mounting Style	5-Row Vertical Stacking Socket	PCB Mounting Style	5-Row Right Angle Socket with Tail Cover	PCB Mounting Style
30	MP2-H030-5XSX-S-XXXX MP2-H030-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS030-51SX-XXXX MP2-SS030-51PX-XXXX	Solder Tail Press-Fit	MP2-S030-51XX-C-XXXX MP2-S030-51XX-XXXX	Sldr/Tail w/cap Press-Fit
60	MP2-H060-5XSX-S-XXXX MP2-H060-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS060-51SX-XXXX MP2-SS060-51PX-XXXX	Solder Tail Press-Fit	MP2-S060-51XX-C-XXXX MP2-S060-51XX-XXXX	Sldr/Tail w/cap Press-Fit
90	MP2-H090-5XSX-S-XXXX MP2-H090-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS090-51SX-XXXX MP2-SS090-51PX-XXXX	Solder Tail Press-Fit	MP2-S090-51XX-C-XXXX MP2-S090-51XX-XXXX	Sldr/Tail w/cap Press-Fit
120	MP2-H120-5XSX-S-XXXX MP2-H120-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS120-51SX-XXXX MP2-SS120-51PX-XXXX	Solder Tail Press-Fit	MP2-S120-51XX-C-XXXX MP2-S120-51XX-XXXX	Sldr/Tail w/cap Press-Fit
150	MP2-H150-5XSX-S-XXXX MP2-H150-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS150-51SX-XXXX MP2-SS150-51PX-XXXX	Solder Tail Press-Fit	MP2-S150-51XX-C-XXXX MP2-S150-51XX-XXXX	Sldr/Tail w/cap Press-Fit
180	MP2-H180-5XSX-S-XXXX MP2-H180-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS180-51SX-XXXX MP2-SS180-51PX-XXXX	Solder Tail Press-Fit	MP2-S180-51XX-C-XXXX MP2-S180-51XX-XXXX	Sldr/Tail w/cap Press-Fit
210	MP2-H210-5XSX-S-XXXX MP2-H210-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS210-51SX-XXXX MP2-SS210-51PX-XXXX	Solder Tail Press-Fit	MP2-S210-51XX-C-XXXX MP2-S210-51XX-XXXX	Sldr/Tail w/cap Press-Fit
240	MP2-H240-5XSX-S-XXXX MP2-H240-5XPX-S-XXXX	Solder Tail Press-Fit	MP2-SS240-51SX-XXXX MP2-SS240-51PX-XXXX	Solder Tail Press-Fit	MP2-S240-51XX-C-XXXX MP2-S240-51XX-XXXX	Sldr/Tail w/cap Press-Fit

Date Modified: October 10, 2007




TS-2203-A

Sheet 25 of 45

3M™ MetPak™ Shroud Board-to-Board Copper Connectors

2 mm 4/5- Row Solder or Press-Fit Tails

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).



MP2 Series						
TS-1130			TS-1118		TS-1115	
4-Row Vertical Shroud		Stand off Height	Metpak 2-FB Header (Pin Field)	Mating Vertical Socket		Right Angle Socket
Positions	Shroud can be used with rear mounted solder tail header.	1 = 3.50 mm 2 = 4.40 mm 3 = 6.90 mm	Rear Mounted Mating Header	4-Row Vertical Stacking Socket	PCB Mounting Style	4-Row Right Angle Socket with Tail Cover
24	MP2-HS 024 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS024-41SX-XXXX MP2-SS024-41PX-XXXX	Solder Tail Press-Fit	MP2-S024-41XX-C-XXXX MP2-S024-41XX-XXXX
48	MP2-HS 048 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS048-41SX-XXXX MP2-SS048-41PX-XXXX	Solder Tail Press-Fit	MP2-S048-41XX-C-XXXX MP2-S048-41XX-XXXX
72	MP2-HS 072 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS072-41SX-XXXX MP2-SS072-41PX-XXXX	Solder Tail Press-Fit	MP2-S072-41XX-C-XXXX MP2-S072-41XX-XXXX
96	MP2-HS 096 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS096-41SX-XXXX MP2-SS096-41PX-XXXX	Solder Tail Press-Fit	MP2-S096-41XX-C-XXXX MP2-S096-41XX-XXXX
120	MP2-HS 120 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS120-41SX-XXXX MP2-SS120-41PX-XXXX	Solder Tail Press-Fit	MP2-S120-41XX-C-XXXX MP2-S120-41XX-XXXX
144	MP2-HS 144 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS144-41SX-XXXX MP2-SS144-41PX-XXXX	Solder Tail Press-Fit	MP2-S144-41XX-C-XXXX MP2-S144-41XX-XXXX
168	MP2-HS 168 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS168-41SX-XXXX MP2-SS168-41PX-XXXX	Solder Tail Press-Fit	MP2-S168-41XX-C-XXXX MP2-S168-41XX-XXXX
192	MP2-HS 192 - 4 X		MP2-H024-4XP5-XXXX MP2-H024-4XP7-XXXX	MP2-SS192-41SX-XXXX MP2-SS192-41PX-XXXX	Solder Tail Press-Fit	MP2-S192-41XX-C-XXXX MP2-S192-41XX-XXXX
5-Row Vertical Shroud		Stand off Height	Metpak 2-FB Header (Pin Field)	Mating Vertical Socket		
Positions	Shroud can be used with rear mounted solder tail header.	1 = 3.50 mm 2 = 4.40 mm 3 = 6.90 mm	Rear Mounted Mating (Pin Field) Header	5-Row Vertical Stacking Socket	PCB Mounting Style	5-Row Right Angle Socket with Tail Cover
30	MP2-HS 030 - 5 X		MP2-H030-5XP5-XXXX MP2-H030-5XP7-XXXX	MP2-SS030-51SX-XXXX MP2-SS030-51PX-XXXX	Solder Tail Press-Fit	MP2-S030-51XX-C-XXXX MP2-S030-51XX-XXXX
60	MP2-HS 060 - 5 X		MP2-H 060-5XP5-XXXX MP2-H 060-5XP7-XXXX	MP2-SS060-51SX-XXXX MP2-SS060-51PX-XXXX	Solder Tail Press-Fit	MP2-S060-51XX-C-XXXX MP2-S060-51XX-XXXX
90	MP2-HS 090 - 5 X		MP2-H090-5XP5-XXXX MP2-H090-5XP7-XXXX	MP2-SS090-51SX-XXXX MP2-SS090-51PX-XXXX	Solder Tail Press-Fit	MP2-S090-51XX-C-XXXX MP2-S090-51XX-XXXX
120	MP2-HS 120 - 5 X		MP2-H120-5XP5-XXXX MP2-H120-5XP7-XXXX	MP2-SS120-51SX-XXXX MP2-SS120-51PX-XXXX	Solder Tail Press-Fit	MP2-S120-51XX-C-XXXX MP2-S120-51XX-XXXX
150	MP2-HS 150 - 5 X		MP2-H150-5XP5-XXXX MP2-H150-5XP7-XXXX	MP2-SS150-51SX-XXXX MP2-SS150-51PX-XXXX	Solder Tail Press-Fit	MP2-S150-51XX-C-XXXX MP2-S150-51XX-XXXX
180	MP2-HS180 - 5 X		MP2-H180-5XP5-XXXX MP2-H180-5XP7-XXXX	MP2-SS180-51SX-XXXX MP2-SS180-51PX-XXXX	Solder Tail Press-Fit	MP2-S180-51XX-C-XXXX MP2-S180-51XX-XXXX
210	MP2-HS 210 - 5 X		MP2-H210-5XP5-XXXX MP2-H210-5XP7-XXXX	MP2-SS210-51SX-XXXX MP2-SS210-51PX-XXXX	Solder Tail Press-Fit	MP2-S210-51XX-C-XXXX MP2-S210-51XX-XXXX
240	MP2-HS 240 - 5 X		MP2-H240-5XP5-XXXX MP2-H240-5XP7-XXXX	MP2-SS240-51SX-XXXX MP2-SS240-51PX-XXXX	Solder Tail Press-Fit	MP2-S240-51XX-C-XXXX MP2-S240-51XX-XXXX

Date Modified: October 10, 2007



TS-2203-A

Sheet 26 of 45

3M™ MetPak™ Power Board-to-Board Copper Connectors

2 mm 4/5- Socket and Header

Note: All connector options and ordering information may be obtained from the Technical Data Sheet (TS-XXXX).



MP2 Series

TS-1126

TS-1125

4-Row Vertical Header with Press-Fit Tail

Mating 4-Row Right Angle Socket Solder or Press-Fit Tail

Pos

8

MP2 - HP08 - 4XP1 - XXX

MP2 - SP08 - 41PX - XXXX Press-Fit Tail
MP2 - SP08 - 41PX - XXXX Solder Tail (Press Peg)
MP2 - SP08 - 41PX - XXXX Solder Tail (Heat Stake)

5-Row Vertical Press-Fit Tail

Mating 5-Row Right Angle Socket Solder or Press-Fit Tail

Pos

10


MP2 - HP10 - 5XP1 - XXX

MP2 - SP10 - 51PX - XXXX Press-Fit Tail
MP2 - SP10 - 51PX - XXXX Solder Tail (Press Peg)
MP2 - SP10 - 51PX - XXXX Solder Tail (Heat Stake)

3M™ Pak 5 Board-to-Board Copper Connectors

.5 mm Mating Chart

Note: All connector options and ordering information may be obtain from the technical data sheet (**TS-XXXX**).



PK5 Series

TS-1153

Plug Connector

TS-1149

Socket Connector

Pos	Product Number	Mated Height	Product Number
40, 50, 60, 80, 100, 120, 140, 160	PK5-XXXP-X-X-X 2 -GGF	4 mm	PK5-XXXS-X-X-X 2 -GGF
	PK5-XXXP-X-X-X 2 -GGF	5 mm	PK5-XXXS-X-X-X 3 -GGF
	PK5-XXXP-X-X-X 2 -GGF	6 mm	PK5-XXXS-X-X-X 4 -GGF
	PK5-XXXP-X-X-X 4 -GGF	6 mm	PK5-XXXS-X-X-X 2 -GGF
	PK5-XXXP-X-X-X 4 -GGF	7 mm	PK5-XXXS-X-X-X 3 -GGF
	PK5-XXXP-X-X-X 4 -GGF	8 mm	PK5-XXXS-X-X-X 4 -GGF

3M™ Board Stacking System, P05N

.5 mm Mating Chart

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX)			
			
P05N Series			
TS-1093			TS-1093
Surfacemount Vertical Plug Connector		Mated Height	Surfacemount Vertical Socket Connector
Pos	Product Number		Product Number
20, 30, 40, 50, 60, 80, 100	P05N-XXXPT-A-G	3 mm	P05N-XXXST-A-G
			
	P05N Series		
	TS-1092		TS-1092
	Surfacemount Vertical Plug Connector	Mated Height	Surfacemount Vertical Socket Connector
	Product Number		Product Number
	P05N-XXXPT-B-G	4 mm	P05N-XXXST-B-G
	P05N-XXXPT-C-G	5 mm	P05N-XXXST-B-G
	P05N-XXXPT-D-G	6 mm	P05N-XXXST-B-G

3M™ Pak 8 Board-to-Board Copper Connectors


.8 mm Mating Chart

Note: All connector options and ordering information may be obtain from the technical data sheet (TS-XXXX)			
			
P08 Series			
TS-1096			TS-1150
Pos	Vertical Plug Connector	Mated Height	Socket Connector
	Product Number		Product Number
20, 30, 40, 50, 80, 100	P08-XXXPLXX-A-TG	3 mm	P08-XXXSLXX-A-G
	P08-XXXPLXX-B-TG	4 mm	P08-XXXSLXX-A-G
	P08-XXXPLXX-C-TG	5 mm	P08-XXXSLXX-A-G
	P08-XXXPLXX-A-TG	6 mm	P08-XXXSLXX-B-TG
	P08-XXXPLXX-B-TG	7 mm	P08-XXXSLXX-B-TG
	P08-XXXPLXX-C-TG	8 mm	P08-XXXSLXX-B-TG

3M™ Pak 8 Board-to-Board Hermaphroditic Connectors

.8 mm Mating Chart

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).



P08 Series				
Pos	TS-2096		TS-2096	
	Hermaphroditic Connector	Mated Height	Hermaphroditic Connector	
	Product Number		Product Number	
30	P08-030-HLXX-E-G	11.5 mm	P08-030-HLXX-E-G	
40	P08-040-HLXX-E-G	11.5 mm	P08-040-HLXX-E-G	
50	P08-050-HLXX-E-G	11.5 mm	P08-050-HLXX-E-G	
80	P08-080-HLXX-E-G	11.5 mm	P08-080-HLXX-E-G	
100	P08-100-HLXX-E-G	11.5 mm	P08-100-HLXX-E-G	

Date Modified: October 10, 2007


TS-2203-A

Sheet 30 of 45

3M™ Pak 8 Board-to-Board Copper Connectors

.8 mm Mating Chart

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).



2A Series

Pos	TS-0889	Mated Height	TS-0888
	Surfacemount Plug		Surfacemount Socket
200	2B200-6200-8NX S	5 mm	2A200-6100-8NX S

3M™ Pak 10 Board-to-Board Copper Connectors

1 mm Mating Chart

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

		Plug Standoff Height Code: R= w/o Standoff 1 = 1 mm 2 = 2 mm 3 = 3 mm 4 = 4 mm		
PK10M Series			PK10M Series	
TS-1159	TS-1151		TS-1152	
Right Angle Boardmount Plug with Power Contacts	Right Angle Surfacemount Plug with Power Ground Option		Vertical Surfacemount Socket with Power Ground Option	
PK10M-040PX-SMX-XX	PK10M-040PX-THX-XX	Positions	PK10M-040SX-SMT-XX	
PK10M-050PX-SMX-XX	PK10M-050PX-THX-XX		PK10M-050SX-SMT-XX	
PK10M-060PX-SMX-XX	PK10M-060PX-THX-XX		PK10M-060SX-SMT-XX	
PK10M-080PX-SMX-XX	PK10M-080PX-THX-XX		PK10M-080SX-SMT-XX	


Date Modified: October 10, 2007

TS-2203-A

Sheet 31 of 45

3M™ Pak 10 Board-to-Board Stacking Connectors

1 mm Mating Chart

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).				
				
PK10 Series				
	TS-1078		TS-1077	
Pos	Surfacemount Plug Connector		Surfacemount Socket Connector	
	S = Straight (Vertical)	R = Right Angle	S = Straight (Vertical)	R = Right Angle
30	PK10-030P-S-XX	PK10-030P-R-XX	PK10-030S-S-XX	PK10-030S-R-XX
50	PK10-050P-S-XX	PK10-050P-R-XX	PK10-050S-S-XX	PK10-050S-R-XX
80	PK10-080P-S-XX	PK10-080P-R-XX	PK10-080S-S-XX	PK10-080S-R-XX
100	PK10-100P-S-XX	PK10-100P-R-XX	PK10-100S-S-XX	PK10-100S-R-XX

3M™ Board Stacking System, P10

1 mm Mating Chart

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).				
				
TS-1097			TS-1097	
SMT Vertical Plug Connector			SMT Vertical Socket Connector	
Pos	Product Number A = 2.0 mm B = 2.5 mm	Mated Height	Product Number	
10	P10-010-PLT - A - G	2.0 mm	P10-020SLT - A - G	
10	P10-010-PLT - B - G	2.5 mm		
16	P10-016-PLT - A - G	2.0 mm	P10-020SLT - A - G	
16	P10-016-PLT - B - G	2.5 mm		
20	P10-020-PLT - A - G	2.0 mm	P10-020SLT - A - G	
20	P10-020-PLT - B - G	2.5 mm		
30	P10-030-PLT - A - G	2.0 mm	P10-020SLT - A - G	
30	P10-030-PLT - B - G	2.5 mm		

Date Modified: October 10, 2007



TS-2203-A

Sheet 32 of 45

3M™ Pak 20 Boardmount-to-Wiremount Connectors

2 mm Boardmount Latch/Eject Headers and 2 mm Wiremount Sockets

Note: All connector options and ordering information may be obtain from the technical data sheet (TS-XXXX).

			
1552 Series		1522 Series	870 Series & 2M Series
TS-2199		TS-0523	TS-0525 and TS-2150
Positions	2 = Latch used for molded on socket 3 = Latch used with 2-piece socket	0 = Preassembled closed cover/even row 1 = Preassembled open cover 2 = Preassembled closed cover/odd row	870 Series Socket Dimensions, TS-0525 2M Series Molded Assembly, TS-2150
6	155206-2200-XX 155206-2300-XX	—	2M XX XX - 006 -3625-XXX.X-XX-XX-X
8	155208-2200-XX 155208-2300-XX	—	2M XX XX - 008 -3625-XXX.X-XX-XX-X
10	155210-2200-XX 155210-2300-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	2M XX XX - 010 -3625-XXX.X-XX-XX-X
12	155212-2200-XX 155212-2300-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	—
16	155216-2200-XX 155216-2300-XX	—	2M XX XX - 016 -3625-XXX.X-XX-XX-X
20	155220-2200-XX 155220-2300-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	2M XX XX - 020 -3625-XXX.X-XX-XX-X
22	155222-2200-XX 155222-2300-XX	—	2M XX XX - 022 -3625-XXX.X-XX-XX-X
24	155224-2200-XX 155224-2300-XX	—	2M XX XX - 024 -3625-XXX.X-XX-XX-X
26	155226-2200-XX 155226-2300-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	2M XX XX - 026 -3625-XXX.X-XX-XX-X
30	155230-2200-XX 155230-2300-XX	—	2M XX XX - 030 -3625-XXX.X-XX-XX-X
40	155240-2200-XX 155240-2300-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	2M XX XX - 040 -3625-XXX.X-XX-XX-X
44	155244-2200-XX 155244-2300-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	2M XX XX - 044 -3625-XXX.X-XX-XX-X
50	155250-2200-XX 155250-2300-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	2M XX XX - 050 -3625-XXX.X-XX-XX-X

Date Modified: October 10, 2007

TS-2203-A

Sheet 33 of 45



Interconnect Solutions







<http://www.3M.com/interconnects/>

3M is a trademark of the 3M Company.
For technical, sales or ordering information call

800-225-5373






3M™ Pak 20 Boardmount-to-Wiremount Connectors

2 mm Boardmount Pin Strip Headers and 2 mm Wiremount Sockets

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).				
				
1512 Series TS-0808			1522 Series TS-0523	870 Series & 2M Series TS-0525 and TS-2150
			Preassembled 0 = Closed Cover/Even Row 1 = Open Cover 2 = Closed Cover/Odd Row	
1512XX-8322-XX 1512XX-8422-XX	1512XX-7322-XX 1512XX-7422-XX	1512XX-2320-XX-XX 1512XX-2420-XX-XX	152210-00XX-XX 152210-01XX-XX 152210-02XX-XX	
Positions	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60		10, 12, 20, 26, 40, 44, 50	
			6, 8, 10, 16, 20, 22, 24, 26, 30, 40, 44, 50	

3M™ Pak 20 Boardmount-to-Wiremount Connectors

2 mm Boardmount Pin Strip Headers and 2 mm Wiremount Sockets

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).				
				
1512 Series TS-0808			1532 Series TS-0521	1502 Series TS-0519
			Through-Board Surfacemount Socket 0 = without Location 2 = with Location Post	
1512XX-8322-XX 1512XX-8422-XX	1512XX-7322-XX 1512XX-7422-XX	1512XX-2320-XX-XX 1512XX-2420-XX-XX	1532XX-2000-XX-XX 1532XX-2200-XX-XX	
Positions	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60		4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60	
			4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60	

Date Modified: October 10, 2007

TS-2203-A

Sheet 34 of 45

3M™ Shunt-to-Boardmount Connectors

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).






957631 Series


TS-0777

The 3M™ Pak 20 957631-30 Shunt
is recommended for use with all
3M™ Shrouded and Pin Strip Headers.


3M™ Pak 50 Board-to-Board Stacking Connectors

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).				
				
P50 Series				
TS-2048			TS-2047	TS-2047
Vertical Stacking Plug			Mating Socket Connector Vertical and Right Angle Option	
Through-Hole with Flange	Through-Hole without Flange	Stacking Heights	Through-Hole with Flanges	Through-Hole without Flanges
			S1=Straight, w/o Retention Clips SR1=Right Angle w/o Retention Clips R1=Straight with Retention Clips RR1=Right Angle with Retention Clips	S1=Straight, w/o Retention Clips SR1=Right Angle w/o Retention Clips
			P50-XXXXS-S1-XXX P50-XXXXS-SR1-XXX P50-XXXXS-R1-XXX P50-XXXXS-RR1-XXX	P51-XXXXS-S1-XXX P51-XXXXS-SR1-XXX - -
P50-XXXXP-S20-XXX	P51-XXXXP-S20-XXX	20 mm (0.79")		
P50-XXXXP-S24-XXX	P51-XXXXP-S24-XXX	24 mm (0.95")		
P50-XXXXP-S30-XXX	P51-XXXXP-S30-XXX	30 mm (1.18")		
Positions: 20, 30, 32, 34, 40, 50, 60, 80, 100			Positions: 20, 30, 32, 34, 40, 50, 60, 80,100	

Product Ordering Information:




3M™ Pak 50 Board-to-Board Connectors

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).				
				
P50 Series TS-2046	P50 Series TS-1162	P50E Series TS-1144	P50 Series TS-2047	
Vertical and Right Angle Boardmount Plug			Mating Boardmount Socket	
S1 = Straight, without Retention Clip R1 = Straight, with Retention Clip			SR1 = Right Angle, without Retention Clip RR1 = Right Angle, with Retention Clip	
w / Flanges = P50 w/o Flanges = P51	with Flanges	with Flanges	with Flanges	without Flanges
(each version mates to all socket options)			(each version mates to all plug options)	
P5X-XXXP-S1-XXX P5X-XXXP-SR1-XXX P5X-XXXP-R1-XXX P5X-XXXP-RR1-XXX	P50-XXXP1-S1-XXX P50-XXXP1-SR1-XXX - P50-XXXP1-RR1-XXX	P50E-XXXP1-S1-XXX P50E-XXXP1-SR1-XXX - P50E-XXXP1-RR1-XXX	P50-XXXS-S1-XXX P50-XXXS-SR1-XXX P50-XXXS-R1-XXX P50-XXXS-RR1-XXX	P51-XXXS-S1-XXX P51-XXXS-SR1-XXX - -
Positions 20, 26, 30, 32, 34, 40, 50, 60, 80, 100	20, 26, 30, 32, 34, 40, 50, 60, 68	20, 26, 30, 32, 34, 40, 50, 60, 80, 100	20, 26, 30, 32, 34, 40, 50, 60, 68, 80, 100	20, 26, 30, 32, 34, 40, 50, 60, 68, 80, 100

3M™ Pak 50 Board-to-Board Connectors

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).			
			
P50 Series			
TS-2051		TS-2052	
Power Ground Pin		Power Ground Pin	
Boardmount Plug		Mating Boardmount Socket	
Straight	Right Angle	Straight	Right Angle
P50-XXXPG-S1-XXX	P50-XXXPG-SR1-XXX	P50-XXXSG-S1-XXX	P50-XXXSG-SR1-XXX
Positions: 20, 30, 32, 34, 40, 50, 60, 80, 100		Positions: 20, 30, 32, 34, 40, 50, 60, 80, 100	

Product Ordering Information:




Date Modified: October 10, 2007

TS-2203-A

Sheet 37 of 45

3M™ Pak 50 Board-to-Board Maxi-Mate Connectors


Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

		Product options for both the plug and mating socket including body options and retention devices.
P50 Series		
TS-2049	TS-2050	
Maxi-Mate Plug Vertical and Right Angle	Mating Maxi-Mate Socket Vertical and Right Angle	
(each version mates to all four versions of the socket)	(each version mates to all four versions of the plug)	Product Description
P50-XXXP-S1-XXX P50-XXXP-SR1-XXX P50-XXXP-R1-XXX P50-XXXP-RR1-XXX	P50-XXXS-S1-XXX P50-XXXS-SR1-XXX P50-XXXS-R1-XXX P50-XXXS-RR1-XXX	Straight, with Flanges, without Retention Clip
		Right Angle, with Flanges, without Retention Clip
		Straight, without Flanges, with Retention Clip
		Right Angle, without Flanges, with Retention Clip
Positions: 120, 140, 160, 180, 100	Positions: 120, 140, 160, 180, 100	

3M™ Pak 50 Low Profile Board-to-Board Surfacemount Connectors

Four-Row Solder Tail Design

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

	
P50L Series	
TS-2056	TS-2055
Pos	Low Profile, Surfacemount Plug
20	P50L-020-AS-DA P50L-020-BS-DA
30	P50L-030-AS-DA P50L-030-BS-DA
40	P50L-040-AS-DA P50L-040-BS-DA
50	P50L-050-AS-DA P50L-050-BS-DA
60	P50L-060-AS-DA P50L-060-BS-DA
80	P50L-080-AS-DA P50L-080-BS-DA
100	P50L-100-AS-DA P50L-100-BS-DA
120	P50L-120-AS-DA P50L-120-BS-DA
	Mating Height
	AS = 7 mm BS = 8 mm



Date Modified: October 10, 2007

TS-2203-A

Sheet 38 of 45


3M™ Pak 50 Low Profile Board-to-Board Connectors

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).







P50L Series				
TS-1145		TS-1146	TS-2054	
Low Profile, R/A Stacking Plug	Stand Off Height	Low Profile, Right Angle Stacking Socket	Low Profile, Vertical Stacking Socket	
			With Flanges	Without Flanges
P50L-XXXP-RR2-XXX P50L-XXXP-RR3-XXX P50L-XXXP-RR4-XXX P50L-XXXP-RR5-XXX P50L-XXXP-RR6-XXX P50L-XXXP-RR7-XXX	1.0 mm 1.5 mm 2.0 mm 2.5 mm 3.0 mm 4.0 mm	P50L-XXXS-RR1-XXX	P50L-XXXS-A-XXX P50L-XXXS-B-XXX P50L-XXXS-D-XXX	P51L-XXXS-A-XXX P51L-XXXS-B-XXX P51L-XXXS-D-XXX
Positions: 20, 30, 40, 50 60, 80, 100		Positions: 20, 30, 40, 50 60, 80, 100	Positions: 20, 30, 40, 50 60, 80, 100	

Product Ordering Information:





3M™ Pak 50 Low Profile Board-to-Board Connectors


Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

			
P50L Series			
TS-1161	TS-2053		TS-2054
Right Angle Stacking Plug w/Retention Clips	Vertical Stacking Plug w/Retention Clips		Low Profile, Vertical Stacking Socket
	With Flanges	Without Flanges	With Flanges Without Flanges
P50L-XXXP-RR1-XXX	P50L-XXXP-A-XXX P50L-XXXP-B-XXX	P51L-XXXP-A-XXX P51L-XXXP-B-XXX	P50L-XXXS-A-XXX P50L-XXXS-B-XXX P50L-XXXS-D-XXX
		P50L-XXX-RR1-XXX	P51L-XXXS-A-XXX P51L-XXXS-B-XXX P51L-XXXS-D-XXX
Positions: 20, 30, 34, 40, 50, 60, 80,100,120		Positions: 20, 30, 34, 40, 50, 60, 80,100,120	

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

		
P50L Series		
TS-1145	TS-1146	TS-2054
Low Profile, Right Angle Stacking Plug	Low Profile, Right Angle Stacking Socket	Low Profile, Vertical Stacking Socket
		With Flanges Without Flanges
P50L-XXXP-RR2-XXX P50L-XXXP-RR3-XXX P50L-XXXP-RR4-XXX P50L-XXXP-RR5-XXX P50L-XXXP-RR6-XXX P50L-XXXP-RR7-XXX	P50L-XXXS-RR1-XXX	P50L-XXXS-A-XXX P50L-XXXS-B-XXX P50L-XXXS-D-XXX
Stand Off Height 1.0 mm 1.5 mm 2.0 mm 2.5 mm 3.0 mm 4.0 mm		P51L-XXXS-A-XXX P51L-XXXS-B-XXX P51L-XXXS-D-XXX
Positions: 20, 30, 40, 50, 60, 80, 100	Positions: 20, 30, 40, 50, 60, 80, 100	Positions: 20, 30, 40, 50, 60, 80, 100

Product Ordering Information:



Date Modified: October 10, 2007

TS-2203-A

Sheet 40 of 45



3M™ Pak 50 Wiremount-to-Boardmount Connectors



Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

		
P50E Series TS-1144	P25E Series TS-1141	P50E Series TS-1143
Vertical and Right Angle Boardmount Plug	Mating Wiremount Socket	
S1 = Straight, without Retention Clip SR1 = Right Angle, without Retention Clip RR1 = Right Angle, with Retention Clip	One single 30 AWG stranded cable is needed to terminate this connector.	Two 28 AWG stranded cables are needed to terminate this connector.
(each version mates to both Socket Options)	.025" Pitch Flat Cable	.050" Pitch Flat Cable
P50E-020P1-S1-XXX P50E-020P1-SR1-XXX P50E-020P1-RR1-XXX	P25E-020S-XX	P50E-020S-XX
Positions: 20, 30, 32, 40, 50, 60, 68, 80, 100	Positions: 20, 30, 32, 40, 50, 60, 68, 80, 100	Positions: 20, 30, 32, 40, 50, 60, 68, 80, 100

3M™ Pak 50 I/O Board/Panelmount-Wiremount Connectors




Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).



			
TS-1147		TS-1154	
I/O Plug		Mating Wiremount Socket	
Boardmount/Panel Mount Plugs			
Straight	Right Angle		
P50-XXX-DDP-S1-XXX	P50-XXX-DDP-SR1-XXX	P50-XXX-DDS-XXX 28 AWG Discrete P50-XXX-MDS-XXX 28 AWG Laminated P50-XXX-DDSC-XXX 30 AWG Discrete P50-XXX-MDSD-XXX 30 AWG Laminated	
Positions: 20, 28, 34, 40, 50, 60, 68, 80		Positions: 20, 28, 34, 40, 50, 60, 68, 80	

3M™ Pak 50 I/O Wiremount Junction Shells





Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).



P50 Series				
TS-1154		TS-1154		
I/O Socket		Straight Cable Exit	Straight Cable Exit	Right Angle Cable Exit
	Wire Type			
P50-XXX-DDS-XXX	28 AWG Discrete	P50-XXX-XXX-XXXX	P50-100-STR-XXX	P50-XXX-XXX-XXXX 20 and 50 Position only
P50-XXX-MDS-XXX	28 AWG Laminated			
P50-XXX-DDSC-XXX	30 AWG Discrete			
P50-XXX-MDSD-XXX	30 AWG Laminated			
Positions: 20, 28, 34, 50, 60, 68, 80, 100		Positions: 20, 28, 34, 50, 60, 68, 80	100 Position only	20 and 50 Position only

3M™ Pak 50 Low Profile Wiremount-to-A66 Boardmount Connectors

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).





Positions	P50LE Series			P25LE Series
	TS-1148	TS-1148	TS-1148	TS-1142
	Straight Through-Hole	Right Angle Through-Hole	Vertical Surface Mount	IDC Wiremount Socket Use .025" Pitch 30 AWG Cable
20	P50LE-020P1-R1-XXX	P50LE-020P1-RR1-XXX	P50LE-020P1-SML-XXX	P25LE-020S-XXX
30	P50LE-030P1-R1-XXX	P50LE-030P1-RR1-XXX	P50LE-030P1-SML-XXX	P25LE-030S-XXX
40	P50LE-040P1-R1-XXX	P50LE-040P1-RR1-XXX	P50LE-040P1-SML-XXX	P25LE-040S-XXX
50	P50LE-050P1-R1-XXX	P50LE-050P1-RR1-XXX	P50LE-050P1-SML-XXX	P25LE-050S-XXX
60	P50LE-060P1-R1-XXX	P50LE-060P1-RR1-XXX	P50LE-060P1-SML-XXX	P25LE-060S-XXX
68	P50LE-068P1-R1-XXX	P50LE-068P1-RR1-XXX	P50LE-068P1-SML-XXX	P25LE-068S-XXX
80	P50LE-080P1-R1-XXX	P50LE-080P1-RR1-XXX	P50LE-080P1-SML-XXX	P25LE-080S-XXX
100	P50LE-100P1-R1-XXX	P50LE-100P1-RR1-XXX	P50LE-100P1-SML-XXX	P25LE-100S-XXX

3M™ Pak 50 Board-to-Wiremount Connectors

2-Row Solder Tail Design

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

				
810 Series				820 Series
TS-0253				TS-0254
				Designed to Use .025" Pitch 30 AWG Cable for both Solid and Stranded versions.
Positions	Right Angle Through-Hole	Straight/Vertical Through-Hole	Surfacemount	
	0 = No Latch/Ejector, 5 = Short Latch/Ejector, 6 = Long Latch/Ejector			
20	81020-500X03-XX 81020-550X03-XX 81020-560X03-XX	81020-600X03-XX 81020-650X03-XX 81020-660X03-XX	81020-600X03-XX-XX 81020-650X03-XX-XX 81020-660X03-XX-XX	82020-6000-XX No Strain Relief 82020-6006-XX With Strain Relief
26	81026-500X03-XX 81026-550X03-XX 81026-560X03-XX	81026-600X03-XX 81026-650X03-XX 81026-660X03-XX	81026-600X03-XX-XX 81026-650X03-XX-XX 81026-660X03-XX-XX	82026-6000-XX No Strain Relief 82026-6006-XX With Strain Relief
36	81036-500X03-XX 81036-550X03-XX 81036-560X03-XX	81036-600X03-XX 81036-650X03-XX 81036-660X03-XX	81036-600X03-XX-XX 81036-650X03-XX-XX 81036-660X03-XX-XX	82036-6000-XX No Strain Relief 82036-6006-XX With Strain Relief
40	81040-500X03-XX 81040-550X03-XX 81040-560X03-XX	81040-600X03-XX 81040-650X03-XX 81040-660X03-XX	81040-600X03-XX-XX 81040-650X03-XX-XX 81040-660X03-XX-XX	82040-6000-XX No Strain Relief 82040-6006-XX With Strain Relief
50	81050-500X03-XX 81050-550X03-XX 81050-560X03-XX	81050-600X03-XX 81050-650X03-XX 81050-660X03-XX	81050-600X03-XX-XX 81050-650X03-XX-XX 81050-660X03-XX-XX	82050-6000-XX No Strain Relief 82050-6006-XX With Strain Relief
60	81060-500X03-XX 81060-550X03-XX 81060-560X03-XX	81060-600X03-XX 81060-650X03-XX 81060-660X03-XX	81060-600X03-XX-XX 81060-650X03-XX-XX 81060-660X03-XX-XX	82060-6000-XX No Strain Relief 82060-6006-XX With Strain Relief
68	81068-500X03-XX 81068-550X03-XX 81068-560X03-XX	81068-600X03-XX 81068-650X03-XX 81068-660X03-XX	81068-600X03-XX-XX 81068-650X03-XX-XX 81068-660X03-XX-XX	82068-6000-XX No Strain Relief 82068-6006-XX With Strain Relief
80	81080-500X03-XX 81080-550X03-XX 81080-560X03-XX	81080-600X03-XX 81080-650X03-XX 81080-660X03-XX	81080-600X03-XX-XX 81080-650X03-XX-XX 81080-660X03-XX-XX	82080-6000-XX No Strain Relief 82080-6006-XX With Strain Relief
100	81100-500X03-XX 81100-550X03-XX 81100-560X03-XX	81100-600X03-XX 81100-650X03-XX 81100-660X03-XX	81100-600X03-XX-XX 81100-650X03-XX-XX 81100-660X03-XX-XX	82100-6000-XX No Strain Relief 82100-6006-XX With Strain Relief

Date Modified: October 10, 2007

TS-2203-A

Sheet 44 of 45

3M™ Pak 50 Board-to-Wiremount Connectors

4-Row Solder Tail Design

Note: All connector options and ordering information may be obtained from the technical data sheet (TS-XXXX).

			
TS-0334		TS-0254	
Right Angle Through-Hole		Designed to use .025" Pitch 30 AWG Cable for both Solid and Stranded versions.	
Positions	0 = No Latch/Ejector 5 = Short Latch/Ejector 6 = Long Latch/Ejector	Mating IDC Wiremount Socket	
20	81020-M00203-XX-XX 81020-M50203-XX-XX 81020-M60203-XX-XX	82020-6000-XX No Strain Relief 82020-6006-XX With Strain Relief	
26	81026-M00203-XX-XX 81026-M50203-XX-XX 81026-M60203-XX-XX	82026-6000-XX No Strain Relief 82026-6006-XX With Strain Relief	
36	81036-M00203-XX-XX 81036-M50203-XX-XX 81036-M60203-XX-XX	82036-6000-XX No Strain Relief 82036-6006-XX With Strain Relief	
40	81040-M00203-XX-XX 81040-M50203-XX-XX 81040-M60203-XX-XX	82040-6000-XX No Strain Relief 82040-6006-XX With Strain Relief	
50	81050-M00203-XX-XX 81050-M50203-XX-XX 81050-M60203-XX-XX	82050-6000-XX No Strain Relief 82050-6006-XX With Strain Relief	
60	81060-M00203-XX-XX 81060-M50203-XX-XX 81060-M60203-XX-XX	82060-6000-XX No Strain Relief 82060-6006-XX With Strain Relief	
68	81068-M00203-XX-XX 81068-M50203-XX-XX 81068-M60203-XX-XX	82068-6000-XX No Strain Relief 82068-6006-XX With Strain Relief	
80	81080-M00203-XX-XX 81080-M50203-XX-XX 81080-M60203-XX-XX	82080-6000-XX No Strain Relief 82080-6006-XX With Strain Relief	
100	81100-M00203-XX-XX 81100-M50203-XX-XX 81100-M60203-XX-XX	82100-6000-XX No Strain Relief 82100-6006-XX With Strain Relief	

Date Modified: October 10, 2007

TS-2203-A

Sheet 45 of 45