Type TC Axial Leaded Aluminum Electrolytic Capacitors

Notice and Disclaimer: All product drawings, descriptions, specifications, statements, information and data (collectively, the "Information") in this datasheet or other publication are subject to change. The customer is responsible for checking, confirming and verifying the extent to which the Information contained in this datasheet or other publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without any guarantee, warranty, representation or responsibility of any kind, expressed or implied. Statements of suitability for certain applications are based on the knowledge that the Cornell Dubilier company providing such statements ("Cornell Dubilier") has of operating conditions that such Cornell Dubilier company regards as typical for such applications, but are not intended to constitute any guarantee, warranty or representation regarding any such matter – and Cornell Dubilier specifically and expressly discorned matter, warranty or representation concerning the suitability for a specific customer application, use, storage, transportation, or operating environment. The Information is intended for use the by astomers who have the requisite experience and capability to determine the correct products for geir application. Any technical advice inferred from this Information or otherwise provided by ornell Dub to the use of any Cornell Dubilier products is given gratis (unless oth wise pecified by cornell Dubilier), and Cornell Dubilier assumes no obligation or liability for the advide given or N ults obtained. Although Cornell Dubilier strives to apply the most stringent quality and affety standards and garding the design and manufacturing of its products, in light of the current state of the st, isolated component failures may still occur. Accordingly, customer applications which require a land degree of reliability or safety should employ suitable designs or other safeguards (such as installation a protective circuitry or redundancies or other appropriate protective measures) in order to assure that the valure of an electrical component does not result in a risk of personal injury or property de rage. Although all product-related warnings, cautions and notes must be observed, the cu out not ssume that all safety measures are indicated in such warnings, cautions and notes or that oth safe, measures may not be required.