

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0634560046

Status:


Active

Overview:

Application Tooling

Description:

Insulation Anvil



Documents:

RoHS Certificate of Compliance (PDF)

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Series                         | 207126                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Comments                       | See Tooling Specification (PDF) Above                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Function                       | Cutter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Level of Automation            | Semi-Automatic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| More Detailed Tech Information | applicationtooling@molex.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Name                   | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Tool Type                      | Applicator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| UPC                            | 800756839349                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

Material Info

|                                                               |               |
|---------------------------------------------------------------|---------------|
| EU ELV                                                        |               |
| Not Relevant                                                  |               |
| EU RoHS                                                       | China RoHS    |
| Compliant                                                     |               |
| REACH SVHC                                                    |               |
| Not Contained Per - D(2020)4578-DC (25 June 2020)             |               |
| Halogen-Free                                                  |               |
| Status                                                        |               |
| Not Relevant                                                  |               |
| For more information, please visit <a href="#">Contact US</a> |               |
| China ROHS                                                    | Not Relevant  |
| ELV                                                           | Not Relevant  |
| RoHS Phthalates                                               | Not Contained |

Search Parts in this Series

207126 Series

Use With

639001000 , 639001070

| Application Tooling Description                                                                                            | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | 2061101       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | 2061103       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp                                                                       | 2061104       |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>4529, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2061118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>Tin (Sn) Plated Brass<br>Contact, Without<br>Locking Tabs,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2061131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2061132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2061141</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated<br>Brass Contact,<br>24-30 AWG, Without<br>Locking Tabs, Reel<br>Packaged<br>1.57mm Diameter, <u>2061143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel Packaged with<br>Interleaf Paper<br>1.57mm Diameter, <u>2062101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2062103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2062131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2062132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2065100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065102</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065104</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged<br>1.57mm Diameter, <u>2065105</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>1.27µm Gold Max. |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                        |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Insulation Diameter,<br>Reel                                                                                                                           |  |
|  | 1.57mm Diameter, <a href="#">2065108</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                 |  |
|  | 1.57mm Diameter, <a href="#">2065109</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                  |  |
|  | 1.57mm Diameter, <a href="#">2065130</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065135</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065138</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065139</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065147</a>                                                                                                               |  |
|  | Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel |  |
|  | 1.57mm Diameter, <a href="#">2065148</a>                                                                                                               |  |
|  | Standard .062" Pin                                                                                                                                     |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <u>2066101</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2066102</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <u>2066103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <u>2066104</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>062 Male Term <u>2066105</u><br>Chain Brs 50Au<br>18-24<br>1.57mm Diameter, <u>2066118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Reel |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                              |                         |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag  | <a href="#">2066119</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag                                       | <a href="#">2066122</a> |
|  | .062 Male Term PC Tail 30 au                                                                                                                                                 | <a href="#">2066125</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel                                       | <a href="#">2066130</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag                                        | <a href="#">2066135</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel                             | <a href="#">2066138</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag                              | <a href="#">2066139</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel | <a href="#">2066143</a> |

|  |                                                                                                                                                                             |                |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag | <u>2066144</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged                               | <u>2067103</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged                     | <u>2067104</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag                                                 | <u>2068103</u> |
|  | 062 Male Term Tin PCTail Chn                                                                                                                                                | <u>2068104</u> |
|  | Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin Terminal Progression                                                                      | <u>2072101</u> |
|  | MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) Plating                                                                                                   | <u>2081001</u> |
|  | MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)                                                                                                                           | <u>2081002</u> |
|  | MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating                                                                                         | <u>2081003</u> |
|  | MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)                                                                                                                           | <u>2081004</u> |
|  | Claspcn Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel                                                                                               | <u>2081101</u> |

|                                                                                                            |                |
|------------------------------------------------------------------------------------------------------------|----------------|
| Claspcon Crimp<br>Terminal Socket, Tin<br>(Sn) Plated Brass<br>Contact, 16-24 AWG,<br>Bag                  | <u>2081102</u> |
| Claspcon Crimp<br>Terminal Socket, Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel                 | <u>2081103</u> |
| Claspcon Crimp<br>Terminal Socket, Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag                  | <u>2081104</u> |
| Disk Drive Power<br>Connection System,<br>Female Crimp<br>Terminal, Reel,<br>Phosphor Bronze,<br>AWG 14-20 | <u>2081201</u> |
| .084" UNPLATED<br>TERMINAL 8980V01                                                                         | <u>2081211</u> |
| .084" PC TAIL TERM<br>- 999 8980R11                                                                        | <u>2081212</u> |
| .084" PC TAIL TERM<br>- 999 8980R13                                                                        | <u>2081214</u> |
| 2.096MM DIA<br>TERMINAL                                                                                    | <u>2081266</u> |
| 2.096MM DIA<br>TERMINAL                                                                                    | <u>2081268</u> |
| 2.13mm DIA PC<br>TAIL TERM PhBr                                                                            | <u>2081309</u> |
| 2.54SnLF<br>2.096MM DIA<br>TERMINAL PhBr                                                                   | <u>2081363</u> |
| 2.54SnLF<br>2.096MM DIA<br>TERMINAL PhBr                                                                   | <u>2081365</u> |
| 2.54SnLF<br>MLX Male Crimp<br>Terminal 42023,<br>14-20 AWG, Reel,<br>Brass, Tin (Sn)<br>Plating            | <u>2082003</u> |
| MLX Crimp Terminal<br>42023, 14-20 AWG,<br>Bag Tin (Sn)                                                    | <u>2082004</u> |
| MLX Male Crimp<br>Terminal 42023,<br>14-20 AWG, Reel,<br>Phosphor Bronze,<br>Tin (Sn) Plating              | <u>2082005</u> |
| MLX Crimp Terminal<br>42023, 14-20 AWG,<br>Bag Tin (Sn)                                                    | <u>2082006</u> |
| MLX Crimp Terminal<br>42023, 14-20 AWG,<br>Bag Selective Gold<br>(Au)                                      | <u>2082008</u> |
| 42023-2A0, Ter Male<br>2.13 Chn Unplate                                                                    | <u>2082011</u> |
| Claspcon Crimp<br>Terminal Socket, Tin<br>(Sn) Plated Brass                                                | <u>2085101</u> |



|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Contact, 16-24 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091102</a><br>Standard .093" Pin<br>and Socket Double<br>Crimp Terminal,<br>Series 1189, Female,<br>with Tin (Sn) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2091104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2091117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091119</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>Crimp Terminal <a href="#">2091153</a><br>41483, 14-18 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091205</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091615</a><br>Standard .093"<br>Pin and Socket<br>Crimp Terminal,<br>Series 42477,<br>Female, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel<br>2.36mm Diameter <a href="#">2091651</a><br>Socket, Without<br>Insulation Crimp for<br>16-20 AWG Wire<br>2.36mm Diameter, <a href="#">2092101</a><br>Standard .093" Pin<br>and Socket Double<br>Crimp Terminal,<br>Series 1190, Male, |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

with Tin (Sn) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2092103](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Bag  
Vertical Solder Relief [2092105](#)  
(VSR) Direct-Solder  
Crimp Terminal,  
Series 4706, Male,  
Tin (Sn) Plated Brass  
Contact, 16-18 AWG,  
11.20mm Terminal  
Progression  
2.36mm Diameter, [2092116](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2092118](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, [2092166](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Reel Packaged  
2.36mm Diameter, [2092170](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Reel  
2.36mm Diameter, [2092611](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
42478, Male, with Tin  
(Sn) Plated Contact,  
High Current/Low  
Engagement Force,  
14-18 AWG, Reel  
2.36mm Diameter, [2095100](#)  
Standard .093" Pin  
and Socket Double

Crimp Terminal,  
Series 1189, Female,  
with Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2095106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, [2095130](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2095142](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, [2095143](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, [2096100](#)  
Standard .093" Pin  
and Socket Double  
Crimp Terminal,  
Series 1190, Male,  
with Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2096106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, [2096122](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, [2096123](#)  
Standard .093" Pin  
and Socket Crimp

|                                                                                                                                                        |                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag                                                                       |                                |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel        | <a href="#"><u>2098103</u></a> |
| 2.36mm Diameter, Standard .093" Pin and Socket Double Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel | <a href="#"><u>2098108</u></a> |
| Mini-Fit Jr. Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural                                                                             | <a href="#"><u>3044052</u></a> |
| 1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 1 Circuits, Natural                                                                  | <a href="#"><u>3061011</u></a> |
| 1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, Natural                                     | <a href="#"><u>3061022</u></a> |
| 1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural                                           | <a href="#"><u>3061023</u></a> |
| 1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Standard Mounting Ears                                              | <a href="#"><u>3061031</u></a> |
| 1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, without Mounting Ears, Natural                                           | <a href="#"><u>3061032</u></a> |
| 1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Pre-                                                                | <a href="#"><u>3061038</u></a> |

|                                                                                                                                                                                  |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| bent Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears                    | <u>3061041</u> |
| 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061042</u> |
| 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural | <u>3061044</u> |
| 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061062</u> |
| 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061092</u> |
| 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural                                            | <u>3061121</u> |
| 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural                                                  | <u>3061122</u> |
| 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural                                                                                      | <u>3062011</u> |
| 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural                                                            | <u>3062023</u> |

|  |                                                                                                                                                                         |                |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                         | <u>3062024</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural                                          | <u>3062031</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062032</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                         | <u>3062033</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>with Standard<br>Mounting Ears                                                      | <u>3062041</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062042</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Natural | <u>3062044</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062061</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 9 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062092</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 12<br>Circuits, with Pre-                                                                          | <u>3062121</u> |

|                                                                                                                                                                       |                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| bent Mounting Ears,<br>Natural<br>1.57mm Diameter                                                                                                                     | <u>3062122</u> |
| Standard .062" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter                                                | <u>3066023</u> |
| Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter                                             | <u>3066062</u> |
| Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter                                             | <u>3067023</u> |
| Standard .062" Pin<br>and Socket Plug<br>Housing, Black, 2<br>Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter                                            | <u>3067044</u> |
| Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Black<br>1.57mm Diameter | <u>3067061</u> |
| Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black<br>2.36mm Diameter                                                   | <u>3091011</u> |
| Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural<br>2.36mm Diameter                                                    | <u>3091022</u> |
| Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural<br>2.36mm Diameter                            | <u>3091027</u> |
| Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural<br>2.36mm Diameter                     | <u>3091030</u> |
| Standard Receptacle<br>Housing, 3 Circuit,<br>Natural                                                                                                                 |                |

|  |                                                                                                                                                                   |                |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                  | <u>3091031</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                  | <u>3091032</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural  | <u>3091033</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                  | <u>3091041</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                  | <u>3091042</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural                          | <u>3091049</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                    | <u>3091061</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                    | <u>3091062</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp | <u>3091063</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                    | <u>3091064</u> |



|                                                                                                                                                                    |                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                   | <u>3091081</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                      | <u>3091091</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel<br>Mount Ears, without<br>Passive Lock Ramp       | <u>3091092</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp | <u>3091093</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                      | <u>3091094</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps         | <u>3091121</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                                      | <u>3091125</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                                      | <u>3091126</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps        | <u>3091151</u> |
| 2.36mm Diameter<br>Standard .093"                                                                                                                                  | <u>3091152</u> |

|  |                                                                                                                                                                                                                            |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps<br>2.36mm Diameter <u>3091153</u><br>Standard .093"                                                       |
|  | Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps<br>2.36mm Diameter <u>3091157</u><br>Standard .093"                                                    |
|  | Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps<br>2.36mm Diameter <u>3091161</u><br>Standard .093"                                                          |
|  | Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits<br>2.36mm Diameter <u>3092011</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural |
|  | 2.36mm Diameter <u>3092021</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural                                                                              |
|  | 2.36mm Diameter <u>3092022</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural                                                                                       |
|  | 2.36mm Diameter <u>3092031</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural                                                                                                     |
|  | 2.36mm Diameter <u>3092032</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural                                                                                                     |
|  | 2.36mm Diameter <u>3092041</u><br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row                                                                                                              |
|  | 2.36mm Diameter <u>3092042</u><br>Standard .093" Pin<br>and Socket Plug                                                                                                                                                    |

|                                                                                                                                                       |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Housing, 4 Circuits,<br>Single Row                                                                                                                    |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092049</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural                                       |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092061</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row                                                                             |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092062</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row                                                                             |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092092</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housings, 9 Circuits,<br>3 Rows                                                                              |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092121</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                                                              |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092122</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                                                              |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092151</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows        |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092159</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows |                |
| 2.36mm Diameter                                                                                                                                       | <u>3092161</u> |
| Standard .093" Pin<br>and Socket Plug<br>Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            |                |
| 2.36mm Diameter                                                                                                                                       | <u>3096021</u> |
| Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                          |                |

|  |                                                                                                                                                         |                |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                     | <u>3097022</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                       | <u>3097024</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Black                                                   | <u>3097032</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                 | <u>3121022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                | <u>3121026</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2 | <u>3121036</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)                                | <u>3121046</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                       | <u>3122022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)         | <u>3122025</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2                                            | <u>3122026</u> |

|                                                                                                                                                                                                  |                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Circuits, Natural<br>(Translucent)<br>3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3                                                  | <a href="#"><u>3122035</u></a> |
| Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3                                                | <a href="#"><u>3122036</u></a> |
| Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4                                                   | <a href="#"><u>3122045</u></a> |
| Circuits, Natural<br>(Translucent)<br>3.18mm Diameter,<br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4                                               | <a href="#"><u>3122046</u></a> |
| Circuits, Natural<br>(Translucent)<br>Flat Blade Crimp<br>Terminal, Series<br>1508, Female, With<br>Tin (Sn) Plated<br>Brass Contact, 14-18<br>AWG (or 18 AWG<br>Double Crimp), Reel<br>Packaged | <a href="#"><u>5060117</u></a> |
| Flat Blade Crimp<br>Terminal, Series<br>2176, Female, With<br>Tin (Sn) Plated Brass<br>Contact, With Detent,<br>14-22 AWG (or 18<br>AWG Double Crimp),<br>Reel Packaged                          | <a href="#"><u>5060301</u></a> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                                                                                                                       | <a href="#"><u>5121004</u></a> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Bag                                                                                                                                                        | <a href="#"><u>5121005</u></a> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                                                                                                                       | <a href="#"><u>5121006</u></a> |
| Crimp Terminal<br>2482, 10-16 AWG,<br>Reel                                                                                                                                                       | <a href="#"><u>5121008</u></a> |
| Crimp Terminal<br>6482, 14-18 AWG,<br>Reel                                                                                                                                                       | <a href="#"><u>5121104</u></a> |

Flat Blade Appliance 6021103  
Motor Switch Crimp  
Housing, 10 Circuits  
Flat Blade Appliance 6022030  
Water Valve Crimp  
Housing, 3 Circuit,  
Natural  
Flat Blade Appliance 6023042  
Defrost Timer Crimp  
Housing, 4 Circuit, 4  
Circuits  
Flat Blade Appliance 6023103  
Motor Switch Crimp  
Housing, 10 Circuit,  
10 Circuits  
Flat Blade Appliance 6023104  
Dryer Motor Crimp  
Housing, 10 Circuit  
KK Crimp Terminal, 8300109  
Series 1799, Female,  
with Tin (Sn) Plated  
Brass Contact, 18-24  
AWG, Chain on Reel  
KK 396 Crimp 8500008  
Terminal 8818, 18-22  
AWG, Reel, Brass  
Tin (Sn)  
KK 156 TERMINAL 8500015  
CRIMP 18-24 AWG  
TIN  
KK 396 Crimp 8500023  
Terminal 8818, 18-22  
AWG, Bag, Brass Tin  
(Sn)  
KK 156 TERM 8500024  
CRP 18-20 AWG  
TRIFURCON TIN  
KK 254 Cat Ear 8500030  
Crimp Terminal  
4809, 22-30 AWG,  
Hot Tin Dip, 2.20mm  
Insulation Crimp,  
Reel  
KK 254 Cat Ear 8500031  
Crimp Terminal  
4809, 22-30 AWG,  
Hot Tin Dip, Reel  
KK 254 Cat Ear 8500032  
Crimp Terminal  
4809, 22-30 AWG,  
Hot Tin Dip, Bag  
KK 396 Crimp 8500105  
Terminal 2478, 18-24  
AWG, Reel, Brass  
Tin (Sn)  
KK 396 Crimp 8500106  
Terminal 2478, 18-24  
AWG, Bag, Brass Tin  
(Sn)  
KK 396 Crimp 8500107  
Terminal 2578, 22-26  
AWG, Reel, Brass,  
2.540µm Tin (Sn)  
KK 396 Crimp 8500108  
Terminal 2578, 22-26

AWG, Bag, Brass,  
2.540µm Tin (Sn)  
KK Crimp Terminal, 8500109  
Series 2477,  
Humpback, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Reel  
KK Crimp Terminal, 8500110  
Series 2477,  
Humpback, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Loose  
KK 396 Crimp 8500111  
Terminal 2578, 22-26  
AWG, Reel, Brass,  
7.6µm Tin (Sn)  
KK 156 TERMINAL 8500112  
CRIMP 22-26 AWG  
TIN  
KK 254 Crimp 8500113  
Terminal, 22-26  
AWG, Hot Tin (Sn)  
Dip Plating  
KK 254 Crimp 8500114  
Terminal, 22-30  
AWG, Bag, Hot Tin  
(Sn) Dip Plating  
3.96mm Pitch KK 8500115  
Crimp Terminal  
2878, 18-20 AWG,  
Reel, Brass, Tin  
(Sn), Bifurcated  
3.96mm Pitch KK 8500116  
Crimp Terminal  
2878, 18-20 AWG,  
Bag, Brass, Tin (Sn),  
Bifurcated  
KK 396 Crimp 8500119  
Terminal 2478, 18-24  
AWG, Reel, Brass,  
3.8µm Tin (Sn)  
KK 396 Crimp 8500120  
Terminal 2478, 18-24  
AWG, Bag, Brass,  
3.8µm Tin (Sn)  
KK 396 Crimp 8500133  
Terminal 2578,  
22-26 AWG, Reel,  
Phosphor Bronze,  
2.540µm Tin (Sn)  
KK 396 Crimp 8500134  
Terminal 2578,  
22-26 AWG, Bag,  
Phosphor Bronze,  
2.540µm Tin(Sn)  
KK 254 Crimp 8500135  
Terminal 4809, 22-30  
AWG, Hot Tin Dip,  
Reel  
KK 254 Crimp 8500136  
Terminal 4809, 22-30  
AWG, Tin, Bag

|                                                                                                 |                |
|-------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating | <u>8500159</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating  | <u>8500160</u> |
| KK Trifurcon Crimp<br>Terminal 7258, 22-26<br>AWG, Reel, Brass<br>Tin (Sn)                      | <u>8500183</u> |
| KK Trifurcon Crimp<br>Terminal 7258, 22-26<br>AWG, Bag, Brass Tin<br>(Sn)                       | <u>8500185</u> |
| KK Trifurcon Crimp<br>Terminal 6838, 18-20<br>AWG, Reel, Brass<br>Tin (Sn)                      | <u>8500187</u> |
| KK Trifurcon Crimp<br>Terminal 6838, 18-20<br>AWG, Bag, Brass Tin<br>(Sn)                       | <u>8500189</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON TIN                                                   | <u>8500251</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>3.87µm Tin (Sn)       | <u>8500281</u> |
| KK 156 TERM<br>CRP 22-26 AWG<br>TRIFURCON TIN                                                   | <u>8500283</u> |
| KK 100 Crp Term<br>Std 22-30 Awg Unplt                                                          | <u>8510101</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn),<br>Nickel (Ni) Under<br>Plating         | <u>8510108</u> |
| KK 156 TERMINAL<br>CRIMP 1820 AWG                                                               | <u>8510109</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>Tin (Sn)              | <u>8520071</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>Tin (Sn)               | <u>8520072</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)               | <u>8520101</u> |
| KK Trifurcon Crimp<br>Terminal 6838,<br>18-20 AWG, Reel,                                        | <u>8520112</u> |



|                                                                                                                      |                |
|----------------------------------------------------------------------------------------------------------------------|----------------|
| Phosphor Bronze<br>Tin(Sn)<br>KK Trifurcon Crimp<br>Terminal 6838,<br>18-20 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn) | <u>8520113</u> |
| KK .100 CRIMP<br>TERMINAL 100MI<br>MATTE TIN                                                                         | <u>8520118</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                                     | <u>8520123</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Reel,<br>Phosphor Bronze<br>Tin(Sn)                               | <u>8520124</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                               | <u>8520125</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Reel, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated           | <u>8520126</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated            | <u>8520127</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)                                    | <u>8520131</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                                     | <u>8520132</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)                             | <u>8520811</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)                              | <u>8520812</u> |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG                                                                                   | <u>8530811</u> |
| KK CRIMP TERM<br>UNPLT LSE<br>PB2478999L                                                                             | <u>8530812</u> |
| KK 156 TERMINAL<br>CRIMP 1820 AWG                                                                                    | <u>8530814</u> |

|                        |                |
|------------------------|----------------|
| KK 156 TERM            | <u>8531101</u> |
| CRP 18-20 AWG          |                |
| TRIFURCON              |                |
| KK 254 Crimp           | <u>8550101</u> |
| Terminal, 22-30        |                |
| AWG, Reel,             |                |
| Selective Gold (Au),   |                |
| Nickel (Ni) Under      |                |
| Plating                |                |
| KK 254 Crimp           | <u>8550102</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Selective    |                |
| Gold (Au), Nickel (Ni) |                |
| Under Plating          |                |
| KK 396 Crimp           | <u>8550103</u> |
| Terminal 2478, 18-24   |                |
| AWG, Reel, Brass,      |                |
| 0.38µm Selective       |                |
| Gold (Au)              |                |
| KK 396 Crimp           | <u>8550104</u> |
| Terminal 2478, 18-24   |                |
| AWG, Bag, Brass,       |                |
| 0.38µm Selective       |                |
| Gold (Au)              |                |
| KK 396 Crimp           | <u>8550105</u> |
| Terminal 2578, 22-26   |                |
| AWG, Reel, Brass,      |                |
| 0.38µm Selective       |                |
| Gold (Au)              |                |
| KK 396 Crimp           | <u>8550106</u> |
| Terminal 2578, 22-26   |                |
| AWG, Bag, Brass,       |                |
| 0.38µm Selective       |                |
| Gold(Au)               |                |
| KK 254 Crimp           | <u>8550110</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Reel             |                |
| KK 254 Crimp           | <u>8550111</u> |
| Terminal 4809, 22-30   |                |
| AWG, Selective Gold    |                |
| (Au), Bag              |                |
| KK 254 Cat Ear         | <u>8550112</u> |
| Crimp Terminal         |                |
| 4809, 22-30 AWG,       |                |
| Selective Gold, Reel   |                |
| KK 396 Crimp           | <u>8550123</u> |
| Terminal 2578, 22-26   |                |
| AWG, Reel, Brass,      |                |
| 0.76µm Select Gold     |                |
| (Au) over Gold Flash   |                |
| KK High Pressure       | <u>8550124</u> |
| Crimp Terminal,        |                |
| Female, 24-30          |                |
| AWG, Brass, 0.38µm     |                |
| Selective Gold (Au)    |                |
| Plating, Reel          |                |
| KK High Pressure       | <u>8550129</u> |
| Crimp Terminal,        |                |
| Female, 24-30          |                |
| AWG, Brass, 0.38µm     |                |
| Selective Gold (Au)    |                |
| Plating, Bag           |                |
| KK 254 Crimp           | <u>8550130</u> |
| Terminal, 22-30        |                |

AWG, Reel,  
Selective Gold (Au),  
Nickel (Ni) Under  
Plating  
KK 254 Crimp 8550131  
Terminal, 22-30  
AWG, Bag, Selective  
Gold (Au), Nickel (Ni)  
Under Plating  
KK 396 Crimp 8550133  
Terminal 2478, 18-24  
AWG, Reel, Brass,  
0.76µm Gold (Au)  
KK 396 Crimp 8550134  
Terminal 2478, 18-24  
AWG, Bag, Brass,  
0.76µm Gold (Au)  
KK 396 Crimp 8550137  
Terminal 2578, 22-26  
AWG, Left Payoff  
Reel, Brass, 0.76µm  
Select Gold (Au)  
over Gold Flash  
KK 156 TERMINAL 8550138  
CRIMP 1820 AWG  
GOLD  
KK 396 Crimp 8560105  
Terminal 2478, 18-24  
AWG, Reel, Brass,  
0.51µm Selective  
Gold (Au)  
KK 396 Crimp 8560106  
Terminal 2478, 18-24  
AWG, Bag, Brass,  
0.51µm Selective  
Gold (Au)  
KK 396 Crimp 8560107  
Terminal 2578, 22-26  
AWG, Reel, Brass,  
0.51µm Select Gold  
(Au) over Gold Flash  
KK 396 Crimp 8560108  
Terminal 2578, 22-26  
AWG, Bag, Brass,  
0.51µm Select Gold  
(Au) over Gold Flash  
KK 254 Crimp 8560109  
Terminal, 22-30  
AWG, Reel, Gold  
(Au), Nickel (Ni)  
Under Plating  
KK 254 Crimp 8560110  
Terminal, 22-30  
AWG, Bag, Gold  
(Au), Nickel (Ni)  
Under Plating  
KK Crimp Terminal, 8560113  
Series 2477,  
Humpback, with  
Overall Gold (Au)  
Plated Brass  
Contact, 18-24 AWG,  
Reel  
KK Crimp Terminal, 8560114  
Series 2477,

|                                                                                                         |                |
|---------------------------------------------------------------------------------------------------------|----------------|
| Humpback, with<br>Overall Gold (Au)<br>Plated Brass<br>Contact, 18-24 AWG,<br>Loose                     |                |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                | <u>8560115</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Reel                               | <u>8560120</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)                | <u>8560123</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Bag,<br>Phosphor Bronze<br>Gold(Au)                  | <u>8560124</u> |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG<br>GOLD                                                              | <u>8580103</u> |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG<br>GOLD                                                              | <u>8580104</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON GOLD                                                          | <u>8580105</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON GOLD                                                          | <u>8580106</u> |
| KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)      | <u>8580110</u> |
| KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)       | <u>8580111</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>0.76µm Gold (Au)              | <u>8580114</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.76µm Gold (Au)               | <u>8580115</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON GOLD                                                          | <u>8580118</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>0.51µm Selective<br>Gold (Au) | <u>8580121</u> |

|  |                                                                                                                                 |                |
|--|---------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.51µm Selective<br>Gold (Au)                          | <u>8580122</u> |
|  | KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>0.51µm Selective<br>Gold (Au)                         | <u>8580125</u> |
|  | KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>0.51µm Selective<br>Gold (Au)                          | <u>8580126</u> |
|  | 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Reel, Phosphor<br>Bronze, 0.51µm<br>Selective Gold (Au),<br>Bifurcated | <u>8580127</u> |
|  | 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, 0.51µm<br>Selective Gold (Au),<br>Bifurcated  | <u>8580128</u> |
|  | KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8580135</u> |
|  | KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                     | <u>8580136</u> |
|  | KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)                                        | <u>8580187</u> |
|  | KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Bag,<br>Phosphor Bronze<br>Gold(Au)                                          | <u>8580189</u> |
|  | KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>3.810µm Tin (Sn)                                      | <u>8600003</u> |
|  | KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>3.810µm Tin (Sn)                                       | <u>8600004</u> |
|  | KK 254 Crimp<br>Terminal 8088, 22-30                                                                                            | <u>8650105</u> |

|  |                                                                                                               |                |
|--|---------------------------------------------------------------------------------------------------------------|----------------|
|  | AWG, Gold/Nickel, Reel                                                                                        |                |
|  | KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.76µm Select Gold (Au) over Gold Flash         | <u>8650110</u> |
|  | KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)                      | <u>8650114</u> |
|  | KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)                       | <u>8650115</u> |
|  | KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)                      | <u>8650116</u> |
|  | KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)                       | <u>8650117</u> |
|  | 3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated | <u>8650118</u> |
|  | 3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated  | <u>8650119</u> |
|  | KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Selective Gold (Au)                        | <u>8650121</u> |
|  | KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)                         | <u>8650122</u> |
|  | KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)                              | <u>8650128</u> |
|  | KK 396 Crimp Terminal 8818, 18-22 AWG, Bag,                                                                   | <u>8650129</u> |

|                      |                |
|----------------------|----------------|
| Phosphor Bronze      |                |
| Selective Gold (Au)  |                |
| KK 100 Crp Term      | <u>8650801</u> |
| Std 22-30 Awg        |                |
| SGold                |                |
| KK 254 Cat Ear       | <u>8650804</u> |
| Crimp Terminal       |                |
| 41572, Reel Tin (Sn) |                |
| KK 254 Cat Ear       | <u>8650805</u> |
| Crimp Terminal       |                |
| 41572, Bag Tin (Sn)  |                |
| KK 100 Crp Term      | <u>8650811</u> |
| Std 22-30 Awg        |                |
| SGold                |                |
| KK 100 Crp Term      | <u>8650812</u> |
| Std 22-30 Awg        |                |
| SGold                |                |
| KK 254 Crimp         | <u>8650813</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| Gold (Au)            |                |
| KK 254 Crimp         | <u>8650814</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Bag,      |                |
| Phosphor Bronze      |                |
| Gold (Au)            |                |
| KK 254 Crimp         | <u>8650815</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| Selective Gold (Au)  |                |
| KK 254 Crimp         | <u>8650816</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Bag,      |                |
| Phosphor Bronze      |                |
| Selective Gold (Au)  |                |
| KK 100 Crp Term      | <u>8650817</u> |
| Std 22-30 Awg        |                |
| SGold                |                |
| 4.80mm Pitch Crimp   | <u>8700001</u> |
| Terminal, Female,    |                |
| Reel                 |                |
| 4.80mm Pitch Crimp   | <u>8700002</u> |
| Terminal, Male, Reel |                |
| 3.96 and 5.08mm      | <u>8700012</u> |
| Pitch KK Cat Ear     |                |
| Crimp Terminal,      |                |
| Female, 18-24 AWG,   |                |
| Reel                 |                |
| KK Cat Ear Crimp     | <u>8700048</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Reel,     |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| KK Cat Ear Crimp     | <u>8700049</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Bag,      |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| SPOX Crimp           | <u>8700056</u> |
| Terminal 5103, 22-28 |                |
| AWG, Reel, Brass     |                |
| (CuZn), Chain Type   |                |

|                                                                                                                                           |                |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| SPOX Crimp<br>Terminal 5103,<br>22-28 AWG, Reel,<br>Phosphor Bronze<br>(CuSn), Chain Type                                                 | <u>8700058</u> |
| KK Cat Ear Crimp<br>Terminal 5159, 22-28<br>AWG, Reel, Brass,<br>Tin (Sn) over Copper<br>Plating                                          | <u>8700064</u> |
| KK Cat Ear Crimp<br>Terminal 5159, 22-28<br>AWG, Bag, Brass,<br>Tin (Sn) over Copper<br>Plating                                           | <u>8700069</u> |
| 2.50mm Pitch<br>Mini-Latch Crimp<br>Terminal, Male,<br>Brass, Reel                                                                        | <u>8700102</u> |
| 2.50mm Pitch<br>Mini-Latch Crimp<br>Terminal, Male,<br>Brass, Bag                                                                         | <u>8700103</u> |
| Board-in Crimp<br>Terminal , Series<br>5298, Male, with Tin<br>Insulation Diameter,<br>Reel Packaged                                      | <u>8700106</u> |
| .062DIA CRIMP<br>REC.                                                                                                                     | <u>8701011</u> |
| .062DIA CRIMP PIN                                                                                                                         | <u>8701013</u> |
| SPOX Crimp<br>Terminal, 18-24<br>AWG, Brass, Bag                                                                                          | <u>8701030</u> |
| SPOX Crimp<br>Terminal, 18-24<br>AWG, Brass, Reel                                                                                         | <u>8701031</u> |
| 2.50mm Pitch, Mini-<br>SPOX Female Crimp<br>Terminal, 22-28<br>AWG, Reel                                                                  | <u>8701039</u> |
| 2.50mm Pitch<br>Mini-SPOX Crimp<br>Terminal, 22-28<br>AWG, Bag                                                                            | <u>8701040</u> |
| 2.5 Low Profile<br>Crimp Rec Chain W/<br>Plt                                                                                              | <u>8701047</u> |
| 3.96mm Pitch KK<br>Crimp Housing, Edge<br>Card Connector,<br>Single-Sided,<br>Polarized, Positive<br>Lock, with Probe<br>Hole, 3 Circuits | <u>9011036</u> |
| .156 IDT ASSEMBLY<br>724103L                                                                                                              | <u>9072031</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 2 Circuits                                      | <u>9481024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester                                                                                   | <u>9481034</u> |



|  |                                                                                                         |                |
|--|---------------------------------------------------------------------------------------------------------|----------------|
|  | Connector, 5.00µm<br>Tin (Sn), 3 Circuits<br>KK 396 PC Board                                            | <u>9481044</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 4 Circuits<br>KK 396 PC Board    | <u>9481054</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 5 Circuits<br>KK 396 PC Board    | <u>9481064</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 6 Circuits<br>KK 396 PC Board    | <u>9481074</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 7 Circuits<br>KK 396 PC Board    | <u>9481084</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 8 Circuits<br>KK 396 PC Board    | <u>9481094</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 9 Circuits<br>KK 396 PC Board    | <u>9481104</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits<br>KK 396 PC Board   | <u>9481105</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, Gold (Au)<br>Selective, 10 Circuits<br>KK 396 PC Board | <u>9481114</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 11 Circuits<br>KK 396 PC Board   | <u>9481124</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 12 Circuits<br>KK 396 PC Board   | <u>9481134</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 13 Circuits<br>KK 396 PC Board   | <u>9481144</u> |
|  | Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 14 Circuits<br>KK 396 PC Board   | <u>9481154</u> |
|  | Connector, Right<br>Angle, Polyester                                                                    |                |

Connector, 5.00µm  
Tin (Sn), 15 Circuits  
KK 396 PC Board    9483024  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board    9483025  
Connector, Right  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board    9483026  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board    9483034  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board    9483035  
Connector, Right  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board    9483036  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board    9483044  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board    9483045  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board    9483046  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board    9483054  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483055  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483056  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483064  
Connector, Bottom  
Entry, Polyester

Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board     9483065  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board     9483066  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board     9483074  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board     9483075  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board     9483076  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board     9483084  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board     9483085  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board     9483086  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board     9483094  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 9 Circuits  
KK 396 PC Board     9483095  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 9 Circuits  
KK 396 PC Board     9483096  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 9 Circuits  
KK 396 PC Board     9483104  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board     9483105  
Connector, Right-  
Angle, Polyester

Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board    9483106  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board    9483114  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 11 Circuits  
KK 396 PC Board    9483115  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 11 Circuits  
KK 396 PC Board    9483116  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 11 Circuits  
KK 396 PC Board    9483124  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 12 Circuits  
KK 396 PC Board    9483125  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 12 Circuits  
KK 396 PC Board    9483126  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 12 Circuits  
KK 396 PC Board    9483134  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board    9483135  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board    9483136  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board    9483144  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board    9483145  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board    9483146  
Connector, Top  
Entry, Polyester

|                        |                |
|------------------------|----------------|
| Connector, Gold (Au)   |                |
| Selective, 14 Circuits |                |
| KK 396 PC Board        | <u>9483154</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 15 Circuits |                |
| KK 396 PC Board        | <u>9483155</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 15 Circuits |                |
| KK 396 PC Board        | <u>9483156</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 15 Circuits |                |
| KK 396 PC Board        | <u>9484028</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484029</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484038</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |
| KK 396 PC Board        | <u>9484039</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |
| KK 396 PC Board        | <u>9484048</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 4 Circuits   |                |
| KK 396 PC Board        | <u>9484049</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 4 Circuits   |                |
| KK 396 PC Board        | <u>9484058</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 5 Circuits   |                |
| KK 396 PC Board        | <u>9484059</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 5 Circuits   |                |
| KK 396 PC Board        | <u>9484068</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 6 Circuits   |                |
| KK 396 PC Board        | <u>9484069</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |

|  |                                                                                                        |                |
|--|--------------------------------------------------------------------------------------------------------|----------------|
|  | Connector, 5.00µm<br>Tin (Sn), 6 Circuits<br>KK 396 PC Board                                           | <u>9484078</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 7 Circuits<br>KK 396 PC Board     | <u>9484079</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 7 Circuits<br>KK 396 PC Board  | <u>9484088</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 8 Circuits<br>KK 396 PC Board     | <u>9484089</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 8 Circuits<br>KK 396 PC Board  | <u>9484098</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 9 Circuits<br>KK 396 PC Board     | <u>9484099</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 9 Circuits<br>KK 396 PC Board  | <u>9484108</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits<br>KK 396 PC Board    | <u>9484109</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits<br>KK 396 PC Board | <u>9484118</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 11 Circuits<br>KK 396 PC Board    | <u>9484119</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 11 Circuits<br>KK 396 PC Board | <u>9484128</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 12 Circuits<br>KK 396 PC Board    | <u>9484129</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 12 Circuits<br>KK 396 PC Board | <u>9484138</u> |
|  | Connector, Top<br>Entry, Polyester                                                                     |                |

Connector, 5.00µm  
Tin (Sn), 13 Circuits  
KK 396 PC Board 9484139  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 13 Circuits  
KK 396 PC Board 9484148  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 14 Circuits  
KK 396 PC Board 9484149  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 14 Circuits  
KK 396 PC Board 9484158  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 15 Circuits  
KK 396 PC Board 9484159  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 15 Circuits  
KK 156 PC Board 9485088  
Connector, Top  
Entry, Polyester  
Connector, Tin (Sn),  
8 Circuits  
3.96mm Pitch SPOX 9501021  
Crimp Housing,  
Female, with Friction  
Ramp, 2 Circuits,  
Natural  
3.96mm Pitch SPOX 9501023  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 2  
Circuits, Natural  
3.96mm Pitch SPOX 9501031  
Crimp Housing,  
Female, with Friction  
Ramp, 3 Circuits,  
Natural  
3.96mm Pitch SPOX 9501033  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 3  
Circuits, Natural  
3.96mm Pitch SPOX 9501041  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural  
3.96mm Pitch SPOX 9501043  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural  
3.96mm Pitch SPOX 9501051  
Crimp Housing,  
Female, with Friction

Ramp, 5 Circuits,  
Natural  
3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural  
3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural  
3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural  
3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural  
3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural  
3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural  
3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural  
3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 9 Circuits,  
Natural  
3.96mm Pitch SPOX [9501101](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 10 Circuits,  
Natural  
3.96mm Pitch SPOX [9501103](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 10  
Circuits, Natural  
3.96mm Pitch SPOX [9501111](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 11 Circuits,  
Natural  
3.96mm Pitch SPOX [9501113](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 11  
Circuits, Natural  
3.96mm Pitch SPOX [9501121](#)  
Crimp Housing,  
Female, with Friction



|  |                                        |                |
|--|----------------------------------------|----------------|
|  | Ramp, 12 Circuits,<br>Natural          |                |
|  | KK 3.96mm Crimp                        | <u>9503021</u> |
|  | Terminal Housing,<br>Friction Ramp, 2  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503031</u> |
|  | Terminal Housing,<br>Friction Ramp, 3  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503041</u> |
|  | Terminal Housing,<br>Friction Ramp, 4  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503051</u> |
|  | Terminal Housing,<br>Friction Ramp, 5  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503061</u> |
|  | Terminal Housing,<br>Friction Ramp, 6  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503071</u> |
|  | Terminal Housing,<br>Friction Ramp, 7  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503081</u> |
|  | Terminal Housing,<br>Friction Ramp, 8  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503091</u> |
|  | Terminal Housing,<br>Friction Ramp, 9  |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503101</u> |
|  | Terminal Housing,<br>Friction Ramp, 10 |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503111</u> |
|  | Terminal Housing,<br>Friction Ramp, 11 |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503121</u> |
|  | Terminal Housing,<br>Friction Ramp, 12 |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503131</u> |
|  | Terminal Housing,<br>Friction Ramp, 13 |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503141</u> |
|  | Terminal Housing,<br>Friction Ramp, 14 |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503151</u> |
|  | Terminal Housing,<br>Friction Ramp, 15 |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503161</u> |
|  | Terminal Housing,<br>Friction Ramp, 16 |                |
|  | Circuits, Natural                      |                |
|  | KK 3.96mm Crimp                        | <u>9503171</u> |
|  | Terminal Housing,                      |                |

|                      |                |
|----------------------|----------------|
| Friction Ramp, 17    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503181</u> |
| Terminal Housing,    |                |
| Friction Ramp, 18    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503191</u> |
| Terminal Housing,    |                |
| Friction Ramp, 19    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503201</u> |
| Terminal Housing,    |                |
| Friction Ramp, 20    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503211</u> |
| Terminal Housing,    |                |
| Friction Ramp, 21    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503221</u> |
| Terminal Housing,    |                |
| Friction Ramp, 22    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503231</u> |
| Terminal Housing,    |                |
| Friction Ramp, 23    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503241</u> |
| Terminal Housing,    |                |
| Friction Ramp, 24    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507021</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507031</u> |
| Terminal Housing, 3  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507041</u> |
| Terminal Housing, 4  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507051</u> |
| Terminal Housing, 5  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507061</u> |
| Terminal Housing, 6  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507071</u> |
| Terminal Housing, 7  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507081</u> |
| Terminal Housing, 8  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507091</u> |
| Terminal Housing, 9  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507101</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507111</u> |
| Terminal Housing, 11 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507121</u> |
| Terminal Housing, 12 |                |
| Circuits, Natural    |                |

KK 3.96mm Crimp    9507131  
Terminal Housing, 13  
Circuits, Natural  
KK 3.96mm Crimp    9507141  
Terminal Housing, 14  
Circuits, Natural  
KK 3.96mm Crimp    9507151  
Terminal Housing, 15  
Circuits, Natural  
KK 3.96mm Crimp    9507161  
Terminal Housing, 16  
Circuits, Natural  
KK 3.96mm Crimp    9507171  
Terminal Housing, 17  
Circuits, Natural  
KK 3.96mm Crimp    9507181  
Terminal Housing, 18  
Circuits, Natural  
KK 3.96mm Crimp    9507191  
Terminal Housing, 19  
Circuits, Natural  
KK 3.96mm Crimp    9507201  
Terminal Housing, 20  
Circuits, Natural  
KK 3.96mm Crimp    9507211  
Terminal Housing, 21  
Circuits, Natural