

## USB 3.0 PLUGS & SOCKETS

### ELECTRICAL CHARACTERISTICS:

**Rated Voltage:** 30V (RMS)  
**Contact Current Rating:** 1 Amp DC max.  
**Contact Resistance:** 15 mΩ max.  
**Insulation Resistance:** 1000 MΩ min.  
**Dielectric Withstanding Voltage:** 750V AC for 1 minute

### MECHANICAL CHARACTERISTICS:

**Operating Temperature:** -13°F (-25°C) to +176°F (+80°C)  
**Durability:** 1500 Cycles min.

### USB 3.0 DESIGN ADVANTAGES:

**Port Expansion:** Alleviates restriction of limited COM Ports and available IRQ's  
**Compatibility:** Backward compatible with USB 2.0 devices  
**Fast Data Transfer:** Up to 480 Gbps; 10 times faster than USB 2.0 devices and 200 times faster than serial ports.


### USB 3.0 (SUPER SPEED) DEVICE APPLICATIONS:

- External hard drives
- High resolution web & video cameras
- Digital video cameras & still cameras
- Multi-channel audio interfaces
- External media such as Blu-Ray drives
- High-definition video content
- Multi-gigabyte mobile phones
- Portable media players


## USB TYPE A SOCKETS/PLUGS



**THRU-HOLE MOUNT SOCKET**



**Mounting Detail**



### SOCKET SPECIFICATIONS:


**Shell:** Steel, Nickel Plated  
**Insulator:** Thermoplastic, UL Rated 94V-0  
**Contacts:** Phosphor Bronze, Gold Flash over Nickel

**CAT. NO. 945**



• Supplied unassembled

**CABLE PLUG**



### PLUG SPECIFICATIONS:



**Shell:** Steel, Nickel Plated  
**Insulator:** Thermoplastic, UL Rated 94V-0  
**Contacts:** Phosphor Bronze, Gold Flash over Nickel

**CAT. NO. 947**


## MICRO-USB TYPE B SOCKETS/PLUGS



**SURFACE MOUNT SOCKET**



**Mounting Detail**



### SOCKET SPECIFICATIONS:


**Shell:** Steel, Nickel Plated  
**Insulator:** Thermoplastic, UL Rated 94V-0  
**Contacts:** Phosphor Bronze, Gold Flash over Nickel

**CAT. NO. 955**



• Supplied unassembled

**CABLE PLUG**



### PLUG SPECIFICATIONS:


**Shell:** Steel, Nickel Plated  
**Insulator:** Thermoplastic, UL Rated 94V-0  
**Contacts:** Phosphor Bronze, Gold Flash over Nickel

**CAT. NO. 957**


## USB TYPE B SOCKETS/PLUGS



**THRU-HOLE MOUNT SOCKET**



**Mounting Detail**



### SOCKET SPECIFICATIONS:


**Shell:** Phosphor Bronze, Nickel Plated  
**Insulator:** Thermoplastic, UL Rated 94V-0  
**Contacts:** Phosphor Bronze, Gold Flash over Nickel  
**Contact Area:** Gold Flash over Nickel  
**Solder Tails:** Tin over Nickel

**CAT. NO. 950**



• Supplied unassembled

**CABLE PLUG**



### PLUG SPECIFICATIONS:

**Shell:** Steel, Nickel Plated  
**Insulator:** Thermoplastic, UL Rated 94V-0  
**Contacts:** Phosphor Bronze, Gold Flash over Nickel

**CAT. NO. 952**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Keystone Electronics:](#)

[950](#)