





# Complete Hex Program



## Professional HEX Tools *Inch & Metric*



### Wiha Hex Tools Index

|     | DESCRIPTION                                  | Page  |
|-------------------------------------------------------------------------------------|----------------------------------------------|-------|
|    | T-handles                                    | 8     |
|    | PocketStar Fold Outs                         | 16    |
|    | L-keys - Long/Short<br>Nickel & Black Finish | 17-20 |
|    | Insulated T-handle                           | 21    |
|    | Insulated Hex Drivers                        | 21    |
|    | Insulated L-keys                             | 22    |
|    | Insulated Sockets                            | 22    |
|    | Drive-Loc VI Blades                          | 23    |
|    | ESD Safe Precision                           | 26    |
|  | Precision                                    | 28    |
|  | PicoFinish                                   | 27    |
|  | SYSTEM 4 Blades                              | 29-30 |
|  | SYSTEM 4 Micro Bits                          | 31    |
|  | Insert/Power Bit Sets                        | 33    |
|  | XSelectors                                   | 34    |
|  | Bit Insert & Power Bits                      | 35-37 |
|  | Sockets                                      | 38-39 |



### Wiha Security Hex Index

|   | DESCRIPTION         | Page  |
|-------------------------------------------------------------------------------------|---------------------|-------|
|  | SYSTEM 4 Micro Bits | 31    |
|  | Insert Bits         | 35-37 |
|  | Sockets             | 38-39 |

### Wiha Ball End Hex Tools Index

|    | DESCRIPTION                                  | Page  |
|-------------------------------------------------------------------------------------|----------------------------------------------|-------|
|    | Ball End L-keys & Sets<br>Chrome Finish      | 5     |
|    | Ball End L-keys & Sets<br>Black Finish       | 6-7   |
|    | Stainless Steel L-keys & Set                 | 6     |
|    | Soft Grip T-handles<br>Chrome & Black Finish | 9-10  |
|    | 3K Series Screwdrivers                       | 14-15 |
|    | Drive-Loc VI Blades                          | 23    |
|    | Precision                                    | 28-29 |
|    | PicoFinish Soft Grip                         | 27    |
|    | SYSTEM 4 Blades                              | 30    |
|   | Stubby Bit Holder Sets                       | 32    |
|  | Ball End Hex Insert Bit                      | 37    |
|  | Ball End Hex Socket                          | 39    |

### MagicRing Screw Holding Hex Tools Index

|  | DESCRIPTION                                        | Page  |
|-------------------------------------------------------------------------------------|----------------------------------------------------|-------|
|  | L-keys Screw Holding                               | 4     |
|  | T-handles Screw Holding                            | 8     |
|  | SoftFinish Screw Holding<br>Cushion Grip           | 12-13 |
|  | PocketStars Screw Holding                          | 16    |
|  | Insert Bits Screw Holding                          | 33    |
|  | Power Bits Screw Holding                           | 33    |
|  | Bit-Selectors Screw Holding<br>Insert & Power Bits | 33    |

### Wiha Drive-Loc VI Index

| DESCRIPTION                                                                                                                             | Page |
|-----------------------------------------------------------------------------------------------------------------------------------------|------|
|  Drive-Loc VI Handle<br>SoftFinish® Cushion Grip       | 23   |
|  Drive-Loc VI Handle<br>ESD Safe Cushion Grip          | 23   |
|  Drive-Loc VI Handle<br>MicroFinish Non-Slip Grip      | 23   |
|  Drive-Loc VI Blades<br>Ball End Hex & Hex Inch/Metric | 23   |
|  Drive-Loc VI Blade Set                                | 23   |

### Wiha TorqueControl Tools Index

| DESCRIPTION                                                                                                | Page |
|------------------------------------------------------------------------------------------------------------|------|
|  TorqueFix Handle         | 24   |
|  TorqueVario Handle      | 24   |
|  Hex Inch/Metric Blades | 24   |
|  T-handle Torque Tools  | 25   |
|  Hex Inch/Metric Blades | 25   |

### Wiha Bit Sets Index

| DESCRIPTION                                                                                                | Page |
|------------------------------------------------------------------------------------------------------------|------|
|  MicroBit Sets          | 31   |
|  Stubby Bit Holder Sets | 32   |
|  Topra Bit Sets         | 32   |
|  Bit Selector Sets      | 33   |
|  Power Bit Belt Packs   | 34   |
|  XSelectors             | 34   |
|  PokitPaks              | 34   |

### Wiha Power & Insert Bits Index

| DESCRIPTION                                                                                                                         | Page  |
|-------------------------------------------------------------------------------------------------------------------------------------|-------|
|  MagicRing Hex Inch & Metric<br>Insert/Power Bits | 33    |
|  Hex Inch & Metric<br>Insert/Power Bits           | 35-37 |
|  Security Bits Inch & Metric<br>Insert/Power Bits | 36    |
|  Ball End Hex Inch & Metric                       | 37    |
|  Stainless Steel Metric                           | 36    |

### Wiha Sockets & Sets Index

| DESCRIPTION                                                                                                                                                                      | Page  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
|  Insulated Sockets                                                                            | 22    |
|  Hex Bit Sockets 1/4" Drive                                                        | 38-39 |
|  Hex Bit Sockets 3/8" Drive                                                        | 39    |
|  Ball End Sockets                                                                            | 39    |
|  6" Bit Sockets 1/4" & 3/8" Drive | 38    |
|  Socket Sets                                                                                 | 40    |

## MagicRing Ball End Hex Keys



**Ball End Hex Keys**  
Chamfered ends for easy insertion

**Ball End Hex Keys**  
CVM steel, hardened, hard chromed, screw holding

**ProStar Holder (9-13 pc. Sets)**  
Sliding front detachable

**ProStar Holder**  
Every key can be taken out separately without having to move another key

U.S. Patent 6,302,001 B1



### 669 MagicRing Ball End Metric Hex L-key, Long

Blade CVM steel, hardened, hard chrome finish.

| Item No.         | mm   | mm  | mm | lbs. | pkg. |         |
|------------------|------|-----|----|------|------|---------|
| 66904*           | 1.5  | 90  | 14 | .01  | 10   | No Ring |
| 66908*           | 2.0  | 99  | 16 | .01  | 10   | No Ring |
| 66912*           | 2.5  | 111 | 18 | .01  | 10   | No Ring |
| <b>MagicRing</b> |      |     |    |      |      |         |
| 66916            | 3.0  | 125 | 20 | .02  | 10   |         |
| 66920            | 4.0  | 138 | 25 | .04  | 10   |         |
| 66924            | 5.0  | 158 | 28 | .07  | 10   |         |
| 66928            | 6.0  | 178 | 32 | .12  | 10   |         |
| 66936            | 8.0  | 198 | 36 | .23  | 10   |         |
| 66944            | 10.0 | 221 | 40 | .40  | 10   |         |

\* Standard Ball - No Ring




### 66990 9 Piece MagicRing Long Metric Ball End Hex L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

| Item No. | mm     | mm  | mm  | mm    | mm   | lbs. |
|----------|--------|-----|-----|-------|------|------|
| 66990    | 66904* | 1.5 | 90  | 66924 | 5.0  | 158  |
|          | 66908* | 2.0 | 99  | 66928 | 6.0  | 178  |
|          | 66912* | 2.5 | 111 | 66936 | 8.0  | 197  |
|          | 66916  | 3.0 | 125 | 66944 | 10.0 | 221  |
|          | 66920  | 4.0 | 138 |       |      |      |

\* Standard Ball - No Ring

# Screw Holding Hex Tools!



### 669 MagicRing Ball End Inch Hex L-key, Long

Blade CVM steel, hardened, hard chrome finish.

| Item No.         | Inch | Inch | Inch | lbs. | pkg. |         |
|------------------|------|------|------|------|------|---------|
| 66945*           | .050 | 2.8  | .5   | .01  | 10   | No Ring |
| 66946*           | 1/16 | 3.1  | .6   | .01  | 10   | No Ring |
| 66947*           | 5/64 | 3.5  | .7   | .01  | 10   | No Ring |
| 66950*           | 3/32 | 3.9  | .7   | .01  | 10   | No Ring |
| 66952*           | 7/64 | 4.3  | .7   | .02  | 10   | No Ring |
| <b>MagicRing</b> |      |      |      |      |      |         |
| 66953            | 1/8  | 4.6  | .8   | .02  | 10   |         |
| 66955            | 9/64 | 5.2  | .9   | .03  | 10   |         |
| 66956            | 5/32 | 5.7  | 1.0  | .04  | 10   |         |
| 66959            | 3/16 | 6.2  | 1.1  | .06  | 10   |         |
| 66962            | 7/32 | 6.7  | 1.2  | .09  | 10   |         |
| 66965            | 1/4  | 7.3  | 1.2  | .13  | 10   |         |
| 66968            | 5/16 | 8.0  | 1.4  | .22  | 10   |         |
| 66971            | 3/8  | 8.8  | 1.6  | .36  | 10   |         |

\* Standard Ball - No Ring



### 66991 13 Piece MagicRing Long Inch Ball End Hex L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

| Item No. | Inch   | Inch | Inch | Inch  | lbs. |
|----------|--------|------|------|-------|------|
| 66991    | 66945* | .050 | 2.8  | 66956 | 5/32 |
|          | 66946* | 1/16 | 3.1  | 66959 | 3/16 |
|          | 66947* | 5/64 | 3.5  | 66962 | 7/32 |
|          | 66950* | 3/32 | 3.9  | 66965 | 1/4  |
|          | 66952* | 7/64 | 4.3  | 66968 | 5/16 |
|          | 66953  | 1/8  | 4.6  | 66971 | 3/8  |
|          | 66955  | 9/64 | 5.2  |       |      |

\* Standard Ball - No Ring



### 66992 22 Piece Combination MagicRing L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

| Item No. | lbs.                                                                                        |
|----------|---------------------------------------------------------------------------------------------|
| 66992    | Set includes Inch & Metric: 2.21                                                            |
|          | 66990 Set - 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm                               |
|          | 66991 Set - .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" |

\* Standard Ball - No Ring

## Metric Ball End Hex Keys Chrome Finish



### 669 Ball End Metric Hex L-key, Long Arm


Blade CVM steel, hardened, hard chrome finish.

| Item No. | mm   | mm  | mm | lbs. | pkg. |
|----------|------|-----|----|------|------|
| 66904    | 1.5  | 90  | 14 | .004 | 10   |
| 66908    | 2.0  | 99  | 16 | .007 | 10   |
| 66912    | 2.5  | 111 | 18 | .012 | 10   |
| 66918    | 3.0  | 125 | 20 | .019 | 10   |
| 66922    | 4.0  | 138 | 25 | .042 | 10   |
| 66926    | 5.0  | 158 | 28 | .072 | 10   |
| 66930    | 6.0  | 178 | 32 | .12  | 10   |
| 66937    | 8.0  | 198 | 36 | .23  | 10   |
| 66938    | 10.0 | 221 | 40 | .40  | 10   |



### 66994 9 Piece Metric Ball End Hex Long L-key Set

| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm | lbs. .98 |
|----------|--------------------------------------------------------|----------|
| 66994    |                                                        |          |



### 66995 6 Piece Metric Ball End Hex Long L-key Set

| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm | lbs. .21 |
|----------|----------------------------------------|----------|
| 66995    |                                        |          |



### 66998 11 Piece Metric Ball End Hex Long L-key Set

| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm | lbs. 1.36 |
|----------|------------------------------------------------------------------|-----------|
| 66998    |                                                                  |           |

## Inch Ball End Hex Keys Chrome Finish



### 369 Ball End Inch Hex L-key, Long Arm

Blade CVM steel, hardened, hard chrome finish.

| Item No. | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|
| 36940    | .050 | 2.8  | .5   | .002 | 10   |
| 36941    | 1/16 | 3.1  | .6   | .004 | 10   |
| 36942    | 5/64 | 3.5  | .7   | .007 | 10   |
| 36943    | 3/32 | 3.9  | .7   | .010 | 10   |
| 36948    | 7/64 | 4.3  | .7   | .016 | 10   |
| 36949    | 1/8  | 4.6  | .8   | .021 | 10   |
| 36951    | 9/64 | 5.2  | .9   | .029 | 10   |
| 36954    | 5/32 | 5.7  | 1.0  | .035 | 10   |
| 36957    | 3/16 | 6.2  | 1.1  | .059 | 10   |
| 36958    | 7/32 | 6.7  | 1.2  | .092 | 10   |
| 36960    | 1/4  | 7.3  | 1.2  | .13  | 10   |
| 36961    | 5/16 | 8.0  | 1.4  | .22  | 10   |
| 36963    | 3/8  | 8.8  | 1.6  | .36  | 10   |



### 36998 13 Piece Inch Ball End Hex Long L-key Set, In Plastic

Holder Blade CVM steel, hardened, hard chrome finish.

| Item No. | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | lbs. 1.0 |
|----------|----------------------------------------------------------------------------------|----------|
| 36998    |                                                                                  |          |



### 66993 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy CVM steel, hardened, hard chrome finish. In molded Holders

| Item No                                                                          | lbs. |
|----------------------------------------------------------------------------------|------|
| 66993 2 Sets with 22 L-keys include:                                             |      |
| Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm                           | 2.0  |
| Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" |      |

## ErgoStar Ball End Hex Keys Chrome Finish

Fast Auto Open  
Key Holder



### 66996 9 Piece ErgoStar Metric Ball End Hex Long L-key Set

|          |                                       |           |
|----------|---------------------------------------|-----------|
| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, |           |
| 66996    | 6.0, 8.0, 10.0mm                      | lbs. 1.02 |

Fast Auto Open  
Key Holder



### 66988 13 Piece ErgoStar Inch Ball End Hex Long L-key Set

|          |                                          |           |
|----------|------------------------------------------|-----------|
| Item No. | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, |           |
| 66988    | 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"  | lbs. 1.08 |



Fast Auto Open  
Key Holder



### 66982 22 Piece ErgoStar Inch/Metric Ball End Hex Long L-key Set

|          |                                          |           |
|----------|------------------------------------------|-----------|
| Item No. | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, |           |
| 66982    | 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"  | lbs. 2.10 |
|          | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0,    |           |
|          | 6.0, 8.0, 10.0mm                         |           |



## ErgoStar Inch Ball End L-key Set

- Patented ErgoStar auto open key holder
- Keys of chrome-vanadium-molybdenum steel
- 60HRC through hardened durability
- Hard chrome finish for best wear resistance

## Stainless Steel Metric Ball End Hex Key



### 369 Stainless Steel Ball End Metric Hex L-key, Long Arm

Blade CVM steel, hardened, hard chrome finish.

| Item No. | mm   | mm  | mm | lbs. | pkg. |
|----------|------|-----|----|------|------|
| 36911    | 1.5  | 91  | 14 | .004 | 10   |
| 36913    | 2.0  | 101 | 18 | .007 | 10   |
| 36914    | 2.5  | 113 | 20 | .012 | 10   |
| 36915    | 3.0  | 128 | 23 | .020 | 10   |
| 36917    | 4.0  | 142 | 29 | .050 | 10   |
| 36918    | 5.0  | 163 | 33 | .074 | 10   |
| 36919    | 6.0  | 184 | 38 | .13  | 10   |
| 36921    | 8.0  | 206 | 44 | .25  | 10   |
| 36922    | 10.0 | 231 | 50 | .44  | 10   |



### 36988 9 Pc. Stainless Steel Ball End L-key Set

In molded ergo handle

| Item No. |                                        |          |
|----------|----------------------------------------|----------|
| 36988    | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm | lbs. .88 |
|          | 6.0, 8.0, 10.0mm                       |          |

## L-keys Black Finish Sets



Inch & Metric

### 36995 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy

CVM steel, hardened, black finish. Molded ergonomic handle.

| Item No |                                                                            |
|---------|----------------------------------------------------------------------------|
| 36995   | 2 Sets with 22 L-keys include: lbs. 2.21                                   |
|         | Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm                      |
|         | .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" |



Inch & Metric

TORX

### 36696 3 Pack Inch & Metric Ball End Hex & TORX L-key Sets

High alloy CVM steel, hardened, black finish. Molded ergonomic handle.

| Item No |                                                                                  |
|---------|----------------------------------------------------------------------------------|
| 36696   | 3 Sets with Hex & TORX L-keys include: lbs.                                      |
|         | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm                           |
|         | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" |
|         | TORX: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30                               |

## Metric Ball End Hex Keys Black Finish



### 369 Ball End Hex Metric L-key, Long Arm

Blade CVM steel, hardened, black finish.

| Item No. | mm   | mm  | mm | lbs. | pkg. |
|----------|------|-----|----|------|------|
| 36904    | 1.5  | 90  | 14 | .004 | 10   |
| 36908    | 2.0  | 99  | 16 | .007 | 10   |
| 36912    | 2.5  | 111 | 18 | .012 | 10   |
| 36916    | 3.0  | 125 | 20 | .019 | 10   |
| 36920    | 4.0  | 138 | 25 | .042 | 10   |
| 36924    | 5.0  | 158 | 28 | .072 | 10   |
| 36928    | 6.0  | 178 | 32 | .12  | 10   |
| 36936    | 8.0  | 198 | 36 | .23  | 10   |
| 36944    | 10.0 | 221 | 40 | .40  | 10   |



### 36990 9 Piece Metric Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Black chrome, vacuum, molybdenum steel, hardened, black finish. |       |                                                                                     |                                                                                     |       |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Item No.                                                        |       |  |  |       |  |  |  |
|                                                                 |       | mm                                                                                  | mm                                                                                  |       | mm                                                                                  | mm                                                                                  | lbs.                                                                                |
| 36990                                                           | 36904 | 1.5                                                                                 | 90                                                                                  | 36924 | 5.0                                                                                 | 158                                                                                 | .98                                                                                 |
|                                                                 | 36908 | 2.0                                                                                 | 99                                                                                  | 36928 | 6.0                                                                                 | 178                                                                                 |                                                                                     |
|                                                                 | 36912 | 2.5                                                                                 | 111                                                                                 | 36936 | 8.0                                                                                 | 198                                                                                 |                                                                                     |
|                                                                 | 36916 | 3.0                                                                                 | 125                                                                                 | 36944 | 10.0                                                                                | 221                                                                                 |                                                                                     |
|                                                                 | 36920 | 4.0                                                                                 | 138                                                                                 |       |                                                                                     |                                                                                     |                                                                                     |




### 36992 6 Piece Metric Ball End Long Hex L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Blade chrome vanadium molybdenum steel, hardened, black finish. |       |                                                                                     |                                                                                     |       |                                                                                     |                                                                                     |  |                                                                                     |
|-----------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| Item                                                            |       |  |  |       |  |  |  |  |
| No.                                                             |       | mm                                                                                  | mm                                                                                  |       | mm                                                                                  | mm                                                                                  |  | lbs.                                                                                |
| 36992                                                           | 36904 | 1.5                                                                                 | 90                                                                                  | 36916 | 3.0                                                                                 | 125                                                                                 |  | .30                                                                                 |
|                                                                 | 36908 | 2.0                                                                                 | 99                                                                                  | 36920 | 4.0                                                                                 | 138                                                                                 |  |                                                                                     |
|                                                                 | 36912 | 2.5                                                                                 | 111                                                                                 | 36924 | 5.0                                                                                 | 158                                                                                 |  |                                                                                     |

## Inch Ball End Hex Keys Black Finish



### 369 Ball End Hex Inch L-key, Long Arm

Blade CVM steel, hardened, black finish.

| Item No. | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|
| 36945    | .050 | 2.8  | .5   | .002 | 10   |
| 36946    | 1/16 | 3.1  | .6   | .004 | 10   |
| 36947    | 5/64 | 3.5  | .7   | .007 | 10   |
| 36950    | 3/32 | 3.9  | .7   | .010 | 10   |
| 36952    | 7/64 | 4.3  | .7   | .016 | 10   |
| 36953    | 1/8  | 4.6  | .8   | .021 | 10   |
| 36955    | 9/64 | 5.2  | .9   | .029 | 10   |
| 36956    | 5/32 | 5.7  | 1.0  | .035 | 10   |
| 36959    | 3/16 | 6.2  | 1.1  | .059 | 10   |
| 36962    | 7/32 | 6.7  | 1.2  | .092 | 10   |
| 36965    | 1/4  | 7.3  | 1.2  | .13  | 10   |
| 36968    | 5/16 | 8.0  | 1.4  | .22  | 10   |
| 36971    | 3/8  | 8.8  | 1.6  | .36  | 10   |



### 36991 13 Piece Inch Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Item No. |                                                                                                       | lbs. |
|----------|-------------------------------------------------------------------------------------------------------|------|
| 36991    | 13 pc. set includes:<br>.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64,<br>5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | 1.0  |



### 36993 8 Piece Inch Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Item No. |                                                                         | lbs. |
|----------|-------------------------------------------------------------------------|------|
| 36993    | 8 pc. set includes:<br>5/64, 3/32, 1/8, 5/32, 3/16,<br>7/32, 1/4, 5/16" | .62  |

## Wiha MagicRing Screw Holding T-handle

**Hole for hanging**

**Proportioned ergonomic handle designed for high torque**

**Blade** CVM tool steel, hardened, hard chrome finish

**Screw Holding Hex Tools**

Handle is molded directly onto blade

**Smooth edges** prevent injuries & eliminate pressure marks

**540 MagicRing Hex Metric Ball End, With Wiha T-handle**  
Blade CVM steel, hardened, hard chrome. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

| Item No. | mm   | mm  | mm  | mm  | Inch | lbs. | pkg. |
|----------|------|-----|-----|-----|------|------|------|
| 54040    | 4.0  | 150 | 80  | 176 | 6.9  | .08  | 10   |
| 54050    | 5.0  | 150 | 100 | 182 | 7.1  | .14  | 10   |
| 54060    | 6.0  | 150 | 100 | 182 | 7.1  | .17  | 10   |
| 54080    | 8.0  | 200 | 100 | 232 | 9.1  | .29  | 10   |
| 54086    | 10.0 | 200 | 120 | 238 | 9.3  | .49  | 10   |

**540 MagicRing Hex Inch Ball End, With Wiha T-handle**  
Blade CVM steel, hardened, hard chrome. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

| Item No. | Inch | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|------|
| 54012    | 5/32 | 5.8  | 2.8  | 6.9  | .08  | 10   |
| 54014    | 3/16 | 5.8  | 4.0  | 7.2  | .14  | 10   |
| 54016    | 7/32 | 5.8  | 4.0  | 7.2  | .16  | 10   |
| 54018    | 1/4  | 5.8  | 4.0  | 7.2  | .19  | 10   |
| 54022    | 5/16 | 7.8  | 4.0  | 7.2  | .29  | 10   |
| 54024    | 3/8  | 7.8  | 4.7  | 7.5  | .45  | 10   |



54090

5 Piece MagicRing Ball End T-handle Set, Metric Sizes

Blade chrome-vanadium-molybdenum steel, hardened, hard chrome.

Wiha T-handle high quality plastic, impact resistant.


| Item  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                  | mm                                                                                  | mm                                                                                  | lbs.                                                                                |
| 54090 | 54040                                                                               | 4.0 150                                                                             | 54080                                                                               | 8.0 200                                                                             | 1.49                                                                                |
|       | 54050                                                                               | 5.0 150                                                                             | 54086                                                                               | 10.0 200                                                                            |                                                                                     |
|       | 54060                                                                               | 6.0 150                                                                             |                                                                                     |                                                                                     |                                                                                     |



**54091 6 Piece MagicRing Ball End T-handle Set, Inch Sizes**  
 Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.  
 Wiha T-handle high quality plastic, impact resistant.

| Item         |  |  |  |  |  |
|--------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.          | Inch                                                                                  | Inch                                                                                  | Inch                                                                                  | Inch                                                                                  | lbs.                                                                                  |
| <b>54091</b> | 54012                                                                                 | 5/32                                                                                  | 5.8                                                                                   | 54018                                                                                 | 1/4 5.8 1.59                                                                          |
|              | 54014                                                                                 | 3/16                                                                                  | 5.8                                                                                   | 54022                                                                                 | 5/16 7.8                                                                              |
|              | 54016                                                                                 | 7/32                                                                                  | 5.8                                                                                   | 54024                                                                                 | 3/8 7.8                                                                               |

## Wiha Soft Grip Dual Drive T-handle



### 540 Soft Grip Ball End Hex Metric Dual Drive T-handle


| Item No. | mm   | mm  | Tip  | lbs. | pkg. |
|----------|------|-----|------|------|------|
| 54020    | 2.0  | 150 | Ball | .06  | 10   |
| 54025    | 2.5  | 150 | Ball | .06  | 10   |
| 54030    | 3.0  | 150 | Ball | .07  | 10   |
| 54042    | 4.0  | 150 | Ball | .09  | 10   |
| 54052    | 5.0  | 150 | Ball | .18  | 10   |
| 54062    | 6.0  | 150 | Ball | .21  | 10   |
| 54082    | 8.0  | 200 | Ball | .35  | 10   |
| 54088    | 10.0 | 200 | Ball | .55  | 10   |

### 54095 8 Pc. Ball End Hex Metric Soft Grip T-handle Set- No stand


| Item  |       |  |  |  |  |  |  |     |  |  |      |
|-------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|--|-------------------------------------------------------------------------------------|------|
| No.   |       | mm                                                                                  | mm                                                                                  |  |  | mm                                                                                  | mm                                                                                  |     |  | lbs.                                                                                |      |
| 54095 | 54020 | 2.0                                                                                 | 150                                                                                 |  |  | 54052                                                                               | 5.0                                                                                 | 150 |  |                                                                                     | 1.90 |
|       | 54025 | 2.5                                                                                 | 150                                                                                 |  |  | 54062                                                                               | 6.0                                                                                 | 150 |  |                                                                                     |      |
|       | 54030 | 3.0                                                                                 | 150                                                                                 |  |  | 54082                                                                               | 8.0                                                                                 | 200 |  |                                                                                     |      |
|       | 54042 | 4.0                                                                                 | 150                                                                                 |  |  | 54088                                                                               | 10.0                                                                                | 200 |  |                                                                                     |      |
|       |       |                                                                                     |                                                                                     |  |  |                                                                                     |                                                                                     |     |  |                                                                                     |      |

### 54092 8 Piece Ball End Hex Metric Soft Grip T-handle Set

Blade chrome-vanadium-molybdenum steel, hardened, chrome finish.  
Wiha soft grips are molded on with through the handle side torque drive.



| Item                                                                                                                                                                       |  |  |  |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|
| No.                                                                                                                                                                        | mm                                                                                  | mm                                                                                  | lbs.                                                                                |      |
| <br> | 54020                                                                               | 2.0                                                                                 | 150                                                                                 | 3.34 |
|                                                                                                                                                                            | 54025                                                                               | 2.5                                                                                 | 150                                                                                 |      |
|                                                                                                                                                                            | 54030                                                                               | 3.0                                                                                 | 150                                                                                 |      |
|                                                                                                                                                                            | 54042                                                                               | 4.0                                                                                 | 150                                                                                 |      |
|                                                                                                                                                                            | 54052                                                                               | 5.0                                                                                 | 150                                                                                 |      |
|                                                                                                                                                                            | 54062                                                                               | 6.0                                                                                 | 150                                                                                 |      |
|                                                                                                                                                                            | 54082                                                                               | 8.0                                                                                 | 200                                                                                 |      |
|                                                                                                                                                                            | 54088                                                                               | 10.0                                                                                | 200                                                                                 |      |



**540 Soft Grip Ball End Hex Inch Dual Drive T-handle** CVM steel, hardened, hard chrome finish. Ball tip for speed & easy insertion.  
Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | Inch | Inch | Tip  | lbs. | pkg. |
|----------|------|------|------|------|------|
| 54007    | 3/32 | 5.9  | Ball | .06  | 10   |
| 54008    | 7/64 | 5.9  | Ball | .07  | 10   |
| 54009    | 1/8  | 5.9  | Ball | .08  | 10   |
| 54010    | 9/64 | 5.9  | Ball | .08  | 10   |
| 54001    | 5/32 | 5.9  | Ball | .09  | 10   |
| 54002    | 3/16 | 5.9  | Ball | .17  | 10   |
| 54003    | 7/32 | 5.9  | Ball | .20  | 10   |
| 54004    | 1/4  | 5.9  | Ball | .23  | 10   |
| 54005    | 5/16 | 7.9  | Ball | .35  | 10   |
| 54006    | 3/8  | 7.9  | Ball | .51  | 10   |

### 54097 10 Pc. Ball End Hex Inch Soft Grip T-handle Set- No stand

| Item  |       |  |  |       |  |  |  |
|-------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   |       | Inch                                                                                  | Inch                                                                                  |       | Inch                                                                                  | Inch                                                                                  | lbs.                                                                                  |
| 54097 | 54007 | 3/32                                                                                  | 5.9                                                                                   | 54002 | 3/16                                                                                  | 5.9                                                                                   | 2.15                                                                                  |
|       | 54008 | 7/64                                                                                  | 5.9                                                                                   | 54003 | 7/32                                                                                  | 5.9                                                                                   |                                                                                       |
|       | 54009 | 1/8                                                                                   | 5.9                                                                                   | 54004 | 1/4                                                                                   | 5.9                                                                                   |                                                                                       |
|       | 54010 | 9/64                                                                                  | 5.9                                                                                   | 54005 | 5/16                                                                                  | 7.9                                                                                   |                                                                                       |
|       | 54001 | 5/32                                                                                  | 5.9                                                                                   | 54006 | 3/8                                                                                   | 7.9                                                                                   |                                                                                       |




### 54094 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Blade chrome-vanadium-molybdenum steel, hardened, chrome finish.  
Wiha soft grips are molded on with through the handle side torque drive.

| Item  |       |  |  |       |  |  |  |
|-------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   |       | Inch                                                                                  | Inch                                                                                  |       | Inch                                                                                  | Inch                                                                                  | lbs.                                                                                  |
| 54094 | 54009 | 1/8                                                                                   | 5.9                                                                                   | 54003 | 7/32                                                                                  | 5.9                                                                                   | 3.37                                                                                  |
|       | 54010 | 9/64                                                                                  | 5.9                                                                                   | 54004 | 1/4                                                                                   | 5.9                                                                                   |                                                                                       |
|       | 54001 | 5/32                                                                                  | 5.9                                                                                   | 54005 | 5/16                                                                                  | 5.9                                                                                   |                                                                                       |
|       | 54002 | 3/16                                                                                  | 5.9                                                                                   | 54006 | 3/8                                                                                   | 7.9                                                                                   |                                                                                       |
|       |       |                                                                                       |                                                                                       |       |                                                                                       |                                                                                       |                                                                                       |

### Soft Grip Dual Drive T-handle - Black Finish



**334** Soft Grip Ball End Hex **Metric** Dual Drive T-handle CVM steel, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | mm   | mm  | lbs. | pkg. |
|----------|------|-----|------|------|
| 33442*   | 2.0  | 150 | .06  | 10   |
| 33444*   | 2.5  | 150 | .06  | 10   |
| 33446*   | 3.0  | 150 | .07  | 10   |
| 33448    | 4.0  | 150 | .09  | 10   |
| 33450    | 5.0  | 150 | .18  | 10   |
| 33452    | 6.0  | 150 | .21  | 10   |
| 33454    | 8.0  | 200 | .35  | 10   |
| 33458    | 10.0 | 200 | .55  | 10   |

\*No Ball - Standard Hex



### 33496 8 Pc. Ball End Hex **Metric** Soft Grip T-handle Set

Blade CVM steel, hardened, black finish. Wiha soft grip are molded on with through the handle side torque drive.

| Item  |        |  |     |  |      |     |      |
|-------|--------|-------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------|------|-----|------|
| No.   |        | mm                                                                                  | mm  |                                                                                     | mm   | mm  | lbs. |
| 33496 | 33442* | 2.0                                                                                 | 150 | 33450                                                                               | 5.0  | 150 | 2.04 |
|       | 33444* | 2.5                                                                                 | 150 | 33452                                                                               | 6.0  | 150 |      |
|       | 33446* | 3.0                                                                                 | 150 | 33454                                                                               | 8.0  | 200 |      |
|       | 33448  | 4.0                                                                                 | 150 | 33458                                                                               | 10.0 | 200 |      |

\*No Ball - Standard Hex

### 33489 8 Piece Ball End Hex **Metric** Soft Grip T-handle Set


Blade chrome-vanadium-molybdenum steel, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.




| Item No. | mm     | mm       | lbs. |
|----------|--------|----------|------|
| 33489    | 33442* | 2.0 150  | 3.33 |
|          | 33444* | 2.5 150  |      |
|          | 33446* | 3.0 150  |      |
|          | 33448  | 4.0 150  |      |
|          | 33450  | 5.0 150  |      |
|          | 33452  | 6.0 150  |      |
|          | 33454  | 8.0 200  |      |
|          | 33458  | 10.0 200 |      |

\*No Ball - Standard Hex

In metal stand



**334** Soft Grip Ball End Hex Inch Dual Drive T-handle CVM steel, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|
| 33418*   | 5/64 | 5.9  | .06  | 10   |
| 33420*   | 3/32 | 5.9  | .06  | 10   |
| 33422*   | 7/64 | 5.9  | .07  | 10   |
| 33424*   | 1/8  | 5.9  | .08  | 10   |
| 33426*   | 9/64 | 5.9  | .08  | 10   |
| 33428    | 5/32 | 5.9  | .09  | 10   |
| 33430    | 3/16 | 5.9  | .17  | 10   |
| 33432    | 7/32 | 5.9  | .20  | 10   |
| 33433    | 1/4  | 5.9  | .23  | 10   |
| 33439    | 5/16 | 7.9  | .35  | 10   |
| 33440    | 3/8  | 7.9  | .51  | 10   |

\*No Ball - Standard Hex

### 33494 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

| Item  |        |  |  |       |  |  |  |
|-------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   |        | Inch                                                                                  | Inch                                                                                  |       | Inch                                                                                  | Inch                                                                                  | lbs.                                                                                  |
| 33494 | 33418* | 5/64                                                                                  | 5.9                                                                                   | 33430 | 3/16                                                                                  | 5.9                                                                                   | 2.39                                                                                  |
|       | 33420* | 3/32                                                                                  | 5.9                                                                                   | 33432 | 7/32                                                                                  | 5.9                                                                                   |                                                                                       |
|       | 33422* | 7/64                                                                                  | 5.9                                                                                   | 33433 | 1/4                                                                                   | 5.9                                                                                   |                                                                                       |
|       | 33424* | 1/8                                                                                   | 5.9                                                                                   | 33439 | 5/16                                                                                  | 7.9                                                                                   |                                                                                       |
|       | 33426* | 9/64                                                                                  | 5.9                                                                                   | 33440 | 3/8                                                                                   | 7.9                                                                                   |                                                                                       |
|       | 33428  | 5/32                                                                                  | 5.9                                                                                   |       |                                                                                       |                                                                                       |                                                                                       |

\*No Ball - Standard Hex

### 33498 8 Piece Ball End Hex Inch Soft Grip T-handle Set

| Item No. |        |  |  |       |  |  |  |
|----------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|          |        | Inch                                                                                  | Inch                                                                                  |       | Inch                                                                                  | Inch                                                                                  | lbs.                                                                                  |
| 33498    | 33424* | 1/8                                                                                   | 5.9                                                                                   | 33432 | 7/32                                                                                  | 5.9                                                                                   | 2.15                                                                                  |
|          | 33426* | 9/64                                                                                  | 5.9                                                                                   | 33433 | 1/4                                                                                   | 5.9                                                                                   |                                                                                       |
|          | 33428  | 5/32                                                                                  | 5.9                                                                                   | 33439 | 5/16                                                                                  | 7.9                                                                                   |                                                                                       |
|          | 33430  | 3/16                                                                                  | 5.9                                                                                   | 33440 | 3/8                                                                                   | 7.9                                                                                   |                                                                                       |

\*No Ball - Standard Hex

### 33499 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

| Item No. |  |  |  |
|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|          | Inch                                                                                  | Inch                                                                                  | lbs.                                                                                  |
| 33499    | 33424*                                                                                | 1/8                                                                                   | 5.9                                                                                   |
|          | 33426*                                                                                | 9/64                                                                                  | 5.9                                                                                   |
|          | 33428                                                                                 | 5/32                                                                                  | 5.9                                                                                   |
|          | 33430                                                                                 | 3/16                                                                                  | 5.9                                                                                   |
|          | 33432                                                                                 | 7/32                                                                                  | 5.9                                                                                   |
|          | 33433                                                                                 | 1/4                                                                                   | 5.9                                                                                   |
|          | 33439                                                                                 | 5/16                                                                                  | 7.9                                                                                   |
|          | 33440                                                                                 | 3/8                                                                                   | 7.9                                                                                   |

In metal

\*No Ball - Standard Hex

In metal stand

## Wiha T-handle Hex Tools

Ergonomic handle design for high torque

Hole for hanging

Handle is molded directly onto blade

Smooth edges prevent injuries & eliminate pressure marks

Blade CVM tool steel, hardened, nickel-plated

Yellow = Inch  
Red = Metric

**334** Hex Inch & Metric Drivers, With Wiha T-handle Chamfered tip for easy insertion. Wiha-T-handle high quality plastic, impact resistant.

| Item No. | Inch | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|------|
| 33453    | 3/32 | 6.0  | 2.8  | 7.0  | .05  | 10   |
| 33456    | 7/64 | 6.0  | 2.8  | 7.0  | .05  | 10   |
| 33459    | 1/8  | 6.0  | 2.8  | 7.0  | .06  | 10   |
| 33462    | 9/64 | 6.0  | 2.8  | 7.0  | .07  | 10   |
| 33465    | 5/32 | 6.0  | 2.8  | 7.0  | .08  | 10   |
| 33468    | 3/16 | 6.0  | 3.5  | 7.0  | .13  | 10   |
| 33471    | 7/32 | 6.0  | 3.5  | 7.0  | .16  | 10   |
| 33474    | 1/4  | 6.0  | 3.5  | 7.0  | .18  | 10   |
| 33477    | 5/16 | 6.0  | 3.5  | 7.0  | .25  | 10   |
| 33480    | 3/8  | 6.0  | 4.1  | 7.0  | .39  | 10   |

| Item No. | mm   | mm  | mm  | mm  | Inch | lbs. | pkg. |
|----------|------|-----|-----|-----|------|------|------|
| 33401    | 2.0  | 100 | 80  | 126 | 4.9  | .05  | 10   |
| 33436    | 2.0  | 200 | 80  | 226 | 8.9  | .05  | 10   |
| 33402    | 2.5  | 100 | 80  | 126 | 4.9  | .05  | 10   |
| 33437    | 2.5  | 200 | 80  | 226 | 8.9  | .08  | 10   |
| 33403    | 3.0  | 100 | 80  | 126 | 4.9  | .05  | 10   |
| 33404    | 3.0  | 150 | 80  | 176 | 6.9  | .08  | 10   |
| 33405    | 3.0  | 200 | 80  | 226 | 8.9  | .09  | 10   |
| 33435    | 3.0  | 350 | 100 | 382 | 15.0 | .22  | 10   |
| 33406    | 4.0  | 100 | 80  | 126 | 4.9  | .07  | 10   |
| 33407    | 4.0  | 150 | 80  | 176 | 6.9  | .10  | 10   |
| 33408    | 4.0  | 200 | 80  | 226 | 8.9  | .09  | 10   |
| 33438    | 4.0  | 350 | 100 | 382 | 15.0 | .26  | 10   |
| 33409    | 5.0  | 100 | 100 | 132 | 5.2  | .13  | 10   |
| 33410    | 5.0  | 150 | 100 | 182 | 7.1  | .17  | 10   |
| 33411    | 5.0  | 200 | 100 | 232 | 9.1  | .16  | 10   |
| 33412    | 5.0  | 350 | 100 | 382 | 15.0 | .26  | 10   |
| 33413    | 5.0  | 450 | 120 | 488 | 19.1 | .53  | 10   |
| 33414    | 6.0  | 100 | 100 | 132 | 5.2  | .14  | 10   |
| 33415    | 6.0  | 150 | 100 | 182 | 7.1  | .18  | 10   |
| 33416    | 6.0  | 200 | 100 | 232 | 9.1  | .20  | 10   |
| 33417    | 6.0  | 350 | 100 | 382 | 15.0 | .32  | 10   |
| 33419    | 7.0  | 200 | 100 | 232 | 9.1  | .22  | 10   |
| 33421    | 8.0  | 100 | 100 | 132 | 5.2  | .20  | 10   |
| 33423    | 8.0  | 200 | 100 | 232 | 9.1  | .29  | 10   |
| 33434    | 8.0  | 350 | 100 | 372 | 14.6 | .48  | 10   |
| 33425    | 10.0 | 100 | 120 | 138 | 5.4  | .34  | 10   |
| 33427    | 10.0 | 200 | 120 | 238 | 9.3  | .49  | 10   |
| 33429    | 12.0 | 200 | 120 | 238 | 9.3  | .58  | 10   |



### 33492 10 Piece Hex Driver T-handle Set, Inch Sizes

| Item No. | Inch | Inch | Inch  | Inch | lbs. |
|----------|------|------|-------|------|------|
| 33453    | 3/32 | 6.0  | 33468 | 3/16 | 6.0  |
| 33456    | 7/64 | 6.0  | 33471 | 7/32 | 6.0  |
| 33459    | 1/8  | 6.0  | 33474 | 1/4  | 6.0  |
| 33462    | 9/64 | 6.0  | 33477 | 5/16 | 6.0  |
| 33465    | 5/32 | 6.0  | 33480 | 3/8  | 6.0  |



### 33493 8 Piece Hex Driver T-handle Set, Metric Sizes

| Item No. | mm  | mm  | mm    | mm   | lbs. |
|----------|-----|-----|-------|------|------|
| 33401    | 2.0 | 100 | 33409 | 5.0  | 100  |
| 33402    | 2.5 | 100 | 33416 | 6.0  | 200  |
| 33403    | 3.0 | 100 | 33423 | 8.0  | 200  |
| 33406    | 4.0 | 100 | 33427 | 10.0 | 200  |



### 33484 8 Pc. Hex Driver T-handle Set, Inch Sizes - In metal stand

| Item No. | Inch | Inch | Inch  | Inch | lbs. |
|----------|------|------|-------|------|------|
| 33459    | 1/8  | 6.0  | 33471 | 7/32 | 6.0  |
| 33462    | 9/64 | 6.0  | 33474 | 1/4  | 6.0  |
| 33465    | 5/32 | 6.0  | 33477 | 5/16 | 6.0  |
| 33468    | 3/16 | 6.0  | 33480 | 3/8  | 6.0  |

### 33488 8 Pc. Hex Driver T-handle Set, Metric Sizes - In metal stand

| Item No. | mm  | mm  | mm    | mm   | lbs. |
|----------|-----|-----|-------|------|------|
| 33401    | 2.0 | 100 | 33410 | 5.0  | 150  |
| 33402    | 2.5 | 100 | 33415 | 6.0  | 150  |
| 33403    | 3.0 | 100 | 33423 | 8.0  | 200  |
| 33406    | 4.0 | 100 | 33427 | 10.0 | 200  |

## Wiha MagicRing SoftFinish® Hex Drivers

### Screw Holding Hex Tools



#### 367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish®

**Handle** Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item                  | Hex  | Ball | Ring | Ring | Ring | Ring |
|-----------------------|------|------|------|------|------|------|
| No.                   | Inch | Inch | mm   | mm   | lbs. | pkg. |
| 36710*                | .050 | 3.1  | 80   | 179  | .06  | 10   |
| 36713*                | 1/16 | 3.1  | 80   | 204  | .06  | 10   |
| 36716*                | 5/64 | 3.9  | 100  | 204  | .07  | 10   |
| 36719*                | 3/32 | 3.9  | 100  | 204  | .07  | 10   |
| 36723*                | 7/64 | 3.9  | 100  | 211  | .07  | 10   |
| <b>With MagicRing</b> |      |      |      |      |      |      |
| 36726                 | 1/8  | 3.9  | 100  | 243  | .12  | 10   |
| 36728                 | 9/64 | 3.9  | 100  | 243  | .12  | 10   |
| 36732                 | 5/32 | 5.0  | 125  | 271  | .12  | 10   |
| 36734                 | 3/16 | 6.0  | 150  | 271  | .16  | 10   |
| 36736                 | 7/32 | 6.0  | 150  | 271  | .23  | 10   |
| 36738                 | 1/4  | 6.0  | 150  | 271  | .25  | 10   |
| 36742                 | 5/16 | 8.0  | 200  | 271  | .37  | 10   |
| 36744                 | 3/8  | 8.0  | 200  | 271  | .54  | 10   |

\* Standard Ball - No Ring

**Don't Drop That Screw!**  
**Save Valuable Time!**  
**Improve Productivity!**  
**Make The Job Easy!**




#### 36791 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item  | Hex    | Ball | Ring | Ring  | Ring | Ring |
|-------|--------|------|------|-------|------|------|
| No.   | Inch   | Inch | Inch | Inch  | lbs. |      |
| 36791 | 36710* | .050 | 3.0  | 36732 | 5/32 | 5.0  |
|       | 36713* | 1/16 | 3.0  | 36734 | 3/16 | 6.0  |
|       | 36716* | 5/64 | 4.0  | 36736 | 7/32 | 6.0  |
|       | 36719* | 3/32 | 4.0  | 36738 | 1/4  | 6.0  |
|       | 36723* | 7/64 | 4.0  | 36742 | 5/16 | 8.0  |
|       | 36726  | 1/8  | 4.0  | 36744 | 3/8  | 8.0  |
|       | 36728  | 9/64 | 4.0  |       |      |      |

\* Standard Ball - No Ring



#### 36793 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item  | Hex   | Ball | Ring | Ring  | Ring | Ring |
|-------|-------|------|------|-------|------|------|
| No.   | Inch  | Inch | Inch | Inch  | lbs. |      |
| 36793 | 36726 | 1/8  | 4.0  | 36736 | 7/32 | 6.0  |
|       | 36728 | 9/64 | 4.0  | 36738 | 1/4  | 6.0  |
|       | 36732 | 5/32 | 5.0  | 36742 | 5/16 | 8.0  |
|       | 36734 | 3/16 | 6.0  | 36744 | 3/8  | 8.0  |

#### 36794 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item  | Hex   | Ball | Ring | Ring  | Ring | Ring |
|-------|-------|------|------|-------|------|------|
| No.   | Inch  | Inch | Inch | Inch  | lbs. |      |
| 36794 | 36726 | 1/8  | 4.0  | 36734 | 3/16 | 6.0  |
|       | 36728 | 9/64 | 4.0  | 36736 | 7/32 | 6.0  |
|       | 36732 | 5/32 | 5.0  | 36738 | 1/4  | 6.0  |

## Wiha MagicRing SoftFinish® Hex Drivers

### Screw Holding Hex Tools



***Don't Drop That Screw!***  
***Save Valuable Time!***  
***Improve Productivity!***  
***Make The Job Easy!***



#### 367 MagicRing Ball End Hex Driver **Metric**, With Wiha-SoftFinish®

**Handle** Hex blade, high alloy CVM steel, hardened, hard chromed.

Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No.              | mm   | mm  | mm  | lbs. | pkg. |
|-----------------------|------|-----|-----|------|------|
| 36715*                | 1.5  | 75  | 179 | .06  | 10   |
| 36720*                | 2.0  | 100 | 204 | .07  | 10   |
| 36725*                | 2.5  | 100 | 204 | .07  | 10   |
| <b>With MagicRing</b> |      |     |     |      |      |
| 36730                 | 3.0  | 100 | 204 | .07  | 10   |
| 36740                 | 4.0  | 125 | 211 | .12  | 10   |
| 36750                 | 5.0  | 150 | 243 | .16  | 10   |
| 36760                 | 6.0  | 150 | 243 | .23  | 10   |
| 36780                 | 8.0  | 200 | 268 | .37  | 10   |
| 36786                 | 10.0 | 200 | 271 | .54  | 10   |

\* Standard Ball - No Ring

Hardened spring steel retaining  
ring holds screws on

Hard chrome super durable  
corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive  
CVM hardened tool steel

#### 36790 9 Piece MagicRing **Metric** Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item  |        |   |     |   |      |  |      |
|-------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|------|
| No.   |        | mm                                                                                                                                                                          | mm  |                                                                                                                                                                             | mm   | mm                                                                                    | lbs. |
| 36790 | 36715* | 1.5                                                                                                                                                                         | 75  | 36750                                                                                                                                                                       | 5.0  | 150                                                                                   | 2.06 |
|       | 36720* | 2.0                                                                                                                                                                         | 100 | 36760                                                                                                                                                                       | 6.0  | 150                                                                                   |      |
|       | 36725* | 2.5                                                                                                                                                                         | 100 | 36780                                                                                                                                                                       | 8.0  | 200                                                                                   |      |
|       | 36730  | 3.0                                                                                                                                                                         | 100 | 36786                                                                                                                                                                       | 10.0 | 200                                                                                   |      |
|       | 36740  | 4.0                                                                                                                                                                         | 125 |                                                                                                                                                                             |      |                                                                                       |      |

\* Standard Ball - No Ring





#### 36792 6 Piece MagicRing **Metric** Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item  |       |   |     |   |      |  |      |
|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|------|
| No.   |       | mm                                                                                                                                                                          | mm  |                                                                                                                                                                             | mm   | lbs.                                                                                  |      |
| 36792 | 36730 | 3.0                                                                                                                                                                         | 100 | 36760                                                                                                                                                                       | 6.0  | 150                                                                                   | 1.86 |
|       | 36740 | 4.0                                                                                                                                                                         | 125 | 36780                                                                                                                                                                       | 8.0  | 200                                                                                   |      |
|       | 36750 | 5.0                                                                                                                                                                         | 150 | 36786                                                                                                                                                                       | 10.0 | 200                                                                                   |      |

## Wiha Ball End 3K Series Drivers & Sets




Inch / Soft Grip

### 467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

| Item No. | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|
| 46702    | .050 | 2.9  | 6.3  | .07  | 10   |
| 46704    | 1/16 | 2.9  | 6.3  | .07  | 10   |
| 46706    | 5/64 | 3.9  | 7.3  | .07  | 10   |
| 46708    | 3/32 | 3.9  | 7.3  | .07  | 10   |
| 46710    | 7/64 | 3.9  | 7.3  | .07  | 10   |
| 46712    | 1/8  | 3.9  | 7.7  | .09  | 10   |
| 46714    | 9/64 | 3.9  | 7.7  | .10  | 10   |
| 46716    | 5/32 | 3.9  | 7.7  | .11  | 10   |
| 46718    | 3/16 | 3.9  | 7.7  | .12  | 10   |
| 46722    | 7/32 | 5.9  | 10.0 | .19  | 10   |
| 46724    | 1/4  | 5.9  | 10.0 | .22  | 10   |
| 46726    | 5/16 | 7.9  | 12.0 | .34  | 10   |
| 46728    | 3/8  | 7.9  | 12.5 | .48  | 10   |




### 46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

| Item No. | Inch  | Inch | Inch | Inch  | lbs.     |
|----------|-------|------|------|-------|----------|
| 46797    | 46702 | .050 | 2.9  | 46716 | 5/32 3.9 |
|          | 46704 | 1/16 | 2.9  | 46718 | 3/16 2.9 |
|          | 46706 | 5/64 | 3.9  | 46722 | 7/32 5.9 |
|          | 46708 | 3/32 | 3.9  | 46724 | 1/4 5.9  |
|          | 46710 | 7/64 | 3.9  | 46726 | 5/16 7.9 |
|          | 46712 | 1/8  | 3.9  | 46728 | 3/8 7.9  |
|          | 46714 | 9/64 | 3.9  |       |          |

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry



### 46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

| Item No. | Inch  | Inch | Inch | Inch  | lbs.     |
|----------|-------|------|------|-------|----------|
| 46793    | 46702 | .050 | 2.9  | 46710 | 7/64 3.9 |
|          | 46704 | 1/16 | 2.9  | 46712 | 1/8 3.9  |
|          | 46706 | 5/64 | 3.9  | 46714 | 9/64 3.9 |
|          | 46708 | 3/32 | 3.9  | 46716 | 5/32 3.9 |




### 46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

| Item No. | Inch  | Inch | Inch | Inch  | lbs.     |
|----------|-------|------|------|-------|----------|
| 46794    | 46712 | 1/8  | 3.9  | 46718 | 3/16 3.9 |
|          | 46714 | 9/64 | 3.9  | 46722 | 7/32 5.9 |
|          | 46716 | 5/32 | 3.9  | 46724 | 1/4 5.9  |

Yellow = Inch  
Red = Metric

## Wiha Ball End 3K Series Drivers & Sets

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry



### 467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

| Item No. | mm   | mm  | mm  | lbs. | pkg. |
|----------|------|-----|-----|------|------|
| 46715    | 1.5  | 75  | 161 | .07  | 10   |
| 46720    | 2.0  | 100 | 186 | .07  | 10   |
| 46725    | 2.5  | 100 | 186 | .07  | 10   |
| 46730    | 3.0  | 100 | 186 | .07  | 10   |
| 46740    | 4.0  | 100 | 197 | .11  | 10   |
| 46750    | 5.0  | 100 | 197 | .13  | 10   |
| 46760    | 6.0  | 150 | 257 | .21  | 10   |
| 46780    | 8.0  | 200 | 307 | .34  | 10   |
| 46786    | 10.0 | 200 | 319 | .52  | 10   |



### 46796 7 Piece Metric Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish.

Molded on Wiha-3k Ergo soft grip handles.

| Included on Winlink Large Cock Grip Hardware: |       |                                                                                     |                                                                                     |       |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Item                                          |       |  |  |       |  |  |  |
| No.                                           |       | mm                                                                                  | mm                                                                                  |       | mm                                                                                  | mm                                                                                  | lbs.                                                                                |
| 46796                                         | 46715 | 1.5                                                                                 | 75                                                                                  | 46740 | 4.0                                                                                 | 100                                                                                 | 1.15                                                                                |
|                                               | 46720 | 2.0                                                                                 | 100                                                                                 | 46750 | 5.0                                                                                 | 100                                                                                 |                                                                                     |
|                                               | 46725 | 2.5                                                                                 | 100                                                                                 | 46760 | 6.0                                                                                 | 150                                                                                 |                                                                                     |
|                                               | 46730 | 3.0                                                                                 | 100                                                                                 |       |                                                                                     |                                                                                     |                                                                                     |



### 46799 9 Piece Metric Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish.

Molded on Wiha-3k Ergo soft grip handles.

| Item  |       |         | Item  |          |      | Item |
|-------|-------|---------|-------|----------|------|------|
| No.   | mm    | mm      | mm    | mm       | lbs. |      |
| 46799 | 46715 | 1.5 75  | 46750 | 5.0 100  | 1.93 |      |
|       | 46720 | 2.0 100 | 46760 | 6.0 150  |      |      |
|       | 46725 | 2.5 100 | 46780 | 8.0 200  |      |      |
|       | 46730 | 3.0 100 | 46786 | 10.0 200 |      |      |
|       | 46740 | 4.0 100 |       |          |      |      |

Yellow = Inch

Red = Metric

## Wiha PocketStar Fold-Ups



Push button key release

**36997 9 Piece MagicRing Inch PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

**Item No.**   
**36997** PocketStar lbs. .46

**Inch:** 5/64", 3/32", 7/64", 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

\* Standard Ball - No Ring



Push button key release

**36996 7 Piece MagicRing Metric PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

**Item No.**   
**36996** PocketStar lbs. .50

**Metric:** 2.0\*, 2.5\*, 3.0, 4.0, 5.0, 6.0, 8.0mm

\* Standard Ball - No Ring



Push button key release

**66997 2 Pack MagicRing PocketStar Fold Outs Inch & Metric**  
High alloy CVM steel, hardened, molded ergonomic handle.

**Item No.**   
**66997** Fold Outs Inch/Metric Includes: lbs. .98

36996 - 2.0\*, 2.5\*, 3.0, 4.0, 5.0, 6.0, 8.0mm

36997 - 5/64", 3/32", 7/64", 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

\* Standard Ball - No Ring



#35195

#35196

**35195 7 Piece Metric Hex PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

**Item No.**   
**35195** PocketStar lbs. .51

**Metric:** 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

**35196 7 Piece Metric Hex PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

**Item No.**   
**35196** PocketStar lbs. .31

**Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



Push button key release

**35197 9 Piece Inch Hex PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

**Item No.**   
**35197** PocketStar lbs. .47

**Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Push button key release

**35198 6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs**  
High alloy CVM steel, hardened, molded ergonomic handle.

**Item No.**   
**35198** PocketStar lbs. .35

**Slotted:** 5.5mm **Phillips:** #2

**Metric:** 3.0, 4.0, 5.0, 6.0mm

## Nickel-Plated Long Arm Hex L-keys



Nickel-Plated

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

**352 Metric L-key Hex, Long Arm** high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

| Item No. | mm   | mm  | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35201    | 1.5  | 89  | 3.5  | 14 | .6   | .01  | 10   |
| 35202    | 2.0  | 99  | 3.9  | 16 | .6   | .01  | 10   |
| 35204    | 2.5  | 110 | 4.3  | 18 | .7   | .02  | 10   |
| 35206    | 3.0  | 124 | 4.9  | 20 | .8   | .02  | 10   |
| 35208    | 4.0  | 138 | 5.4  | 25 | 1.0  | .04  | 10   |
| 35210    | 5.0  | 158 | 6.2  | 28 | 1.1  | .07  | 10   |
| 35211    | 6.0  | 178 | 7.0  | 32 | 1.3  | .12  | 10   |
| 35212    | 7.0  | 187 | 7.4  | 34 | 1.3  | .17  | 10   |
| 35214    | 8.0  | 196 | 7.7  | 36 | 1.4  | .23  | 10   |
| 35217    | 10.0 | 219 | 8.6  | 40 | 1.6  | .40  | 10   |
| 35219    | 12.0 | 245 | 9.6  | 45 | 1.8  | .77  | 1    |
| 35221    | 14.0 | 277 | 10.9 | 56 | 2.2  | 1.12 | 1    |
| 35223    | 17.0 | 316 | 12.4 | 63 | 2.5  | 1.80 | 1    |
| 35227    | 19.0 | 355 | 14.0 | 70 | 2.8  | 2.46 | 1    |



Nickel-Plated

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

## 352 Inch L-key Hex, Long Arm

| Item No. | Inch | mm  | Inch | lbs. | pkg. |
|----------|------|-----|------|------|------|
| 35231    | .050 | 75  | 3.0  | .01  | 10   |
| 35233    | 1/16 | 78  | 3.1  | .01  | 10   |
| 35235    | 5/64 | 82  | 3.2  | .01  | 10   |
| 35237    | 3/32 | 85  | 3.3  | .01  | 10   |
| 35239    | 7/64 | 92  | 3.6  | .01  | 10   |
| 35241    | 1/8  | 95  | 3.7  | .02  | 10   |
| 35243    | 9/64 | 100 | 3.9  | .03  | 10   |
| 35251    | 5/32 | 105 | 4.1  | .03  | 10   |
| 35252    | 3/16 | 113 | 4.4  | .05  | 10   |
| 35253    | 7/32 | 122 | 4.8  | .07  | 10   |
| 35254    | 1/4  | 135 | 5.3  | .10  | 10   |
| 35255    | 5/16 | 152 | 6.0  | .18  | 10   |
| 35256    | 3/8  | 173 | 6.8  | .30  | 10   |
| 35257    | 1/2  | 209 | 8.2  | .77  | 1    |
| 35258    | 9/16 | 230 | 9.1  | 1.04 | 1    |
| 35259    | 5/8  | 245 | 9.6  | 1.27 | 1    |
| 35261    | 3/4  | 286 | 11.3 | 2.01 | 1    |



## 35297 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

| Item No. | lbs. | pkg. |
|----------|------|------|
| 35297    | 1.00 | 1    |



## 35295 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

| Item No. | lbs. | pkg. |
|----------|------|------|
| 35295    | .90  | 1    |

## Black Finish Long Arm Hex L-keys



**352 Metric** L-key Hex **Metric**, Long Arm, high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

| Item No. |  |  |  |  |  |  |  |
|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.      | mm                                                                                | mm                                                                                | Inch                                                                              | mm                                                                                | Inch                                                                              | lbs.                                                                              | pkg.                                                                              |
| 35200    | 0.7                                                                               | 66                                                                                | 2.6                                                                               | 5                                                                                 | .2                                                                                | .01                                                                               | 10                                                                                |
| 35203    | 0.9                                                                               | 68                                                                                | 2.7                                                                               | 8                                                                                 | .3                                                                                | .01                                                                               | 10                                                                                |
| 35205    | 1.3                                                                               | 72                                                                                | 2.8                                                                               | 12                                                                                | .5                                                                                | .01                                                                               | 10                                                                                |
| 35215    | 1.5                                                                               | 76                                                                                | 3.5                                                                               | 14                                                                                | .6                                                                                | .01                                                                               | 10                                                                                |
| 35220    | 2.0                                                                               | 99                                                                                | 3.9                                                                               | 16                                                                                | .6                                                                                | .01                                                                               | 10                                                                                |
| 35225    | 2.5                                                                               | 110                                                                               | 4.3                                                                               | 18                                                                                | .7                                                                                | .02                                                                               | 10                                                                                |
| 35230    | 3.0                                                                               | 124                                                                               | 4.9                                                                               | 20                                                                                | .8                                                                                | .02                                                                               | 10                                                                                |
| 35240    | 4.0                                                                               | 138                                                                               | 5.4                                                                               | 25                                                                                | 1.0                                                                               | .04                                                                               | 10                                                                                |
| 35250    | 5.0                                                                               | 158                                                                               | 6.2                                                                               | 28                                                                                | 1.1                                                                               | .07                                                                               | 10                                                                                |
| 35260    | 6.0                                                                               | 178                                                                               | 7.0                                                                               | 32                                                                                | 1.3                                                                               | .12                                                                               | 10                                                                                |
| 35270    | 7.0                                                                               | 187                                                                               | 7.4                                                                               | 34                                                                                | 1.3                                                                               | .18                                                                               | 10                                                                                |
| 35280    | 8.0                                                                               | 196                                                                               | 7.7                                                                               | 36                                                                                | 1.4                                                                               | .24                                                                               | 10                                                                                |
| 35282    | 10.0                                                                              | 219                                                                               | 8.6                                                                               | 40                                                                                | 1.6                                                                               | .40                                                                               | 10                                                                                |
| 35284    | 12.0                                                                              | 245                                                                               | 9.6                                                                               | 45                                                                                | 1.8                                                                               | .77                                                                               | 1                                                                                 |
| 35285    | 14.0                                                                              | 277                                                                               | 10.9                                                                              | 56                                                                                | 2.2                                                                               | 1.13                                                                              | 1                                                                                 |
| 35286    | 17.0                                                                              | 316                                                                               | 12.4                                                                              | 63                                                                                | 2.5                                                                               | 1.80                                                                              | 1                                                                                 |
| 35288    | 19.0                                                                              | 355                                                                               | 14.0                                                                              | 70                                                                                | 2.8                                                                               | 2.45                                                                              | 1                                                                                 |



**352 Inch** L-key Hex, Long Arm

| Item No. |  |  |  |  |  |  |  |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.      | Inch                                                                                | mm                                                                                  | Inch                                                                                | lbs.                                                                                | mm                                                                                  | Inch                                                                                | pkg.                                                                                |
| 35200    | .028                                                                                | 67                                                                                  | 2.6                                                                                 | .01                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35203    | .035                                                                                | 69                                                                                  | 2.7                                                                                 | .01                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35213    | .050                                                                                | 75                                                                                  | 3.0                                                                                 | .01                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35216    | 1/16                                                                                | 78                                                                                  | 3.1                                                                                 | .01                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35218    | 5/64                                                                                | 82                                                                                  | 3.2                                                                                 | .01                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35222    | 3/32                                                                                | 85                                                                                  | 3.3                                                                                 | .01                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35224    | 7/64                                                                                | 92                                                                                  | 3.6                                                                                 | .02                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35226    | 1/8                                                                                 | 95                                                                                  | 3.7                                                                                 | .02                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35228    | 9/64                                                                                | 100                                                                                 | 3.9                                                                                 | .03                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35232    | 5/32                                                                                | 105                                                                                 | 4.1                                                                                 | .04                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35234    | 3/16                                                                                | 113                                                                                 | 4.4                                                                                 | .05                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35236    | 7/32                                                                                | 122                                                                                 | 4.8                                                                                 | .07                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35238    | 1/4                                                                                 | 135                                                                                 | 5.3                                                                                 | .10                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35242    | 5/16                                                                                | 152                                                                                 | 6.0                                                                                 | .18                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35244    | 3/8                                                                                 | 173                                                                                 | 6.8                                                                                 | .30                                                                                 | 10                                                                                  |                                                                                     |                                                                                     |
| 35245    | 1/2                                                                                 | 209                                                                                 | 8.2                                                                                 | .75                                                                                 | 1                                                                                   |                                                                                     |                                                                                     |
| 35246    | 9/16                                                                                | 230                                                                                 | 9.1                                                                                 | .99                                                                                 | 1                                                                                   |                                                                                     |                                                                                     |
| 35247    | 5/8                                                                                 | 245                                                                                 | 9.6                                                                                 | 1.26                                                                                | 1                                                                                   |                                                                                     |                                                                                     |
| 35248    | 3/4                                                                                 | 286                                                                                 | 11.3                                                                                | 2.02                                                                                | 1                                                                                   |                                                                                     |                                                                                     |
| 35249    | 1"                                                                                  | 359                                                                                 | 14.1                                                                                | 4.38                                                                                | 1                                                                                   |                                                                                     |                                                                                     |



**35290** 9 Piece **Metric** Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

| Item No. |  |  |
|----------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.      | lbs.                                                                              | pkg.                                                                                |
| 35290    | .97                                                                               | 1                                                                                   |



**35291** 13 Piece **Inch** Hex L-key Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

| Item No. |  |  |
|----------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.      | lbs.                                                                                | pkg.                                                                                  |
| 35291    | .98                                                                                 | 1                                                                                     |

## Short Arm Hex L-keys Nickel Finish

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

Nickel-Plated

**351 Metric** L-key Hex **Metric**, Short Arm high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

| Item No. | mm   | mm  | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35104    | 1.5  | 45  | 1.8  | 14 | .6   | .01  | 10   |
| 35108    | 2.0  | 49  | 1.9  | 16 | .6   | .01  | 10   |
| 35112    | 2.5  | 55  | 2.2  | 18 | .7   | .01  | 10   |
| 35116    | 3.0  | 61  | 2.4  | 20 | .8   | .02  | 10   |
| 35120    | 4.0  | 68  | 2.7  | 25 | 1.0  | .03  | 10   |
| 35124    | 5.0  | 78  | 3.1  | 28 | 1.1  | .04  | 10   |
| 35128    | 6.0  | 88  | 3.5  | 32 | 1.3  | .07  | 10   |
| 35132    | 7.0  | 92  | 3.6  | 34 | 1.3  | .10  | 10   |
| 35136    | 8.0  | 97  | 3.8  | 36 | 1.4  | .13  | 10   |
| 35140    | 9.0  | 103 | 4.1  | 38 | 1.5  | .18  | 10   |
| 35144    | 10.0 | 109 | 4.3  | 40 | 1.6  | .23  | 10   |
| 35145    | 12.0 | 122 | 4.8  | 45 | 1.8  | .40  | 1    |
| 35175    | 14.0 | 137 | 5.4  | 56 | 2.2  | .61  | 1    |
| 35177    | 17.0 | 156 | 6.1  | 63 | 2.5  | 1.02 | 1    |
| 35179    | 19.0 | 176 | 6.9  | 70 | 2.8  | 1.40 | 1    |

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

Nickel-Plated

**351 Inch** L-key Hex, Short Arm Nickel-plated

| Item No. | Inch | mm  | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35143    | .050 | 40  | 1.6  | 10 | .39  | .01  | 10   |
| 35146    | 1/16 | 46  | 1.8  | 14 | .55  | .01  | 10   |
| 35147    | 5/64 | 50  | 2.0  | 16 | .63  | .01  | 10   |
| 35150    | 3/32 | 52  | 2.1  | 19 | .75  | .01  | 10   |
| 35152    | 7/64 | 54  | 2.1  | 19 | .75  | .01  | 10   |
| 35153    | 1/8  | 58  | 2.3  | 21 | .83  | .02  | 10   |
| 35155    | 9/64 | 62  | 2.4  | 23 | .91  | .02  | 10   |
| 35156    | 5/32 | 68  | 2.7  | 25 | .99  | .02  | 10   |
| 35159    | 3/16 | 70  | 2.8  | 26 | 1.0  | .04  | 10   |
| 35162    | 7/32 | 77  | 3.1  | 29 | 1.2  | .05  | 10   |
| 35165    | 1/4  | 88  | 3.5  | 31 | 1.2  | .08  | 10   |
| 35168    | 5/16 | 98  | 3.9  | 36 | 1.4  | .13  | 10   |
| 35171    | 3/8  | 107 | 4.2  | 38 | 1.5  | .20  | 10   |
| 35174    | 1/2  | 133 | 5.2  | 44 | 1.7  | .46  | 1    |
| 35176    | 9/16 | 158 | 6.2  | 64 | 2.5  | .64  | 1    |
| 35178    | 5/8  | 175 | 6.9  | 71 | 2.8  | .85  | 1    |
| 35180    | 3/4  | 198 | 7.8  | 89 | 3.5  | 1.40 | 1    |



### 35191 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



### 35193 6 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm

lbs. .20 pkg. 1



### 35192 8 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"

lbs. .41 pkg. 1



### 35194 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050 - 3/8"

lbs. .72 pkg. 1

## Short Arm Hex L-keys Black Finish


 Black Finish

**353 Metric L-key Hex Metric, Short Arm** high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

| Item No. | mm   | mm  | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35301    | 0.7  | 31  | 1.2  | -  | -    | .01  | 10   |
| 35302    | 0.9  | 31  | 1.2  | -  | -    | .01  | 10   |
| 35303    | 1.3  | 40  | 1.6  | 12 | .5   | .01  | 10   |
| 35304    | 1.5  | 45  | 1.8  | 14 | .6   | .01  | 10   |
| 35305    | 2.0  | 49  | 1.9  | 16 | .6   | .01  | 10   |
| 35306    | 2.5  | 55  | 2.2  | 18 | .7   | .01  | 10   |
| 35307    | 3.0  | 61  | 2.4  | 20 | .8   | .02  | 10   |
| 35308    | 4.0  | 68  | 2.7  | 25 | 1.0  | .03  | 10   |
| 35309    | 5.0  | 78  | 3.1  | 28 | 1.1  | .04  | 10   |
| 35310    | 6.0  | 88  | 3.5  | 32 | 1.3  | .07  | 10   |
| 35311    | 7.0  | 92  | 3.6  | 34 | 1.3  | .10  | 10   |
| 35312    | 8.0  | 97  | 3.8  | 36 | 1.4  | .13  | 10   |
| 35313    | 9.0  | 103 | 4.1  | 38 | 1.5  | .17  | 10   |
| 35314    | 10.0 | 109 | 4.3  | 40 | 1.6  | .23  | 10   |
| 35316    | 11.0 | 115 | 4.5  | 42 | 1.7  | .29  | 10   |
| 35317    | 12.0 | 122 | 4.8  | 45 | 1.8  | .40  | 1    |
| 35318    | 14.0 | 137 | 5.4  | 56 | 2.2  | .61  | 1    |
| 35319    | 17.0 | 156 | 6.1  | 63 | 2.5  | 1.03 | 1    |
| 35320    | 19.0 | 176 | 6.9  | 70 | 2.8  | 1.40 | 1    |
| 35321    | 22.0 | 195 | 7.7  | 80 | 3.1  | 2.17 | 1    |


 Black Finish

**353 Inch L-key Hex Inch, Short Arm** black finish


| Item No. | Inch | mm  | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35301    | .028 | 31  | 1.2  | -  | -    | .01  | 10   |
| 35302    | .035 | 31  | 1.2  | -  | -    | .01  | 10   |
| 35330    | .050 | 40  | 1.6  | 10 | .4   | .01  | 10   |
| 35331    | 1/16 | 46  | 1.8  | 14 | .6   | .01  | 10   |
| 35332    | 5/64 | 50  | 2.0  | 16 | .6   | .01  | 10   |
| 35333    | 3/32 | 52  | 2.1  | 19 | .8   | .01  | 10   |
| 35334    | 7/64 | 54  | 2.1  | 19 | .8   | .01  | 10   |
| 35335    | 1/8  | 58  | 2.3  | 21 | .8   | .02  | 10   |
| 35336    | 9/64 | 62  | 2.4  | 23 | .9   | .02  | 10   |
| 35337    | 5/32 | 68  | 2.7  | 25 | 1.0  | .02  | 10   |
| 35338    | 3/16 | 70  | 2.8  | 26 | 1.0  | .05  | 10   |
| 35339    | 7/32 | 77  | 3.1  | 29 | 1.2  | .07  | 10   |
| 35340    | 1/4  | 88  | 3.5  | 31 | 1.2  | .07  | 10   |
| 35341    | 5/16 | 98  | 3.9  | 36 | 1.4  | .13  | 10   |
| 35342    | 3/8  | 107 | 4.2  | 38 | 1.5  | .20  | 10   |
| 35343    | 1/2  | 133 | 5.2  | 44 | 1.7  | .49  | 1    |
| 35345    | 9/16 | 158 | 6.2  | 64 | 2.5  | .66  | 1    |
| 35346    | 5/8  | 175 | 6.9  | 71 | 2.8  | .86  | 1    |
| 35347    | 3/4  | 198 | 7.8  | 89 | 3.5  | 1.45 | 1    |
| 35348    | 1"   | 220 | 8.7  | 91 | 3.6  | 3.14 | 1    |



### 35390 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



### 35392 5 Piece Mini Metric Hex L-key Set, In Plastic Holder

Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm

lbs. .03 pkg. 1



For angle entry

### 36989 9 Piece Short Arm Metric Ball End Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



### 35391 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

lbs. .64 pkg. 1



### 35393 5 Piece Mini Inch Hex L-key Set, In Plastic Holder

Equipped with .028, .035, .050, 1/16, 5/64"

lbs. .03 pkg. 1

### Wiha Insulated T-handles

#### Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910


#### Insulation

Molded directly onto blade for permanent bonding

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Blade CVM tool steel, hardened to average 58/60RC

**1000V**



**1000Volt**

**334** **Metric** T-handle, With Wiha-Molded Handle. Insulation According to ASTM, VDE, EN/IEC, NFPA70E and CSA, **1000 Volt. Individually Tested.**

| Item  | Hex  | mm  | Inch | mm  | Inch | lbs. | pkg. |
|-------|------|-----|------|-----|------|------|------|
| 33441 | 4.0  | 150 | 5.9  | 176 | 6.9  | .09  | 10   |
| 33443 | 5.0  | 150 | 5.9  | 176 | 6.9  | .15  | 10   |
| 33445 | 6.0  | 150 | 5.9  | 176 | 6.9  | .18  | 10   |
| 33447 | 8.0  | 150 | 5.9  | 176 | 6.9  | .26  | 10   |
| 33449 | 10.0 | 150 | 5.9  | 176 | 6.9  | .46  | 10   |



**1000Volt**

**33478** 5 Piece Hex **Metric** T-handle Set

| Item  | Hex                        | lbs. |
|-------|----------------------------|------|
| No.   | Hex <b>Metric</b> :        | lbs. |
| 33478 | 4.0, 5.0, 6.0, 8.0, 10.0mm | 1.20 |


### Wiha Insulated Hex Metric Screwdrivers



**1000Volt**

**323** Hex **Metric** Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, **1000 Volt. Individually Tested.** Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item  | Hex  | mm  | Inch | mm  | Inch | lbs. | pkg. |
|-------|------|-----|------|-----|------|------|------|
| No.   | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| 32302 | 2.5  | 75  | 3.0  | 179 | 7.0  | .06  | 10   |
| 32303 | 3.0  | 75  | 3.0  | 179 | 7.0  | .08  | 10   |
| 32304 | 4.0  | 75  | 3.0  | 186 | 7.3  | .12  | 10   |
| 32305 | 5.0  | 75  | 3.0  | 186 | 7.3  | .15  | 10   |
| 32306 | 6.0  | 100 | 3.9  | 218 | 8.6  | .21  | 10   |
| 32308 | 8.0  | 100 | 3.9  | 218 | 8.6  | .34  | 10   |



**1000Volt**

**32366** 6 Piece Insulated Hex **Metric** Screwdriver Set

| Item No. | Hex                            | lbs. |
|----------|--------------------------------|------|
| No.      | Hex <b>Metric</b> :            | lbs. |
| 32366    | 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm | 1.06 |

### Wiha Insulated T-handles

#### Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910


#### Insulation

Molded directly onto blade for permanent bonding

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Blade CVM tool steel, hardened to average 58/60RC

**1000V**



**1000Volt**

**334** Inch T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA, **1000 Volt. Individually Tested.**

Blade CVM steel, hardened. Insulation molded directly onto blade.

Wiha-SoftFinish® handle, multi-component.

| Item  | Hex  | Inch | Inch | mm  | lbs. | pkg. |
|-------|------|------|------|-----|------|------|
| No.   | Inch | Inch | Inch | mm  | lbs. | pkg. |
| 33481 | 5/32 | 5.9  | 6.9  | 176 | .09  | 10   |
| 33482 | 3/16 | 5.9  | 6.9  | 176 | .15  | 10   |
| 33483 | 7/32 | 5.9  | 6.9  | 176 | .19  | 10   |
| 33485 | 1/4  | 6.9  | 6.9  | 176 | .20  | 10   |
| 33486 | 5/16 | 6.9  | 6.9  | 176 | .26  | 10   |
| 33487 | 3/8  | 6.9  | 6.9  | 176 | .44  | 10   |



**1000Volt**

**33490** 6 Piece Hex Inch T-handle Set

| Item  | Hex                               | lbs. |
|-------|-----------------------------------|------|
| No.   | Hex Inch:                         | lbs. |
| 33490 | 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | 1.66 |

### Wiha Insulated Hex L-keys

#### Insulation Test Standards:

Insulation according to ASTM,  
F-1505-01, EN/IEC 60900  
and CSA



#### Insulation

Applied directly  
onto blade for  
permanent  
bonding

Each tool individually  
tested to 10,000 volts  
and certified to 1000  
Volt ac or 1500 Volt dc

**1000V**



#13691



#13690

**1000Volt**

#### 13690 8 Piece Insulated Hex L-key Set - Inch

| Item No. |                                             |           |  |
|----------|---------------------------------------------|-----------|--|
| 13690    | 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2" | lbs. 2.17 |  |

#### 13691 7 Piece Insulated Hex L-key Set - Metric

| Item No. |                                       |           |  |
|----------|---------------------------------------|-----------|--|
| 13691    | 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm | lbs. 2.07 |  |



**1000Volt**

#### 136 Inch Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 specification, up to 1000 Volt.  
Individually Tested. Blade chrome-vanadium steel, hardened.

| Item No. | ØMM  | OAL | OAL  |      |      |
|----------|------|-----|------|------|------|
| No.      | Inch | mm  | Inch | lbs. | pkg. |
| 13670    | 1/16 | 79  | 3.1  | .05  | 1    |
| 13671    | 5/64 | 84  | 3.3  | .05  | 1    |
| 13672    | 3/32 | 89  | 3.5  | .05  | 1    |
| 13673    | 7/64 | 94  | 3.7  | .06  | 1    |
| 13663    | 1/8  | 104 | 4.1  | .06  | 1    |
| 13665    | 5/32 | 104 | 4.1  | .06  | 1    |
| 13666    | 3/16 | 134 | 5.3  | .10  | 1    |
| 13667    | 7/32 | 134 | 5.3  | .12  | 1    |
| 13668    | 1/4  | 134 | 5.3  | .16  | 1    |
| 13669    | 5/16 | 144 | 5.7  | .24  | 1    |
| 13662    | 3/8  | 234 | 9.2  | .51  | 1    |
| 13664    | 1/2  | 234 | 9.2  | .77  | 1    |



**1000Volt**

#### 136 Metric Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 specification, up to 1000 Volt.  
Individually Tested. Blade chrome-vanadium steel, hardened.

| Item No. | ØMM  | OAL | OAL  |      |      |
|----------|------|-----|------|------|------|
| No.      | mm   | mm  | Inch | lbs. | pkg. |
| 13650    | 1.5  | 100 | 3.9  | .09  | 1    |
| 13651    | 2.0  | 105 | 4.1  | .09  | 1    |
| 13652    | 2.5  | 115 | 4.5  | .09  | 1    |
| 13653    | 3.0  | 130 | 5.1  | .10  | 1    |
| 13654    | 4.0  | 120 | 4.7  | .10  | 1    |
| 13655    | 5.0  | 140 | 5.5  | .10  | 1    |
| 13656    | 6.0  | 140 | 5.5  | .13  | 1    |
| 13658    | 8.0  | 150 | 5.9  | .24  | 1    |
| 13659    | 10.0 | 220 | 8.7  | .51  | 1    |
| 13657    | 12.0 | 260 | 10.2 | .77  | 1    |



**1000Volt**

#### 13693 10 Piece Insulated Hex L-key Set - Metric

| Item No. |                                                      |           |  |
|----------|------------------------------------------------------|-----------|--|
| 13693    | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm | lbs. 2.26 |  |

#### 13694 12 Piece Insulated Hex L-key Set - Inch

| Item No. |                                                                     |           |  |
|----------|---------------------------------------------------------------------|-----------|--|
| 13694    | 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2" | lbs. 2.40 |  |

### Wiha Insulated 3/8" Bit Sockets & Set



**1000Volt**

#### 318 Insulated 3/8" Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 specification, up to 1000 Volt.

Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

| Item No. | Inch | OAL  | lbs. | pkg. |
|----------|------|------|------|------|
| 31805    | 3/16 | 3.1" | .13  | 1    |
| 31807    | 7/32 | 3.1" | .14  | 1    |
| 31809    | 1/4  | 3.1" | .14  | 1    |
| 31811    | 5/16 | 3.1" | .16  | 1    |
| 31813    | 3/8  | 3.1" | .18  | 1    |
| 31815    | 7/16 | 3.1" | .20  | 1    |
| 31817    | 1/2  | 3.1" | .22  | 1    |

\*Sockets must be used with insulated ratchets & extensions



**1000Volt**

#### 31890 7 Piece Insulated 3/8" Drive Socket Set - Inch

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

| Item No. | 31890    | Set includes the following:            |
|----------|----------|----------------------------------------|
|          | lbs. 1.7 | 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2" |

## Wiha Drive-Loc VI Handles



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

### 28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

#### Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

| Item  |     |     |      |      |      |      |
|-------|-----|-----|------|------|------|------|
| No.   | mm  | mm  | Inch | mm   | Inch | lbs. |
| 28488 | 6.0 | 115 | 4.5  | 36.0 | 1.41 | .26  |



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

### 28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

#### Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

| Item  |     |     |      |      |      |      |
|-------|-----|-----|------|------|------|------|
| No.   | mm  | mm  | Inch | mm   | Inch | lbs. |
| 28486 | 6.0 | 115 | 4.5  | 36.0 | 1.41 | .21  |



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

### 28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.


#### Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

| Item  |     |     |      |      |      |      |
|-------|-----|-----|------|------|------|------|
| No.   | mm  | mm  | Inch | mm   | Inch | lbs. |
| 28487 | 6.0 | 115 | 4.5  | 36.0 | 1.41 | .20  |



## Wiha Drive-Loc VI Blades



### 281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable

**Blade** High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item  |         |      |      |  |
|-------|---------|------|------|--|
| No.   | mm + mm | lbs. | pkg. |  |
| 28116 | 2.5 2.5 | .10  | 1    |  |
| 28117 | 3 3     | .10  | 1    |  |
| 28118 | 4 4     | .10  | 1    |  |
| 28119 | 5 5     | .10  | 1    |  |
| 28120 | 6 6     | .10  | 1    |  |



### 281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item  |         |      |      |  |
|-------|---------|------|------|--|
| No.   | mm + mm | lbs. | pkg. |  |
| 28149 | 2.0 2.5 | .09  | 1    |  |
| 28150 | 3.0 4.0 | .10  | 1    |  |
| 28151 | 5.0 6.0 | .10  | 1    |  |



### 281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item  |             |      |      |  |
|-------|-------------|------|------|--|
| No.   | Inch + Inch | lbs. | pkg. |  |
| 28122 | 3/32 7/64   | .10  | 1    |  |
| 28123 | 1/8 9/64    | .10  | 1    |  |
| 28124 | 5/32 3/16   | .10  | 1    |  |



### 28192 7 Piece Hex Inch & Metric Drive-Loc VI Blade Set

Blade CVM steel, hardened, hard chromed. In storage pouch

| Item                                       |      |  |
|--------------------------------------------|------|--|
| No. 28192                                  | lbs. |  |
| Inch: 3/32 x 7/64, 1/8 x 9/64, 5/32 x 3/16 | .74  |  |
| Metric: 2.0 x 2.5, 3.0 x 4.0, 5.0 x 6.0    |      |  |
| Wiha SoftFinish® Cushion Grip Handle       |      |  |

## TorqueControl Tools



+/-6% accuracy  
tolerance  
Certificate of  
calibration



+/-6% accuracy tolerance  
Certificate of calibration

### 285 TorqueFix, With Wiha-SoftFinish® Handle

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%. Audible and perceptible click when pre-set torque has been attained.

Automatically resets for next torque cycle; 50% greater reverse torque.

| Item No. | Pre-Sets |      |      |     |      |      |      |
|----------|----------|------|------|-----|------|------|------|
|          | oz.      | lbs. | Nm   | mm  | Inch | lbs. | pkg. |
| 28503    | 80       | 5    | 0.56 | 112 | 4.4  | .16  | 1    |
| 28505    | 120      | 7.5  | 0.84 | 112 | 4.4  | .15  | 1    |
| 28507    | 160      | 10   | 1.12 | 119 | 4.7  | .28  | 1    |
| 28509    | 200      | 12.5 | 1.41 | 119 | 4.7  | .27  | 1    |
| 28511    | 240      | 15   | 1.69 | 119 | 4.7  | .27  | 1    |
| 28513    | 320      | 20   | 2.25 | 119 | 4.7  | .28  | 1    |
| 28515    | 400      | 25   | 2.82 | 126 | 4.9  | .37  | 1    |
| 28517    | 480      | 30   | 3.39 | 126 | 4.9  | .37  | 1    |
| 28518    | 560      | 35   | 3.95 | 126 | 4.9  | .37  | 1    |
| 28519    | 640      | 40   | 4.52 | 126 | 4.9  | .37  | 1    |
| 28521    | 800      | 50   | 5.65 | 132 | 5.2  | .52  | 1    |
| 28523    | 960      | 60   | 6.78 | 132 | 5.2  | .52  | 1    |
| 28525    | 1120     | 70   | 7.91 | 132 | 5.2  | .52  | 1    |

Direct Reading Scale



+/-6% accuracy  
tolerance  
Certificate of  
calibration

### 285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

| Item No. | Range          |      |             |           |      |
|----------|----------------|------|-------------|-----------|------|
|          | Inch           | lbs. | Increments  | mm        | lbs. |
| 28501*   | 15 - 80(in/oz) |      | 2.5 Inch oz | 122 - 127 | .22  |
| 28502    | 5 - 10         |      | .5 Inch lbs | 122 - 127 | .41  |
| 28504    | 7.5 - 20       |      | .5 Inch lbs | 126 - 131 | .50  |
| 28506    | 10 - 50        |      | 2 Inch lbs  | 133 - 138 | .59  |
| 28508    | 20 - 70        |      | 2 Inch lbs  | 137 - 142 | .74  |

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 30

\* +/- 10% (This unit only)

\* (1 Nm = 8.8507)

### 285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

| Item No. | Newton Meter Scale |        |           |      |      |
|----------|--------------------|--------|-----------|------|------|
|          | Increments         |        | mm        | lbs. | pkg. |
| 28550*   | 0.1 - 0.6Nm        | .02 Nm | 122 - 127 | .35  | 1    |
| 28551    | 0.4 - 1.0Nm        | .05 Nm | 122 - 127 | .35  | 1    |
| 28552    | 0.8 - 2.0Nm        | .05 Nm | 126 - 131 | .45  | 1    |
| 28553    | 1.0 - 5.0Nm        | .20 Nm | 133 - 138 | .55  | 1    |
| 28554    | 2.0 - 8.0Nm        | .25 Nm | 137 - 142 | .70  | 1    |

\* +/- 10% (This unit only)

\* (1 Nm 8.8507)



### 285 Hex Metric Interchangeable Blades For TorqueFix &

**TorqueVario** Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. |     |     |      | Max. Torque |      |
|----------|-----|-----|------|-------------|------|
|          | mm  | mm  | lbs. | Nm          | pkg. |
| 28545    | 1.5 | 175 | .07  | 0.9         | 1    |
| 28546    | 2.0 | 175 | .07  | 1.8         | 1    |
| 28547    | 2.5 | 175 | .07  | 3.8         | 1    |
| 28548    | 3.0 | 175 | .07  | 8.0         | 1    |
| 28549    | 4.0 | 175 | .07  | 8.0         | 1    |



### 285 Hex Inch Interchangeable Blades For TorqueFix &

**TorqueVario** Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. |      |     |      | Max. Torque |      |
|----------|------|-----|------|-------------|------|
|          | Inch | mm  | lbs. | Nm          | pkg. |
| 28555    | .050 | 175 | .07  | .4          | 1    |
| 28556    | 1/16 | 175 | .07  | .9          | 1    |
| 28557    | 5/64 | 175 | .07  | 1.8         | 1    |
| 28558    | 3/32 | 175 | .07  | 1.8         | 1    |
| 28559    | 7/64 | 175 | .07  | 3.8         | 1    |
| 28560    | 1/8  | 175 | .07  | 3.8         | 1    |
| 28587    | 9/64 | 175 | .07  | 8.0         | 1    |
| 28588    | 5/32 | 175 | .07  | 8.0         | 1    |

## T-handle TorqueControl Tools



Includes Calibration  
Certificate

### 289 TorqueFix T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy  
Ergonomic multi-component handle, light and compact.  
With Certificate of calibration.

| Item No. | Torque In-lbs. | Torque Nm |  mm x mm |  lbs. |  pkg. |
|----------|----------------|-----------|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| 28931    | 53.1           | 6         | 56 x 120                                                                                  | .81                                                                                    | 1                                                                                      |
| 28933    | 70.8           | 8         | 56 x 120                                                                                  | .82                                                                                    | 1                                                                                      |
| 28935    | 88.5           | 10        | 56 x 120                                                                                  | .79                                                                                    | 1                                                                                      |
| 28937    | 106.2          | 12        | 56 x 120                                                                                  | .79                                                                                    | 1                                                                                      |
| 28938    | 110.6          | 12.5      | 56 x 120                                                                                  | .80                                                                                    | 1                                                                                      |
| 28939    | 123.9          | 14        | 56 x 120                                                                                  | .80                                                                                    | 1                                                                                      |

**Each TorqueFix T-handle has unique serial number and certificate of calibration**



Includes Calibration  
Certificate

### 28940 Adjustable TorqueVario STplus T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy  
Ergonomic multi-component handle, light and compact.

| Item No. | Torque In-lbs. | Torque Nm |  mm x mm |  lbs. |  pkg. |
|----------|----------------|-----------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 28940    | 44.3-123.9     | 5-14      | 56 x 120                                                                                    | .81                                                                                      | 1                                                                                        |

\* (1 Nm 8.8507)



### 289 Hex Metric Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.


| Item No. |  mm |  mm |  Inch |  lbs. |  pkg. |
|----------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 28916    | 3.0                                                                                  | 130                                                                                    | 5.1                                                                                      | .11                                                                                      | 1                                                                                        |
| 28917    | 4.0                                                                                  | 130                                                                                    | 5.1                                                                                      | .11                                                                                      | 1                                                                                        |
| 28918    | 5.0                                                                                  | 130                                                                                    | 5.1                                                                                      | .11                                                                                      | 1                                                                                        |
| 28919    | 6.0                                                                                  | 130                                                                                    | 5.1                                                                                      | .11                                                                                      | 1                                                                                        |



### 289 Hex Inch Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. |  Inch |  mm |  Inch |  lbs. |  pkg. |
|----------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 28920    | 1/8                                                                                      | 130                                                                                      | 5.1                                                                                        | .11                                                                                        | 1                                                                                          |
| 28921    | 9/64                                                                                     | 130                                                                                      | 5.1                                                                                        | .11                                                                                        | 1                                                                                          |
| 28922    | 5/32                                                                                     | 130                                                                                      | 5.1                                                                                        | .11                                                                                        | 1                                                                                          |
| 28923    | 3/16                                                                                     | 130                                                                                      | 5.1                                                                                        | .11                                                                                        | 1                                                                                          |
| 28924    | 7/32                                                                                     | 130                                                                                      | 5.1                                                                                        | .11                                                                                        | 1                                                                                          |



Adjustable from  
Nm 5-14 or  
In-lbs. 44.3-123.9

## Wiha Precision ESD Safe Hex Drivers

Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas.



ESD Standard IEC 61340-5-1

Surface resistance of handles is  $10^6 - 10^9$  Ohms

**Rotating cap** for precise turning & control with fingertip

**Molded Precision handle** of impact resistant dissipative material

**Tapered handle** allows rapid rotation

**Blade**, CVM steel, hardened, hard chrome finish

**Tip**, precision ground for exact fit, Wiha Chromtop finish



### 275 Inch Hex Driver, With Precision ESD Safe Dissipative

**Handle** Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

| Item  | Hex  | Flat | Star | Star | Star | Star | Star |
|-------|------|------|------|------|------|------|------|
| No.   | Inch | mm   | Inch | mm   | Inch | lbs. | pkg. |
| 27505 | .028 | 40   | 1.6  | 120  | 4.7  | .02  | 10   |
| 27510 | .035 | 40   | 1.6  | 120  | 4.7  | .02  | 10   |
| 27513 | .050 | 40   | 1.6  | 120  | 4.7  | .02  | 10   |
| 27537 | 1/16 | 50   | 2.0  | 145  | 5.7  | .03  | 10   |
| 27539 | 5/64 | 50   | 2.0  | 145  | 5.7  | .03  | 10   |
| 27541 | 3/32 | 60   | 2.4  | 170  | 6.7  | .04  | 10   |
| 27543 | 7/64 | 60   | 2.4  | 170  | 6.7  | .04  | 10   |
| 27545 | 1/8  | 60   | 2.4  | 170  | 6.7  | .04  | 10   |
| 27547 | 9/64 | 60   | 2.4  | 170  | 6.7  | .05  | 10   |
| 27549 | 5/32 | 60   | 2.4  | 170  | 6.7  | .05  | 10   |

\*Metric dimensions actual - Inch dimensions approximate

### 275 Metric Hex Metric Driver, With Precision ESD Safe

**Dissipative Handle** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

| Item  | Hex  | Flat | Star | Star | Star | Star | Star |
|-------|------|------|------|------|------|------|------|
| No.   | mm   | mm   | Inch | mm   | Inch | lbs. | pkg. |
| 27507 | .71  | 40   | 1.6  | 120  | 4.7  | .02  | 10   |
| 27509 | .89  | 40   | 1.6  | 120  | 4.7  | .02  | 10   |
| 27513 | 1.27 | 40   | 1.6  | 120  | 4.7  | .03  | 10   |
| 27515 | 1.5  | 50   | 2.0  | 145  | 5.7  | .03  | 10   |
| 27520 | 2.0  | 50   | 2.0  | 145  | 5.7  | .04  | 10   |
| 27525 | 2.5  | 60   | 2.4  | 170  | 6.7  | .05  | 10   |
| 27530 | 3.0  | 60   | 2.4  | 170  | 6.7  | .05  | 10   |
| 27535 | 4.0  | 60   | 2.4  | 170  | 6.7  | .05  | 10   |

\*Metric dimensions actual - Inch dimensions approximate



ESD standard  
IEC 61340-5-1

### 27591 8 Piece Hex Inch Precision Set, ESD Safe Dissipative

**Handle** Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

| Item  | Hex   | Flat | Star | Star  | Star | Star |
|-------|-------|------|------|-------|------|------|
| No.   | Inch  | Inch | Inch | Inch  | Inch | lbs. |
| 27591 | 27513 | .050 | 1.6  | 27543 | 7/64 | 2.4  |
|       | 27537 | 1/16 | 2.0  | 27545 | 1/8  | 2.4  |
|       | 27539 | 5/64 | 2.0  | 27547 | 9/64 | 2.4  |
|       | 27541 | 3/32 | 2.4  | 27549 | 5/32 | 2.4  |



### 91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

| Item  | Size                 | lbs. | pkg. |
|-------|----------------------|------|------|
| 91118 | 14 1/2" W x 7 3/4" L | .13  | 1    |

## Pico Soft Grip Ball End Inch & Metric



### 264 Ball End Hex Inch Screwdriver, With Precision Soft

**PicoFinish Handle** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

| Item  |  |  |  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.   | Inch                                                                              | Inch                                                                              | mm                                                                                | Inch                                                                              | mm                                                                                | pkg.                                                                              |
| 26455 | 1/16                                                                              | 2.0                                                                               | 50                                                                                | 5.9                                                                               | 150                                                                               | 10                                                                                |
| 26457 | 5/64                                                                              | 2.0                                                                               | 50                                                                                | 5.9                                                                               | 150                                                                               | 10                                                                                |
| 26459 | 3/32                                                                              | 2.0                                                                               | 50                                                                                | 5.9                                                                               | 150                                                                               | 10                                                                                |
| 26461 | 7/64                                                                              | 2.4                                                                               | 60                                                                                | 6.3                                                                               | 160                                                                               | 10                                                                                |
| 26463 | 1/8                                                                               | 2.4                                                                               | 60                                                                                | 6.3                                                                               | 160                                                                               | 10                                                                                |
| 26465 | 9/64                                                                              | 2.4                                                                               | 60                                                                                | 6.3                                                                               | 160                                                                               | 10                                                                                |
| 26467 | 5/32                                                                              | 2.4                                                                               | 60                                                                                | 6.3                                                                               | 160                                                                               | 10                                                                                |

\*Metric dimensions actual - Inch dimensions approximate



### 26493 7 Piece Inch Ball End Hex Precision Driver Set, With

**Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

| Item  | No.   | Inch | Inch | Inch  | Inch | lbs. |
|-------|-------|------|------|-------|------|------|
| 26493 | 26455 | 1/16 | 2.0  | 26463 | 1/8  | 2.4  |
|       | 26457 | 5/64 | 2.0  | 26465 | 9/64 | 2.4  |
|       | 26459 | 3/32 | 2.0  | 26467 | 5/32 | 2.4  |
|       | 26461 | 7/64 | 2.4  |       |      |      |



### 264 Ball End Hex Metric Screwdriver, With Precision Soft

**PicoFinish Handle.** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

| Item  |  |  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                  | Inch                                                                                | mm                                                                                  | Inch                                                                                | pkg.                                                                                |                                                                                     |
| 26441 | 1.27                                                                                | 40                                                                                  | 1.6                                                                                 | 134                                                                                 | 5.3                                                                                 | 10                                                                                  |                                                                                     |
| 26443 | 1.5                                                                                 | 50                                                                                  | 2.0                                                                                 | 150                                                                                 | 5.9                                                                                 | 10                                                                                  |                                                                                     |
| 26445 | 2.0                                                                                 | 50                                                                                  | 2.0                                                                                 | 150                                                                                 | 5.9                                                                                 | 10                                                                                  |                                                                                     |
| 26447 | 2.5                                                                                 | 60                                                                                  | 2.4                                                                                 | 160                                                                                 | 6.3                                                                                 | 10                                                                                  |                                                                                     |
| 26449 | 3.0                                                                                 | 60                                                                                  | 2.4                                                                                 | 160                                                                                 | 6.3                                                                                 | 10                                                                                  |                                                                                     |

\*Metric dimensions actual - Inch dimensions approximate

## Pico Soft Grip Hex Inch & Metric



### 263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item  |  |  |  |  |  |  |
|-------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Inch                                                                              | mm                                                                                 | Inch                                                                                | mm                                                                                  | Inch                                                                                | pkg.                                                                                |
| 26341 | .028(.71)                                                                         | 40                                                                                 | 1.6                                                                                 | 134                                                                                 | 5.3                                                                                 | 10                                                                                  |
| 26343 | .035(.89)                                                                         | 40                                                                                 | 1.6                                                                                 | 134                                                                                 | 5.3                                                                                 | 10                                                                                  |
| 26345 | .050(1.27)                                                                        | 40                                                                                 | 1.6                                                                                 | 134                                                                                 | 5.3                                                                                 | 10                                                                                  |
| 26349 | 5/64(2.0)                                                                         | 50                                                                                 | 2.0                                                                                 | 150                                                                                 | 5.9                                                                                 | 10                                                                                  |
| 26363 | 1/16                                                                              | 50                                                                                 | 2.0                                                                                 | 144                                                                                 | 5.7                                                                                 | 10                                                                                  |
| 26367 | 3/32                                                                              | 60                                                                                 | 2.4                                                                                 | 160                                                                                 | 6.3                                                                                 | 10                                                                                  |
| 26369 | 7/64                                                                              | 60                                                                                 | 2.4                                                                                 | 160                                                                                 | 6.3                                                                                 | 10                                                                                  |
| 26371 | 1/8                                                                               | 60                                                                                 | 2.4                                                                                 | 160                                                                                 | 6.3                                                                                 | 10                                                                                  |

\*Metric dimensions actual - Inch dimensions approximate



In storage pouch

### 26392 8 Piece Hex Inch Precision Driver Set

| Item  | No.   | Inch | Inch | Inch  | Inch | lbs. |
|-------|-------|------|------|-------|------|------|
| 26392 | 26341 | .028 | 1.6  | 26363 | 1/16 | 2.0  |
|       | 26343 | .035 | 1.6  | 26367 | 3/32 | 2.4  |
|       | 26345 | .050 | 1.6  | 26369 | 7/64 | 2.4  |
|       | 26349 | 5/64 | 2.0  | 26371 | 1/8  | 2.4  |



### 263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item  |  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                    | Inch                                                                                  | mm                                                                                    | Inch                                                                                  | pkg.                                                                                  |
| 26341 | .71(.028)                                                                           | 40                                                                                    | 1.6                                                                                   | 134                                                                                   | 5.3                                                                                   | 10                                                                                    |
| 26343 | .89(.035)                                                                           | 40                                                                                    | 1.6                                                                                   | 134                                                                                   | 5.3                                                                                   | 10                                                                                    |
| 26345 | 1.27(.050)                                                                          | 40                                                                                    | 1.6                                                                                   | 134                                                                                   | 5.3                                                                                   | 10                                                                                    |
| 26347 | 1.5                                                                                 | 50                                                                                    | 2.0                                                                                   | 144                                                                                   | 5.7                                                                                   | 10                                                                                    |
| 26349 | 2.0(5/64)                                                                           | 50                                                                                    | 2.0                                                                                   | 150                                                                                   | 5.9                                                                                   | 10                                                                                    |
| 26351 | 2.5                                                                                 | 60                                                                                    | 2.4                                                                                   | 160                                                                                   | 6.3                                                                                   | 10                                                                                    |
| 26353 | 3.0                                                                                 | 60                                                                                    | 2.4                                                                                   | 160                                                                                   | 6.3                                                                                   | 10                                                                                    |

\*Metric dimensions actual - Inch dimensions approximate



In storage pouch

### 26393 7 Pc. Hex Metric Precision Driver Set

| Item  | No.   | mm   | mm | mm    | mm  | lbs. |
|-------|-------|------|----|-------|-----|------|
| 26393 | 26341 | .71  | 40 | 26349 | 2.0 | 50   |
|       | 26343 | .89  | 40 | 26351 | 2.5 | 60   |
|       | 26345 | 1.27 | 40 | 26353 | 3.0 | 60   |
|       | 26347 | 1.5  | 50 |       |     |      |

## Wiha Hex Precision Series



### 263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

| Item  |      |      |    |      |     |      |      |      |
|-------|------|------|----|------|-----|------|------|------|
| No.   | mm   | Inch | mm | Inch | mm  | Inch | lbs. | pkg. |
| 26307 | .71  | .028 | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26309 | .89  | .035 | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26313 | 1.27 | .050 | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26315 | 1.5  | -    | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26320 | 2.0  | 5/64 | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26325 | 2.5  | -    | 60 | 2.4  | 170 | 6.7  | .04  | 10   |
| 26330 | 3.0  | -    | 60 | 2.4  | 170 | 6.7  | .04  | 10   |
| 26340 | 4.0  | -    | 60 | 2.4  | 170 | 6.7  | .05  | 10   |

\*Metric dimensions actual - Inch dimensions approximate



### 26390 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

| Item  |       |      |      |
|-------|-------|------|------|
| No.   | Inch  | Inch | lbs. |
| 26390 | 26307 | .71  | 1.6  |
|       | 26309 | .89  | 1.6  |
|       | 26313 | 1.27 | 1.6  |
|       | 26315 | 1.5  | 2.0  |
|       | 26320 | 2.0  | 2.0  |
|       | 26325 | 2.5  | 2.4  |
|       | 26330 | 3.0  | 2.4  |



### 26399 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

| Item  |       |      |      |       |      |      |
|-------|-------|------|------|-------|------|------|
| No.   | Inch  | Inch | Inch | Inch  | Inch | lbs. |
| 26399 | 26307 | .028 | 1.6  | 26320 | 5/64 | 2.0  |
|       | 26309 | .035 | 1.6  | 26323 | 3/32 | 2.4  |
|       | 26313 | .050 | 1.6  | 26327 | 7/64 | 2.4  |
|       | 26316 | 1/16 | 2.0  | 26331 | 1/8  | 2.4  |



### 263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

| Item  |      |      |    |      |     |      |      |      |
|-------|------|------|----|------|-----|------|------|------|
| No.   | Inch | mm   | mm | Inch | mm  | Inch | lbs. | pkg. |
| 26307 | .028 | .71  | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26309 | .035 | .89  | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26313 | .050 | 1.27 | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26316 | 1/16 | -    | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26320 | 5/64 | 2.0  | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26323 | 3/32 | -    | 60 | 2.4  | 170 | 6.7  | .04  | 10   |
| 26327 | 7/64 | -    | 60 | 2.4  | 170 | 6.7  | .04  | 10   |
| 26331 | 1/8  | -    | 60 | 2.4  | 170 | 6.7  | .04  | 10   |
| 26333 | 9/64 | -    | 60 | 2.4  | 170 | 6.7  | .05  | 10   |
| 26336 | 5/32 | -    | 60 | 2.4  | 170 | 6.7  | .05  | 10   |

\*Metric dimensions actual - Inch dimensions approximate




### 26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy CVM steel.

| Item  |       |      |      |
|-------|-------|------|------|
| No.   | Inch  | Inch | lbs. |
| 26391 | 26307 | .028 | 1.6  |
|       | 26309 | .035 | 1.6  |
|       | 26313 | .050 | 1.6  |
|       | 26316 | 1/16 | 2.0  |
|       | 26320 | 5/64 | 2.0  |
|       | 26323 | 3/32 | 2.4  |
|       | 26327 | 7/64 | 2.4  |
|       | 26331 | 1/8  | 2.4  |

## Wiha Ball End Precision Series



### 264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

| Item  |      |      |    |      |     |      |      |      |
|-------|------|------|----|------|-----|------|------|------|
| No.   | mm   | Inch | mm | Inch | mm  | Inch | lbs. | pkg. |
| 26413 | 1.27 | .050 | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26415 | 1.5  | -    | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26420 | 2.0  | -    | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26425 | 2.5  | -    | 60 | 2.4  | 170 | 6.7  | .04  | 10   |
| 26430 | 3.0  | -    | 60 | 2.4  | 170 | 6.7  | .05  | 10   |
| 26440 | 4.0  | -    | 60 | 2.4  | 170 | 6.7  | .05  | 10   |

\*Metric dimensions actual - Inch dimensions approximate



### 26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°.

Blade high alloy CVM steel.

| Item  |       |      |      |
|-------|-------|------|------|
| No.   | mm    | mm   | lbs. |
| 26491 | 26413 | 1.27 | 40   |
|       | 26415 | 1.5  | 50   |
|       | 26420 | 2.0  | 50   |
|       | 26425 | 2.5  | 60   |
|       | 26430 | 3.0  | 60   |

### Wiha Ball End Precision Series




#### 264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

| Item  |      |    |      |     |      |      |      |
|-------|------|----|------|-----|------|------|------|
| No.   | Inch | mm | Inch | mm  | Inch | lbs. | pkg. |
| 26413 | .050 | 40 | 1.6  | 120 | 4.7  | .02  | 10   |
| 26416 | 1/16 | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26419 | 5/64 | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26423 | 3/32 | 50 | 2.0  | 145 | 5.7  | .03  | 10   |
| 26427 | 7/64 | 60 | 2.4  | 170 | 6.7  | .03  | 10   |
| 26431 | 1/8  | 60 | 2.4  | 170 | 6.7  | .05  | 10   |
| 26436 | 9/64 | 60 | 2.4  | 170 | 6.7  | .05  | 10   |
| 26439 | 5/32 | 60 | 2.4  | 170 | 6.7  | .05  | 10   |

\*Metric dimensions actual - Inch dimensions approximate

### Wiha Ball End Precision Series



#### 62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack

Wiha Proturm precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0
- Phillips: #000, #00, #0, #1
- TORX®: T6, T7, T8, T9, T10, T15, T20
- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .87

#### 62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Proturm precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66 Set in canvas storage pouch

#### 26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum steel.



| Item  |       |      |      |
|-------|-------|------|------|
| No.   | Inch  | Inch | lbs. |
| 26490 | 26413 | .050 | 1.6  |
|       | 26416 | 1/16 | 2.0  |
|       | 26419 | 5/64 | 2.0  |
|       | 26423 | 3/32 | 2.0  |
|       | 26427 | 7/64 | 2.4  |
|       | 26431 | 1/8  | 2.4  |
|       | 26436 | 9/64 | 2.4  |
|       | 26439 | 5/32 | 2.4  |

### SYS 4 Drive-Loc Precision Locking Tools



#### 26961 ESD Safe Dissipative Precision Drive-Loc Handle

Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

| Item  |     |       |    |      |      |
|-------|-----|-------|----|------|------|
| No.   | mm  | Inch  | mm | Inch | lbs. |
| 26961 | 4.0 | .1574 | 23 | .91  | .08  |



#### 26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch


| Item  |       |      |      |       |      |      |
|-------|-------|------|------|-------|------|------|
| No.   | Inch  | Inch | Inch | Inch  | Inch | lbs. |
| 26499 | 26413 | .050 | 1.6  | 26427 | 7/64 | 2.4  |
|       | 26416 | 1/16 | 2.0  | 26431 | 1/8  | 2.4  |
|       | 26419 | 5/64 | 2.0  | 26436 | 9/64 | 2.4  |
|       | 26423 | 3/32 | 2.0  | 26439 | 5/32 | 2.4  |



#### 280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades

On 4mm Hex blades

| Item  |     |    |      |
|-------|-----|----|------|
| No.   | mm  | mm | lbs. |
| 28003 | 1.3 | +  | 1.3  |
| 28004 | 1.5 | +  | 1.5  |
| 28005 | 2.0 | +  | 2.0  |
| 28006 | 2.5 | +  | 2.5  |
| 28007 | 3.0 | +  | 3.0  |
| 28008 | 4.0 | +  | 4.0  |



**26900 SYS 4 Standard Precision Handle**, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item  |     |       |      |      |      |  |
|-------|-----|-------|------|------|------|--|
| No.   | mm  | Inch  | mm   | Inch | lbs. |  |
| 26900 | 4.0 | .1574 | 14.0 | .55  | .04  |  |

**26901 SYSTEM 4 Standard Precision**

**Adjustable handle** with rotating control cap.

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

| Item  |     |       |      |      |      |  |
|-------|-----|-------|------|------|------|--|
| No.   | mm  | Inch  | mm   | Inch | lbs. |  |
| 26901 | 4.0 | .1574 | 14.0 | .55  | .06  |  |

**269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade**

Wiha vapor Chrome-Top finish on tips.

One side hex, other side ball end hex.

| Item  |             |     |     |      |      |  |
|-------|-------------|-----|-----|------|------|--|
| No.   | mm          | mm  | mm  | Inch | lbs. |  |
| 26932 | 1.27 + 1.27 | 120 | 4.7 | .05  |      |  |
| 26933 | 1.5 + 1.5   | 120 | 4.7 | .05  |      |  |
| 26934 | 2.0 + 2.0   | 120 | 4.7 | .06  |      |  |
| 26935 | 2.5 + 2.5   | 120 | 4.7 | .06  |      |  |
| 26936 | 3.0 + 3.0   | 120 | 4.7 | .06  |      |  |
| 26937 | 4.0 + 4.0   | 120 | 4.7 | .06  |      |  |



**28000 ESD Safe Dissipative Precision**

**Handle** with rotating control cap. Surface resistant  $10^6$ - $10^9$  Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item  |     |       |      |      |      |  |
|-------|-----|-------|------|------|------|--|
| No.   | mm  | Inch  | mm   | Inch | lbs. |  |
| 28000 | 4.0 | .1574 | 14.0 | .55  | .04  |  |



**28001 ESD Safe Dissipative Precision**

**Adjustable Handle** with rotating control cap.

**Advantages:**

- Use in ESD sensitive applications. Surface resistant  $10^6$ - $10^9$  Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

| Item  |     |       |      |      |      |  |
|-------|-----|-------|------|------|------|--|
| No.   | mm  | Inch  | mm   | Inch | lbs. |  |
| 28001 | 4.0 | .1574 | 14.0 | .55  | .04  |  |



**280 SYSTEM 4 Metric Ball End Hex**

**Interchangeable Blade** Ball end works at 30° angle entry for easy access to fasteners.

| Item  |     |     |      |      |      |  |
|-------|-----|-----|------|------|------|--|
| No.   | mm  | mm  | Inch | lbs. | pkg. |  |
| 28033 | 1.5 | 120 | 4.7  | .06  | 1    |  |
| 28034 | 2.0 | 120 | 4.7  | .06  | 1    |  |
| 28035 | 2.5 | 120 | 4.7  | .06  | 1    |  |
| 28036 | 3.0 | 120 | 4.7  | .06  | 1    |  |
| 28037 | 4.0 | 120 | 4.7  | .06  | 1    |  |



**280 SYSTEM 4 Inch Ball End Hex**

**Interchangeable Blade** Ball end works at 30° angle entry for easy access to fasteners.

| Item  |      |     |      |      |  |  |
|-------|------|-----|------|------|--|--|
| No.   | Inch | mm  | Inch | lbs. |  |  |
| 28021 | .050 | 120 | 4.7  | .06  |  |  |
| 28023 | 1/16 | 120 | 4.7  | .06  |  |  |
| 28024 | 5/64 | 120 | 4.7  | .06  |  |  |
| 28025 | 3/32 | 120 | 4.7  | .06  |  |  |
| 28026 | 7/64 | 120 | 4.7  | .06  |  |  |
| 28027 | 1/8  | 120 | 4.7  | .06  |  |  |
| 28028 | 9/64 | 120 | 4.7  | .06  |  |  |
| 28029 | 5/32 | 120 | 4.7  | .06  |  |  |



**269 SYSTEM 4 Metric Hex,**

**Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

| Item  |      |     |      |      |  |  |
|-------|------|-----|------|------|--|--|
| No.   | mm   | mm  | Inch | lbs. |  |  |
| 26913 | .71  | 120 | 4.7  | .06  |  |  |
| 26914 | .89  | 120 | 4.7  | .06  |  |  |
| 26915 | 1.27 | 120 | 4.7  | .06  |  |  |
| 26916 | 1.5  | 120 | 4.7  | .06  |  |  |
| 26917 | 2.0  | 120 | 4.7  | .06  |  |  |
| 26918 | 2.5  | 120 | 4.7  | .06  |  |  |
| 26919 | 3.0  | 120 | 4.7  | .06  |  |  |
| 26920 | 4.0  | 120 | 4.7  | .06  |  |  |



**269 SYSTEM 4 Inch Hex,**

**Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

| Item  |      |     |      |      |  |  |
|-------|------|-----|------|------|--|--|
| No.   | Inch | mm  | Inch | lbs. |  |  |
| 26921 | .050 | 120 | 4.7  | .06  |  |  |
| 26923 | 1/16 | 120 | 4.7  | .06  |  |  |
| 26924 | 5/64 | 120 | 4.7  | .06  |  |  |
| 26925 | 3/32 | 120 | 4.7  | .06  |  |  |
| 26926 | 7/64 | 120 | 4.7  | .06  |  |  |
| 26927 | 1/8  | 120 | 4.7  | .06  |  |  |
| 26928 | 9/64 | 120 | 4.7  | .06  |  |  |
| 26929 | 5/32 | 120 | 4.7  | .06  |  |  |



Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades



**26999 9 Pc. Hex Metric Precision Blade Set**  
Set includes the following blades:

| Hex Metric: | .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm |
|-------------|-------------------------------------------|
| lbs.        | .66                                       |



Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades



**26989 9 Pc. Hex Inch Precision Blade Set**  
Set includes the following blades:

| Hex Inch: | .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
|-----------|------------------------------------------------|
| lbs.      | .64                                            |

## SYSTEM 4 Handles & Micro Bits

**Tips**  
exact fit,  
precision  
machined

**Rotating Cap**  
for precise  
turning and  
control

**Tapered Handle**  
allows rapid rotation,  
requires less clearance

**Bits** CVM steel,  
hardened

Use bits directly in handle or with 4" bit extension



110mm/4.3" OAL

### 75800 SYSTEM 4 Standard Precision Bit

**Handle** with rotating control cap. Tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits.

| Item No. |  |  |  |  |
|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.      | mm                                                                                | Inch                                                                              | mm                                                                                | Inch lbs.                                                                         |
| 75800    | 4.0                                                                               | .1574                                                                             | 14.0                                                                              | .55 .06                                                                           |



110mm/4.3" OAL

### 75801 SYSTEM 4 ESD Safe Dissipative

**Precision Bit Handle** with rotating control cap. Tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications Surface resistant  $10^6$ - $10^9$  Ohms 
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

| Item No. |  |  |  |  |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.      | mm                                                                                  | Inch                                                                                | mm                                                                                  | Inch lbs.                                                                           |
| 75801    | 4.0                                                                                 | .1574                                                                               | 14.0                                                                                | .55 .06                                                                             |



**75901 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits** Shaft CVM steel, hardened. Magnetic bit holder.

| Item No. |  |  |  |  |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.      | Size                                                                                | mm                                                                                  | mm                                                                                  | lbs.                                                                                |
| 75901    | 4.0                                                                                 | 100                                                                                 | 4.0                                                                                 | .04                                                                                 |



**75900 Extension Blade For SYSTEM 4 Micro Bits** Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

| Item No. |  |  |  |  |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.      | Size                                                                                | mm                                                                                  | mm                                                                                  | lbs.                                                                                |
| 75900    | 4.0                                                                                 | 100                                                                                 | 4.0                                                                                 | .07                                                                                 |



**753 SYSTEM 4 Hex Metric Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

| Item No. |  |  |  |  |
|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.      | mm                                                                                | mm                                                                                | Inch                                                                              | lbs.                                                                              |
| 75307    | .71                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75309    | .89                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75313    | 1.27                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75315    | 1.5                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75320    | 2.0                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75325    | 2.5                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75330    | 3.0                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75340    | 4.0                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |



**753 SYSTEM 4 Hex Inch Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

| Item No. |  |  |  |  |
|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.      | Inch                                                                              | mm                                                                                | Inch                                                                              | lbs.                                                                              |
| 75307    | .028                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75309    | .035                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75313    | .050                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75350    | 1/16                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75352    | 5/64                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75354    | 3/32                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75356    | 7/64                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75358    | 1/8                                                                               | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75360    | 9/64                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |
| 75340    | 5/32                                                                              | 28                                                                                | 1.1                                                                               | .01                                                                               |



**753 SYSTEM 4 Metric Security Hex Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

| Item No. |  |  |  |  |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.      | mm                                                                                  | mm                                                                                  | Inch                                                                                | lbs.                                                                                |
| 75322    | 2.0                                                                                 | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75327    | 2.5                                                                                 | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75332    | 3.0                                                                                 | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75342    | 4.0                                                                                 | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |



**753 SYSTEM 4 Security Hex Inch Bits** High alloy CVM steel, hardened, on 4 mm hex stock.

| Item No. |  |  |  |  |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.      | Inch                                                                                | mm                                                                                  | Inch                                                                                | lbs.                                                                                |
| 75362    | 5/64                                                                                | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75364    | 3/32                                                                                | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75366    | 7/64                                                                                | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75368    | 1/8                                                                                 | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75370    | 9/64                                                                                | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |
| 75372    | 5/32                                                                                | 28                                                                                  | 1.1                                                                                 | .01                                                                                 |

## Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



**75395 18 Piece SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, In Compact Fold Out Box**

Wiha precision handle, bit extension & 16 Wiha interchangeable bits.

### Item No. Combination Bit Set

75395 Set with Standard Precision Handle

**Set includes the following bits:**

-  **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **100mm Bit Extension**

 **lbs.** .58



**75096 16 Piece Precision Micro Bit Hex Inch & Metric Sets**

ESD Safe precision handle, Bit Extension and 14 CVM steel Micro Bits.

**Set includes the following Micro Bits:**

-  **Inch:** 0.89/0.35", 1.27/.050", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

 **lbs.** .14



**75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No.** Precision Storage Handle Set

75983  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"

 **lbs.** .08

### Wiha Cushion Grip Stubby Bit Holder

#### Stubby 6 in 1 Multi-Bit Driver Sets



**38056** Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Ball End Hex Inch: 1/8, 9/64, 5/32, lbs.  
3/16, 7/32, 1/4" .21



**38057** Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Hex Metric: 2.0, 2.5, 3.0 lbs.  
4.0, 5.0, 6.0mm .18



**38058** Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Hex Inch: 3/32, 7/64, 1/8, lbs.  
9/64, 5/32, 3/16" .18

### Wiha Torque Ratchet Bit Sets

#### Smooth, high torque, silent ratchet handle


**Pistol Grip Handle** ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

**Hex Retainer**  
for bit holder  
blades



**No release**  
of handle is needed, change of  
direction can be made with index  
finger and thumb.  
**Allows for** quick adjustment to  
right, left or fixed turning.


**Opens a new generation of easier  
torque transmission**



**28298** 12 Piece Hex Inch Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

● Hex Inch: .65  
1/16, 5/64, 3/32, 7/64, 1/8,  
9/64, 5/32, 3/16, 7/32, 1/4"



**28299** 10 Piece Hex Metric Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

● Hex Metric: .65  
1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

## Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access and secure storage



Molded hex cavity in box end Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

### 792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



### 79276 Bit-Selector With Ball End Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

● Ball End Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .30



Item #79246

### 79246 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

● Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .32

### 79256 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

● Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm lbs. .30



### 79266 Bit-Selector With Security Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:

● Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .31

Screw Holding



MagicRing



### 71399 Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

● No Ball End lbs. .46  
 Hex Metric: 3.0, 4.0, 5.0, 6.0mm  
 Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

## Wiha MagicRing Insert Bits

Screw Holding Hex Bits



### 713 MagicRing Metric Insert Bits, 1/4"

| Item  | mm  | mm | pkg. | lbs. |
|-------|-----|----|------|------|
| No.   | mm  | mm | pkg. | lbs. |
| 71304 | 3.0 | 25 | 1    | .01  |
| 71307 | 4.0 | 25 | 1    | .01  |
| 71310 | 5.0 | 25 | 1    | .01  |
| 71311 | 6.0 | 25 | 1    | .01  |

### 713 MagicRing Inch Insert Bits, 1/4"

| Item  | Inch | mm | pkg. | lbs. |
|-------|------|----|------|------|
| No.   | Inch | mm | pkg. | lbs. |
| 71343 | 1/8  | 25 | 1    | .01  |
| 71346 | 9/64 | 25 | 1    | .01  |
| 71349 | 5/32 | 25 | 1    | .01  |
| 71352 | 3/16 | 25 | 1    | .01  |
| 71354 | 7/32 | 25 | 1    | .01  |
| 71358 | 1/4  | 25 | 1    | .01  |

## Wiha MagicRing Power Bits

Screw Holding Hex Bits



### 743 MagicRing Metric Power Bits, 1/4"

| Item  | mm  | mm | pkg. | lbs. |
|-------|-----|----|------|------|
| No.   | mm  | mm | pkg. | lbs. |
| 74301 | 3.0 | 50 | 1    | .02  |
| 74305 | 4.0 | 50 | 1    | .02  |
| 74307 | 5.0 | 50 | 1    | .03  |
| 74319 | 6.0 | 50 | 1    | .03  |

### 743 MagicRing Inch Power Bits, 1/4"

| Item  | mm   | mm | pkg. | lbs. |
|-------|------|----|------|------|
| No.   | mm   | mm | pkg. | lbs. |
| 74369 | 1/8  | 50 | 1    | .02  |
| 74371 | 9/64 | 50 | 1    | .02  |
| 74373 | 5/32 | 50 | 1    | .02  |
| 74375 | 3/16 | 50 | 1    | .03  |
| 74377 | 7/32 | 50 | 1    | .03  |
| 74379 | 1/4  | 50 | 1    | .03  |

### Wiha XSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool

Easy bit access  
with hinged  
cover



XSelector Pocket Sized  
3-1/8" x 2-1/8" x 1/2"

Sets include Clicfix quick  
release holder

#### 794 Sets XSelector Bit Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



#### 79446 XSelector Bit Set With Hex Inch Bits

Set Includes Quick Release Holder and the following 10 bits: lbs. .27

Hex Inch: 1/16, 5/64, 3/32, 7/64,  
1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

### Wiha Security Hex Inch & Metric PokitPaks



#### 71998 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

Inch Security Hex: lbs. .12  
3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



#### 71995 PokitPak - Security Hex Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

Metric Security Hex: lbs. .31  
2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

### Wiha Power Bit Belt Packs



#### 74986 Power Bit Belt Pack With Inch & Metric Hex Bits

Set includes the following 10 bits:

Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.  
Metric: 3.0, 4.0, 5.0, 6.0mm .34



#### Screw Holding Hex Bits


#### 74989 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits

Set includes the following 10 bits:

Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.  
Metric: 3.0, 4.0, 5.0, 6.0mm .34



#### Screw Holding Hex Bits



#### 74999 Power Bit Belt Pack With Screw Holding Inch & Metric Ball End Hex MagicRing Bits

Set includes the following 10 bits:

Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.  
Metric: 3.0, 4.0, 5.0, 6.0mm .37

### Wiha Security Hex Inch Multi Bit Set



#### 38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set

With Wiha Powerhandle & CVM steel, hardened shaft.

Set includes the following 1/4" bits: lbs. .39  
Security Hex: 3/32, 1/8, 5/32, 3/16, 7/32"

# Hex Bits

*The ideal multi-purpose bits for all around quality & performance*

**Made in Germany - Production Quality**

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61

## Wiha Hex Inch & Metric Insert Bits



### 713 Hex Metric Insert Bits, 1/4"

| Item  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                  | pkg.                                                                                | lbs.                                                                                |                                                                                     |
| 71303 | 1.5                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71306 | 2.0                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71308 | 2.5                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71309 | 3.0                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71312 | 4.0                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71315 | 5.0                                                                                 | 25                                                                                  | 10                                                                                  | .14                                                                                 |                                                                                     |
| 71318 | 6.0                                                                                 | 25                                                                                  | 10                                                                                  | .14                                                                                 |                                                                                     |
| 71321 | 8.0                                                                                 | 25                                                                                  | 10                                                                                  | .20                                                                                 |                                                                                     |
| 71324 | 10.0                                                                                | 25                                                                                  | 10                                                                                  | .27                                                                                 |                                                                                     |



### 713 Hex Inch Insert Bits, 1/4"

| Item  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Inch                                                                                | mm                                                                                  | pkg.                                                                                | lbs.                                                                                |                                                                                     |
| 71329 | .050                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71326 | 1/16                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71328 | 5/64                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71330 | 3/32                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71333 | 7/64                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71336 | 1/8                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71339 | 9/64                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71342 | 5/32                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71345 | 3/16                                                                                | 25                                                                                  | 10                                                                                  | .13                                                                                 |                                                                                     |
| 71348 | 7/32                                                                                | 25                                                                                  | 10                                                                                  | .13                                                                                 |                                                                                     |
| 71351 | 1/4                                                                                 | 25                                                                                  | 10                                                                                  | .13                                                                                 |                                                                                     |
| 71353 | 5/16                                                                                | 25                                                                                  | 10                                                                                  | .20                                                                                 |                                                                                     |
| 71356 | 3/8                                                                                 | 25                                                                                  | 10                                                                                  | .25                                                                                 |                                                                                     |

## Wiha Hex Inch & Metric Insert Bit Packs



2 bit pack

### 713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |  |  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.   | Inch                                                                              | mm                                                                                | lbs.                                                                              |                                                                                   |                                                                                   |
| 71359 | .050                                                                              | 25                                                                                | .03                                                                               |                                                                                   |                                                                                   |
| 71360 | 1/16                                                                              | 25                                                                                | .03                                                                               |                                                                                   |                                                                                   |
| 71361 | 5/64                                                                              | 25                                                                                | .03                                                                               |                                                                                   |                                                                                   |
| 71362 | 3/32                                                                              | 25                                                                                | .03                                                                               |                                                                                   |                                                                                   |
| 71363 | 7/64                                                                              | 25                                                                                | .03                                                                               |                                                                                   |                                                                                   |
| 71364 | 1/8                                                                               | 25                                                                                | .03                                                                               |                                                                                   |                                                                                   |
| 71365 | 9/64                                                                              | 25                                                                                | .03                                                                               |                                                                                   |                                                                                   |
| 71366 | 5/32                                                                              | 25                                                                                | .04                                                                               |                                                                                   |                                                                                   |
| 71367 | 3/16                                                                              | 25                                                                                | .04                                                                               |                                                                                   |                                                                                   |
| 71368 | 7/32                                                                              | 25                                                                                | .04                                                                               |                                                                                   |                                                                                   |
| 71369 | 1/4                                                                               | 25                                                                                | .04                                                                               |                                                                                   |                                                                                   |
| 71373 | 5/16                                                                              | 25                                                                                | .05                                                                               |                                                                                   |                                                                                   |
| 71387 | 3/8                                                                               | 25                                                                                | .06                                                                               |                                                                                   |                                                                                   |

### 733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                  | lbs.                                                                                |                                                                                     |                                                                                     |
| 73301 | 1.5                                                                                 | 25                                                                                  | .03                                                                                 |                                                                                     |                                                                                     |
| 73302 | 2.0                                                                                 | 25                                                                                  | .03                                                                                 |                                                                                     |                                                                                     |
| 73303 | 2.5                                                                                 | 25                                                                                  | .03                                                                                 |                                                                                     |                                                                                     |
| 73304 | 3.0                                                                                 | 25                                                                                  | .03                                                                                 |                                                                                     |                                                                                     |
| 73305 | 4.0                                                                                 | 25                                                                                  | .03                                                                                 |                                                                                     |                                                                                     |
| 73306 | 5.0                                                                                 | 25                                                                                  | .03                                                                                 |                                                                                     |                                                                                     |
| 73307 | 6.0                                                                                 | 25                                                                                  | .04                                                                                 |                                                                                     |                                                                                     |
| 73308 | 8.0                                                                                 | 25                                                                                  | .05                                                                                 |                                                                                     |                                                                                     |
| 73309 | 10.0                                                                                | 25                                                                                  | .06                                                                                 |                                                                                     |                                                                                     |



### 71396 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71396 Set includes the following bits:**

 **Hex Inch:**

 1/16, 3/32, 1/8, 5/32  
 wt. .13 3/16, 1/4" x 1" (25mm)

### 71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71397 Set includes the following bits:**

  **Hex Metric:**  
 wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0

## Wiha Security Hex Insert Bits



### 719 Security Hex In Insert Bits, 1/4"

| Item  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Inch                                                                                | mm                                                                                  | pkg.                                                                                | lbs.                                                                                |                                                                                     |
| 71930 | 5/64                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71932 | 3/32                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71934 | 7/64                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71936 | 1/8                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71938 | 9/64                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71940 | 5/32                                                                                | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71955 | 3/16                                                                                | 25                                                                                  | 10                                                                                  | .13                                                                                 |                                                                                     |
| 71956 | 7/32                                                                                | 25                                                                                  | 10                                                                                  | .14                                                                                 |                                                                                     |
| 71960 | 1/4                                                                                 | 25                                                                                  | 10                                                                                  | .15                                                                                 |                                                                                     |



### 719 Security Hex Metric Insert Bits, 1/4"

| Item  |  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                  | pkg.                                                                                | lbs.                                                                                |                                                                                     |
| 71939 | 2.0                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71941 | 2.5                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71942 | 3.0                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71943 | 4.0                                                                                 | 25                                                                                  | 10                                                                                  | .12                                                                                 |                                                                                     |
| 71944 | 5.0                                                                                 | 25                                                                                  | 10                                                                                  | .15                                                                                 |                                                                                     |
| 71945 | 6.0                                                                                 | 25                                                                                  | 10                                                                                  | .15                                                                                 |                                                                                     |
| 71946 | 8.0                                                                                 | 25                                                                                  | 10                                                                                  | .20                                                                                 |                                                                                     |



2 bit pack

### 719 Security Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |  |  |  |  |  |
|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   | Inch                                                                                  | mm                                                                                    | lbs.                                                                                  |                                                                                       |                                                                                       |
| 71970 | 5/64                                                                                  | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71971 | 3/32                                                                                  | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71972 | 7/64                                                                                  | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71973 | 1/8                                                                                   | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71974 | 9/64                                                                                  | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71975 | 5/32                                                                                  | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71976 | 3/16                                                                                  | 25                                                                                    | .04                                                                                   |                                                                                       |                                                                                       |
| 71977 | 7/32                                                                                  | 25                                                                                    | .04                                                                                   |                                                                                       |                                                                                       |
| 71978 | 1/4                                                                                   | 25                                                                                    | .04                                                                                   |                                                                                       |                                                                                       |

### 719 Security Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |  |  |  |  |  |
|-------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   | mm                                                                                    | mm                                                                                    | lbs.                                                                                  |                                                                                       |                                                                                       |
| 71979 | 2.0                                                                                   | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71980 | 2.5                                                                                   | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71981 | 3.0                                                                                   | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71982 | 4.0                                                                                   | 25                                                                                    | .03                                                                                   |                                                                                       |                                                                                       |
| 71983 | 5.0                                                                                   | 25                                                                                    | .04                                                                                   |                                                                                       |                                                                                       |
| 71984 | 6.0                                                                                   | 25                                                                                    | .04                                                                                   |                                                                                       |                                                                                       |
| 71985 | 8.0                                                                                   | 25                                                                                    | .05                                                                                   |                                                                                       |                                                                                       |

### Wiha Hex Inch & Metric Power Bits



#### 743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.0"/50mm

| Item  |      |    |      |      |  |
|-------|------|----|------|------|--|
| No.   | Inch | mm | pkg. | lbs. |  |
| 74311 | 3/32 | 50 | 10   | .30  |  |
| 74312 | 7/64 | 50 | 10   | .30  |  |
| 74313 | 1/8  | 50 | 10   | .30  |  |
| 74314 | 9/64 | 50 | 10   | .30  |  |
| 74315 | 5/32 | 50 | 10   | .30  |  |
| 74316 | 3/16 | 50 | 10   | .30  |  |
| 74317 | 7/32 | 50 | 10   | .30  |  |
| 74318 | 1/4  | 50 | 10   | .30  |  |



#### 743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.0"/50mm

| Item  |     |    |      |      |  |
|-------|-----|----|------|------|--|
| No.   | mm  | mm | pkg. | lbs. |  |
| 74325 | 2.5 | 50 | 10   | .25  |  |
| 74330 | 3.0 | 50 | 10   | .25  |  |
| 74340 | 4.0 | 50 | 10   | .25  |  |
| 74350 | 5.0 | 50 | 10   | .25  |  |
| 74360 | 6.0 | 50 | 10   | .25  |  |
| 74380 | 8.0 | 50 | 10   | .38  |  |



2 bit  
pack

#### 743 Hex Inch Power Bit Packs, 2"

| Item  |      |    |      |  |  |
|-------|------|----|------|--|--|
| No.   | Inch | mm | lbs. |  |  |
| 74381 | 3/32 | 50 | .07  |  |  |
| 74382 | 7/64 | 50 | .07  |  |  |
| 74383 | 1/8  | 50 | .07  |  |  |
| 74384 | 9/64 | 50 | .07  |  |  |
| 74385 | 5/32 | 50 | .07  |  |  |
| 74386 | 3/16 | 50 | .07  |  |  |
| 74387 | 7/32 | 50 | .07  |  |  |
| 74388 | 1/4  | 50 | .07  |  |  |

#### 743 Hex Metric Power Bit Packs, 2"

| Item  |     |    |      |  |  |
|-------|-----|----|------|--|--|
| No.   | mm  | mm | lbs. |  |  |
| 74361 | 2.5 | 50 | .07  |  |  |
| 74362 | 3.0 | 50 | .07  |  |  |
| 74363 | 4.0 | 50 | .07  |  |  |
| 74364 | 5.0 | 50 | .07  |  |  |
| 74365 | 6.0 | 50 | .07  |  |  |
| 74366 | 8.0 | 50 | .09  |  |  |



#### 743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.75"/70mm

| Item  |      |    |      |      |  |
|-------|------|----|------|------|--|
| No.   | Inch | mm | pkg. | lbs. |  |
| 74341 | 5/64 | 70 | 1    | .36  |  |
| 74342 | 3/32 | 70 | 1    | .36  |  |
| 74343 | 7/64 | 70 | 1    | .36  |  |
| 74344 | 1/8  | 70 | 1    | .36  |  |
| 74345 | 9/64 | 70 | 1    | .36  |  |
| 74346 | 5/32 | 70 | 1    | .36  |  |
| 74347 | 3/16 | 70 | 1    | .36  |  |
| 74348 | 7/32 | 70 | 1    | .36  |  |
| 74349 | 1/4  | 70 | 1    | .36  |  |



#### 743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.75"/70mm

| Item  |     |    |      |      |  |
|-------|-----|----|------|------|--|
| No.   | mm  | mm | pkg. | lbs. |  |
| 74351 | 2.0 | 70 | 1    | .36  |  |
| 74352 | 2.5 | 70 | 1    | .36  |  |
| 74353 | 3.0 | 70 | 1    | .36  |  |
| 74354 | 4.0 | 70 | 1    | .36  |  |
| 74355 | 5.0 | 70 | 1    | .36  |  |
| 74356 | 6.0 | 70 | 1    | .36  |  |
| 74357 | 8.0 | 70 | 1    | .36  |  |

### Hex MetricLong Insert Bit On 5/16"



#### 72388 Hex Metric Bit On 5/16" Stock

| Item  |      |    |      |      |  |
|-------|------|----|------|------|--|
| No.   | mm   | mm | pkg. | lbs. |  |
| 72388 | 12.0 | 75 | 10   | .14  |  |

### Stainless Steel Hex Metric Bits



#### 701 Stainless Steel Hex Metric Insert Bits

| Item  |     |    |      |  |  |
|-------|-----|----|------|--|--|
| No.   | mm  | mm | pkg. |  |  |
| 70170 | 1.5 | 25 | 10   |  |  |
| 70171 | 2.0 | 25 | 10   |  |  |
| 70172 | 2.5 | 25 | 10   |  |  |
| 70173 | 3.0 | 25 | 10   |  |  |
| 70174 | 4.0 | 25 | 10   |  |  |
| 70175 | 5.0 | 25 | 10   |  |  |
| 70176 | 6.0 | 25 | 10   |  |  |

### Wiha Ball End Hex Inch Insert Bits



#### 717 Ball End Hex Inch Insert Bits, 1/4"

| Item  |      |    |      |      |  |
|-------|------|----|------|------|--|
| No.   | Inch | mm | pkg. | lbs. |  |
| 71701 | 3/32 | 25 | 10   | .12  |  |
| 71702 | 7/64 | 25 | 10   | .12  |  |
| 71703 | 1/8  | 25 | 10   | .12  |  |
| 71704 | 9/64 | 25 | 10   | .12  |  |
| 71705 | 5/32 | 25 | 10   | .12  |  |
| 71706 | 3/16 | 25 | 10   | .13  |  |
| 71707 | 7/32 | 25 | 10   | .13  |  |
| 71708 | 1/4  | 25 | 10   | .13  |  |



2 bit  
pack

#### 717 Ball End Hex Inch Insert Bit Packs, 1"

| Item  |      |    |      |  |  |
|-------|------|----|------|--|--|
| No.   | Inch | mm | lbs. |  |  |
| 71711 | 3/32 | 25 | .03  |  |  |
| 71712 | 7/64 | 25 | .03  |  |  |
| 71713 | 1/8  | 25 | .03  |  |  |
| 71714 | 9/64 | 25 | .03  |  |  |
| 71715 | 5/32 | 25 | .04  |  |  |
| 71716 | 3/16 | 25 | .04  |  |  |
| 71717 | 7/32 | 25 | .04  |  |  |
| 71718 | 1/4  | 25 | .04  |  |  |

### Ball End Hex Metric Power Bits

2 pc. bit pack!



#### 717 Ball End Hex Metric Power Bits

1/4" Hex Drive, Length 1.5"/38mm

| Item  |     |    |      |  |  |
|-------|-----|----|------|--|--|
| No.   | mm  | mm | pkg. |  |  |
| 71719 | 1.5 | 38 | 1    |  |  |
| 71720 | 2.0 | 38 | 1    |  |  |
| 71721 | 2.5 | 38 | 1    |  |  |
| 71722 | 3.0 | 38 | 1    |  |  |
| 71723 | 4.0 | 38 | 1    |  |  |
| 71724 | 5.0 | 38 | 1    |  |  |
| 71725 | 6.0 | 38 | 1    |  |  |

**Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power**

**Up To 30X  
Performance Over  
Standard  
Screwdriver Bits**



Dual material  
impact absorbing  
torsion zone

Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required

Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters


**765 Hex Inch Terminator Impact Bits,  
1/4" Insert - 10 bit pack**

| Item  | No.  | Inch | mm | pkg. |
|-------|------|------|----|------|
| 76530 | 1/8  | 29   | 10 |      |
| 76531 | 9/64 | 29   | 10 |      |
| 76532 | 5/32 | 29   | 10 |      |
| 76533 | 3/16 | 29   | 10 |      |
| 76534 | 7/32 | 29   | 10 |      |
| 76535 | 1/4  | 29   | 10 |      |


**768 Hex Inch Terminator Impact Bits,  
1/4" Insert - 2 bit pack**

| Item  | No.  | Inch | mm | pkg. |
|-------|------|------|----|------|
| 76830 | 1/8  | 29   | 2  |      |
| 76831 | 9/64 | 29   | 2  |      |
| 76832 | 5/32 | 29   | 2  |      |
| 76833 | 3/16 | 29   | 2  |      |
| 76834 | 7/32 | 29   | 2  |      |
| 76835 | 1/4  | 29   | 2  |      |


**765 Hex Metric Terminator Impact Bits,  
1/4" Insert - 10 bit pack**

| Item  | No. | Inch | mm | pkg. |
|-------|-----|------|----|------|
| 76523 | 3.0 | 29   | 10 |      |
| 76524 | 4.0 | 29   | 10 |      |
| 76525 | 5.0 | 29   | 10 |      |
| 76526 | 6.0 | 29   | 10 |      |


**768 Hex Metric Terminator Impact Bits,  
1/4" Insert - 2 bit pack**

| Item  | No. | Inch | mm | pkg. |
|-------|-----|------|----|------|
| 76823 | 3.0 | 29   | 2  |      |
| 76824 | 4.0 | 29   | 2  |      |
| 76825 | 5.0 | 29   | 2  |      |
| 76826 | 6.0 | 29   | 2  |      |


**765 Hex Inch Terminator Impact Bits,  
1/4" Power - 10 bit pack**

| Item  | No.  | Inch | mm | pkg. |
|-------|------|------|----|------|
| 76570 | 1/8  | 49   | 10 |      |
| 76571 | 9/64 | 49   | 10 |      |
| 76572 | 5/32 | 49   | 10 |      |
| 76573 | 3/16 | 49   | 10 |      |
| 76574 | 7/32 | 49   | 10 |      |
| 76575 | 1/4  | 49   | 10 |      |


**768 Hex Inch Terminator Impact Bits,  
1/4" Power - 2 bit pack**

| Item  | No.  | Inch | mm | pkg. |
|-------|------|------|----|------|
| 76870 | 1/8  | 49   | 2  |      |
| 76871 | 9/64 | 49   | 2  |      |
| 76872 | 5/32 | 49   | 2  |      |
| 76873 | 3/16 | 49   | 2  |      |
| 76874 | 7/32 | 49   | 2  |      |
| 76875 | 1/4  | 49   | 2  |      |


**765 Hex Metric Terminator Impact Bits,  
1/4" Power - 10 bit pack**

| Item  | No. | Inch | mm | pkg. |
|-------|-----|------|----|------|
| 76563 | 3.0 | 49   | 10 |      |
| 76564 | 4.0 | 49   | 10 |      |
| 76565 | 5.0 | 49   | 10 |      |
| 76566 | 6.0 | 49   | 10 |      |



**768 Hex Metric Terminator Impact Bits,  
1/4" Power - 2 bit pack**

| Item  | No. | Inch | mm | pkg. |
|-------|-----|------|----|------|
| 76863 | 3.0 | 49   | 2  |      |
| 76864 | 4.0 | 49   | 2  |      |
| 76865 | 5.0 | 49   | 2  |      |
| 76866 | 6.0 | 49   | 2  |      |


**76894 7 Pc. Bit Buddy Set With  
Terminator Impact Power Bits - 49mm**

76894 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm

**1/4" Drive Insert & Power Bits**


**Up To 30X Performance  
Over Standard Screwdriver Bits**


**76893 7 Pc. Bit Buddy Set With  
Terminator Impact Insert Bits - 29mm**

76893 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm

**91247 Empty Bit Buddy Case Holds  
Terminator Impact Insert Bits**

91247 Holds 7 Impact Bits

**91313 Empty Bit Buddy Case Holds  
Terminator Impact Power Bits**

91313 Holds 7 Impact Bits

## Wiha Bit Holders

### Quick Release



#### 714 ClicFix Bit Holder, Magnetic, For Insert Bits

| Item  |  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.   | Size                                                                              | Size                                                                              | mm                                                                                | Inch                                                                              |
| 71490 | 1/4"                                                                              | 1/4"                                                                              | 60                                                                                | 2.4                                                                               |
| 71491 | 1/4"                                                                              | 1/4"                                                                              | 75                                                                                | 2.9                                                                               |

### Quick Release



#### 714 CentroFix Bit Holder For Power Bits

| Item  |  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.   | Size                                                                              | Size                                                                              | mm                                                                                | Inch                                                                              |
| 71480 | 1/4"                                                                              | 1/4"                                                                              | 60                                                                                | 2.3                                                                               |

## Wiha Impact Bit Holding Sockets



#### 720 Impact Bit Holding Socket With Retaining Ring

For 1/4" drive bits.

| Item  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Bit                                                                                 | mm                                                                                  | Drive                                                                               | lbs.                                                                                |
| 72001 | 1/4                                                                                 | 25                                                                                  | 1/4"                                                                                | .05                                                                                 |
| 72002 | 1/4                                                                                 | 30                                                                                  | 3/8"                                                                                | .10                                                                                 |
| 72003 | 1/4                                                                                 | 35                                                                                  | 1/2"                                                                                | .21                                                                                 |

#### 72090 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits

| Drive:           |  | lbs. |
|------------------|-------------------------------------------------------------------------------------|------|
| 1/4", 3/8", 1/2" |                                                                                     | .40  |

## Long Blade Sockets & Sets



#### 771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Size                                                                                | Inch                                                                                | mm                                                                                  | lbs.                                                                                |
| 77140 | 2.5                                                                                 | 6.0                                                                                 |                                                                                     | .13                                                                                 |
| 77142 | 3.0                                                                                 | 6.0                                                                                 |                                                                                     | .13                                                                                 |
| 77144 | 4.0                                                                                 | 6.0                                                                                 |                                                                                     | .13                                                                                 |
| 77146 | 5.0                                                                                 | 6.0                                                                                 |                                                                                     | .13                                                                                 |
| 77148 | 6.0                                                                                 | 6.0                                                                                 |                                                                                     | .13                                                                                 |

#### 77192 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

|                                                                                    |          |
|------------------------------------------------------------------------------------|----------|
|  | lbs. .70 |
|------------------------------------------------------------------------------------|----------|

## Long Blade Sockets & Sets



#### 771 Hex Inch Sockets 1/4" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Size                                                                              | Inch                                                                                | lbs.                                                                                |                                                                                     |
| 77128 | 3/32                                                                              | 6.0                                                                                 | .12                                                                                 |                                                                                     |
| 77130 | 7/64                                                                              | 6.0                                                                                 | .12                                                                                 |                                                                                     |
| 77132 | 1/8                                                                               | 6.0                                                                                 | .12                                                                                 |                                                                                     |
| 77134 | 9/64                                                                              | 6.0                                                                                 | .12                                                                                 |                                                                                     |
| 77136 | 5/32                                                                              | 6.0                                                                                 | .12                                                                                 |                                                                                     |
| 77138 | 3/16                                                                              | 6.0                                                                                 | .12                                                                                 |                                                                                     |
| 77139 | 7/32                                                                              | 6.0                                                                                 | .12                                                                                 |                                                                                     |
| 77141 | 1/4                                                                               | 6.0                                                                                 | .12                                                                                 |                                                                                     |

#### 77191 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32,

3/16, 7/32, 1/4"  wt. .97



#### 771 Hex Inch Sockets 3/8" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Size                                                                              | Inch                                                                                | lbs.                                                                                |                                                                                     |
| 77165 | 3/32                                                                              | 6.0                                                                                 | .18                                                                                 |                                                                                     |
| 77167 | 7/64                                                                              | 6.0                                                                                 | .18                                                                                 |                                                                                     |
| 77169 | 1/8                                                                               | 6.0                                                                                 | .18                                                                                 |                                                                                     |
| 77171 | 9/64                                                                              | 6.0                                                                                 | .18                                                                                 |                                                                                     |
| 77173 | 5/32                                                                              | 6.0                                                                                 | .18                                                                                 |                                                                                     |
| 77175 | 3/16                                                                              | 6.0                                                                                 | .18                                                                                 |                                                                                     |
| 77177 | 7/32                                                                              | 6.0                                                                                 | .18                                                                                 |                                                                                     |
| 77179 | 1/4                                                                               | 6.0                                                                                 | .18                                                                                 |                                                                                     |



#### 77198 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32,

3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

|                                                                                     |           |
|-------------------------------------------------------------------------------------|-----------|
|  | lbs. 2.82 |
|-------------------------------------------------------------------------------------|-----------|

## Wiha Sockets



#### 713 Hex Sockets 1/4" Square drive socket. Replaceable bit.

1/4" bits CVM steel.

| Item  |  |  |  |  |
|-------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   | Inch                                                                                | mm                                                                                    | lbs.                                                                                  |                                                                                       |
| 71371 | 1/16                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71370 | 5/64                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71372 | 3/32                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71374 | 7/64                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71376 | 1/8                                                                                 | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71378 | 9/64                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71380 | 5/32                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71382 | 3/16                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71384 | 7/32                                                                                | 38                                                                                    | .05                                                                                   |                                                                                       |
| 71386 | 1/4                                                                                 | 38                                                                                    | .05                                                                                   |                                                                                       |

## Wiha Sockets



**713 Hex Sockets** 3/8" Square drive socket. Replaceable bit.  
1/4" bits CVM tool steel.

| Item  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.   | Inch                                                                              | mm                                                                                | lbs.                                                                              |
| 71375 | 1/8                                                                               | 42                                                                                | .09                                                                               |
| 71377 | 9/64                                                                              | 42                                                                                | .09                                                                               |
| 71379 | 5/32                                                                              | 42                                                                                | .09                                                                               |
| 71381 | 3/16                                                                              | 42                                                                                | .09                                                                               |
| 71383 | 7/32                                                                              | 42                                                                                | .09                                                                               |
| 71385 | 1/4                                                                               | 42                                                                                | .09                                                                               |
| 71388 | 5/16                                                                              | 42                                                                                | .10                                                                               |
| 71390 | 3/8                                                                               | 42                                                                                | .10                                                                               |



**713 Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| No.   | mm                                                                                | mm                                                                                | lbs.                                                                              |
| 71301 | 1.5                                                                               | 38                                                                                | .04                                                                               |
| 71302 | 2.0                                                                               | 38                                                                                | .04                                                                               |
| 71305 | 2.5                                                                               | 38                                                                                | .04                                                                               |
| 71313 | 3.0                                                                               | 38                                                                                | .04                                                                               |
| 71314 | 4.0                                                                               | 38                                                                                | .04                                                                               |
| 71317 | 5.0                                                                               | 38                                                                                | .05                                                                               |
| 71319 | 6.0                                                                               | 38                                                                                | .05                                                                               |
| 71327 | 8.0                                                                               | 38                                                                                | .05                                                                               |
| 71340 | 10.0                                                                              | 38                                                                                | .05                                                                               |



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit.  
1/4" bits CVM steel.

| Item  |  |  |  |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                  | lbs.                                                                                |
| 71300 | 2.0                                                                                 | 42                                                                                  | .09                                                                                 |
| 71316 | 2.5                                                                                 | 42                                                                                  | .09                                                                                 |
| 71341 | 3.0                                                                                 | 42                                                                                  | .09                                                                                 |
| 71331 | 4.0                                                                                 | 42                                                                                  | .09                                                                                 |
| 71323 | 5.0                                                                                 | 42                                                                                  | .09                                                                                 |
| 71325 | 6.0                                                                                 | 42                                                                                  | .09                                                                                 |
| 71320 | 8.0                                                                                 | 42                                                                                  | .10                                                                                 |
| 71322 | 10.0                                                                                | 42                                                                                  | .11                                                                                 |



**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit.  
5/16" bits CVM steel.

5/16 dia. 50M steel.

| Item  |  |  |      |
|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|
| No.   | mm                                                                                  | mm                                                                                  | lbs. |
| 71332 | 12.0                                                                                | 75                                                                                  | .22  |



Replaceable bit

### 761 Security Hex Inch Sockets

3/8" Square drive socket. 1/4" bits CVM steel.

| Item  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | Inch                                                                              | mm                                                                                  | lbs.                                                                                |
| 76164 | 5/64                                                                              | 42                                                                                  | .09                                                                                 |
| 76165 | 3/32                                                                              | 42                                                                                  | .09                                                                                 |
| 76166 | 7/64                                                                              | 42                                                                                  | .09                                                                                 |
| 76167 | 1/8                                                                               | 42                                                                                  | .09                                                                                 |
| 76168 | 9/64                                                                              | 42                                                                                  | .09                                                                                 |
| 76169 | 5/32                                                                              | 42                                                                                  | .09                                                                                 |
| 76170 | 3/16                                                                              | 42                                                                                  | .09                                                                                 |
| 76171 | 7/32                                                                              | 42                                                                                  | .09                                                                                 |
| 76172 | 1/4                                                                               | 42                                                                                  | .09                                                                                 |

### 761 Security Hex Metric Sockets

3/8" Square drive socket. 1/4" bits CVM steel.

| Item  |  |  |  |
|-------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| No.   | mm                                                                                | mm                                                                                  | lbs.                                                                                |
| 76132 | 2.0                                                                               | 42                                                                                  | .09                                                                                 |
| 76133 | 2.5                                                                               | 42                                                                                  | .09                                                                                 |
| 76134 | 3.0                                                                               | 42                                                                                  | .09                                                                                 |
| 76135 | 4.0                                                                               | 42                                                                                  | .09                                                                                 |
| 76136 | 5.0                                                                               | 42                                                                                  | .09                                                                                 |
| 76137 | 6.0                                                                               | 42                                                                                  | .09                                                                                 |
| 76138 | 8.0                                                                               | 42                                                                                  | .09                                                                                 |



**717 Ball End Hex Sockets** 1/4" Square drive socket. Replaceable bit.  
1/4" bits CVM steel.

| Item  |  |  |  |
|-------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   | Inch                                                                                | mm                                                                                    | lbs.                                                                                  |
| 71761 | 3/32                                                                                | 38                                                                                    | .09                                                                                   |
| 71762 | 7/64                                                                                | 38                                                                                    | .09                                                                                   |
| 71763 | 1/8                                                                                 | 38                                                                                    | .09                                                                                   |
| 71764 | 9/64                                                                                | 38                                                                                    | .09                                                                                   |
| 71765 | 5/32                                                                                | 38                                                                                    | .09                                                                                   |
| 71766 | 3/16                                                                                | 38                                                                                    | .09                                                                                   |
| 71767 | 7/32                                                                                | 38                                                                                    | .09                                                                                   |
| 71768 | 1/4                                                                                 | 38                                                                                    | .09                                                                                   |




### 717 Ball End Hex Metric Sockets

1/4" Square drive socket. Replaceable bit.  
1/4" bits CVM steel.

| Item  |  |  |  |
|-------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| No.   | mm                                                                                  | mm                                                                                    | lbs.                                                                                  |
| 71771 | 1.5                                                                                 | 51                                                                                    | .11                                                                                   |
| 71772 | 2.0                                                                                 | 51                                                                                    | .11                                                                                   |
| 71773 | 2.5                                                                                 | 51                                                                                    | .11                                                                                   |
| 71774 | 3.0                                                                                 | 51                                                                                    | .11                                                                                   |
| 71775 | 4.0                                                                                 | 51                                                                                    | .11                                                                                   |
| 71776 | 5.0                                                                                 | 51                                                                                    | .12                                                                                   |
| 71777 | 6.0                                                                                 | 51                                                                                    | .12                                                                                   |

## Wiha Socket Sets On Molded Rails



Bits CVM  
tool steel


### 71391 10 Piece Hex Inch Socket Set

1/4" Square drive replaceable bit socket.

Item No. 

71391 lbs. Set includes the following:

.48 1/16, 5/64, 3/32, 7/64, 1/8  
9/64, 5/32, 3/16, 7/32, 1/4"



Bits CVM  
tool steel


### 71798 8 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 

71798 lbs. Set includes the following:

.72 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Bits CVM  
tool steel


### 71398 7 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 

71398 lbs. Set includes the following:

.48 3/32, 1/8, 9/64, 5/32,  
3/16, 7/32, 1/4"



Bits CVM  
tool steel

### 71797 7 Pc. Ball End Hex Metric Sockets

1/4" Square Drive Replaceable Bit Socket.

Item No. 

71797 lbs. Set includes the following:

.72 3.0, 4.0, 5.0, 6.0mm



Bits CVM  
tool steel

### 71392 8 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71392 lbs. Set includes the following:

.78 1/4, 5/16, 3/8"

Bits CVM  
tool steel



### 71393 5 Piece Hex Inch Socket Set


3/8" Square Drive Replaceable Bit Socket.

Item No. 

71393 lbs. Set includes the following:

.54 1/4, 5/16, 3/8"

Bits CVM  
tool steel



### 71394 5 Piece Hex Metric Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71394 lbs. Set includes the following:

.56 8.0, 10.0mm

Bits CVM  
tool steel




### 71996 9 Piece Hex Metric Socket Set

1/4" & 3/8" Sq. Dr. Replaceable Bit Socket

Item No. 

71996 lbs. Set includes the following:

.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm  
3/8": 5.0, 6.0, 8.0, 10.0mm



Bits CVM  
tool steel

### 71999 9 Pc. Security Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71999 lbs. Set includes the following:

.86 5/64, 3/32, 7/64, 1/8,  
9/64, 5/32, 3/16, 7/32, 1/4"



Bits CVM  
tool steel

### 71989 7 Pc. Security Hex Metric Sockets

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71989 lbs. Set includes the following:


.74 2.0, 2.5, 3.0, 4.0, 5.0,  
6.0, 8.0mm

| Item No. Page | Item No. Page | Item No. Page | Item No. Page | Item No. Page | Item No. Page |
|---------------|---------------|---------------|---------------|---------------|---------------|
| 13650 22      | 26415 28      | 27509 26      | 28503 24      | 31890 22      | 33452 10      |
| 13651 22      | 26416 29      | 27510 26      | 28504 24      | 32302 21      | 33453 11      |
| 13652 22      | 26419 29      | 27513 26      | 28505 24      | 32303 21      | 33454 10      |
| 13653 22      | 26420 28      | 27515 26      | 28506 24      | 32304 21      | 33456 11      |
| 13654 22      | 26423 29      | 27520 26      | 28507 24      | 32305 21      | 33458 10      |
| 13655 22      | 26425 28      | 27525 26      | 28508 24      | 32306 21      | 33459 11      |
| 13656 22      | 26427 29      | 27530 26      | 28509 24      | 32308 21      | 33462 11      |
| 13657 22      | 26430 28      | 27535 26      | 28511 24      | 32366 21      | 33465 11      |
| 13658 22      | 26431 29      | 27537 26      | 28513 24      | 33401 11      | 33468 11      |
| 13659 22      | 26436 29      | 27539 26      | 28515 24      | 33402 11      | 33471 11      |
| 13662 22      | 26439 29      | 27541 26      | 28517 24      | 33403 11      | 33474 11      |
| 13663 22      | 26440 28      | 27543 26      | 28518 24      | 33404 11      | 33477 11      |
| 13664 22      | 26441 27      | 27545 26      | 28519 24      | 33405 11      | 33478 21      |
| 13665 22      | 26443 27      | 27547 26      | 28521 24      | 33406 11      | 33480 11      |
| 13666 22      | 26445 27      | 27549 26      | 28523 24      | 33407 11      | 33481 21      |
| 13667 22      | 26447 27      | 27590 26      | 28525 24      | 33408 11      | 33482 21      |
| 13668 22      | 26449 27      | 27591 26      | 28545 24      | 33409 11      | 33483 21      |
| 13669 22      | 26455 27      | 28000 30      | 28546 24      | 33410 11      | 33484 11      |
| 13670 22      | 26457 27      | 28001 30      | 28547 24      | 33411 11      | 33485 21      |
| 13671 22      | 26459 27      | 28003 27      | 28548 24      | 33412 11      | 33486 21      |
| 13672 22      | 26461 27      | 28004 27      | 28549 24      | 33413 11      | 33487 21      |
| 13673 22      | 26463 27      | 28005 27      | 28550 24      | 33414 11      | 33488 11      |
| 13690 22      | 26465 27      | 28006 27      | 28551 24      | 33415 11      | 33489 10      |
| 13691 22      | 26467 27      | 28007 27      | 28552 24      | 33416 11      | 33490 21      |
| 13693 22      | 26490 29      | 28008 27      | 28553 24      | 33417 11      | 33492 11      |
| 13694 22      | 26491 28      | 28021 30      | 28554 24      | 33418 10      | 33493 11      |
| 26307 28      | 26493 27      | 28023 30      | 28555 24      | 33419 11      | 33494 10      |
| 26309 28      | 26499 29      | 28024 30      | 28556 24      | 33420 10      | 33496 10      |
| 26313 28      | 26900 30      | 28025 30      | 28557 24      | 33421 11      | 33498 10      |
| 26315 28      | 26901 30      | 28026 30      | 28558 24      | 33422 10      | 33499 10      |
| 26316 28      | 26913 30      | 28027 30      | 28559 24      | 33423 11      | 35104 19      |
| 26320 28      | 26914 30      | 28028 30      | 28560 24      | 33424 10      | 35108 19      |
| 26323 28      | 26915 30      | 28029 30      | 28587 24      | 33425 11      | 35112 19      |
| 26325 28      | 26916 30      | 28033 30      | 28588 24      | 33426 10      | 35116 19      |
| 26327 28      | 26917 30      | 28034 30      | 28916 25      | 33427 11      | 35120 19      |
| 26330 28      | 26918 30      | 28035 30      | 28917 25      | 33428 10      | 35124 19      |
| 26331 28      | 26919 30      | 28036 30      | 28918 25      | 33429 11      | 35128 19      |
| 26333 28      | 26920 30      | 28037 30      | 28919 25      | 33430 10      | 35132 19      |
| 26336 28      | 26921 30      | 28116 23      | 28920 25      | 33432 10      | 35136 19      |
| 26340 28      | 26923 30      | 28117 23      | 28921 25      | 33433 10      | 35140 19      |
| 26341 27      | 26924 30      | 28118 23      | 28922 25      | 33434 11      | 35143 19      |
| 26343 27      | 26925 30      | 28119 23      | 28923 25      | 33435 11      | 35144 19      |
| 26345 27      | 26926 30      | 28120 23      | 28924 25      | 33436 11      | 35145 19      |
| 26347 27      | 26927 30      | 28122 23      | 28931 25      | 33437 11      | 35146 19      |
| 26349 27      | 26928 30      | 28123 23      | 28933 25      | 33438 11      | 35147 19      |
| 26351 27      | 26929 30      | 28124 23      | 28935 25      | 33439 10      | 35150 19      |
| 26353 27      | 26932 30      | 28149 23      | 28937 25      | 33440 10      | 35152 19      |
| 26363 27      | 26933 30      | 28150 23      | 28938 25      | 33441 21      | 35153 19      |
| 26367 27      | 26934 30      | 28151 23      | 28939 25      | 33442 10      | 35155 19      |
| 26369 27      | 26935 30      | 28192 23      | 28940 25      | 33443 21      | 35156 19      |
| 26371 27      | 26936 30      | 28298 32      | 31805 22      | 33444 10      | 35159 19      |
| 26390 28      | 26937 30      | 28299 32      | 31807 22      | 33445 21      | 35162 19      |
| 26391 28      | 26961 27      | 28486 23      | 31809 22      | 33446 10      | 35165 19      |
| 26392 27      | 26989 30      | 28487 23      | 31811 22      | 33447 21      | 35168 19      |
| 26393 27      | 26999 30      | 28488 23      | 31813 22      | 33448 10      | 35171 19      |
| 26399 28      | 27505 26      | 28501 24      | 31815 22      | 33449 21      | 35174 19      |
| 26413 28      | 27507 26      | 28502 24      | 31817 22      | 33450 10      | 35175 19      |

|               |               |               |               |               |               |
|---------------|---------------|---------------|---------------|---------------|---------------|
| Item No. Page | Item No. Page | Item No. Page | Item No. Page | Item No. Page | Item No. Page |
| 35176 19      | 35247 18      | 35341 20      | 36941 5       | 46740 15      | 66930 5       |
| 35177 19      | 35248 18      | 35342 20      | 36942 5       | 46750 15      | 66936 4       |
| 35178 19      | 35249 18      | 35343 20      | 36943 5       | 46760 15      | 66937 5       |
| 35179 19      | 35250 18      | 35345 20      | 36944 7       | 46780 15      | 66938 5       |
| 35180 19      | 35251 17      | 35346 20      | 36945 7       | 46786 15      | 66944 4       |
| 35191 19      | 35252 17      | 35347 20      | 36946 7       | 46793 14      | 66945 4       |
| 35192 19      | 35253 17      | 35348 20      | 36947 7       | 46794 14      | 66946 4       |
| 35193 19      | 35254 17      | 35390 20      | 36948 5       | 46796 15      | 66947 4       |
| 35194 19      | 35255 17      | 35391 20      | 36949 5       | 46797 14      | 66950 4       |
| 35195 16      | 35256 17      | 35392 20      | 36950 7       | 46799 15      | 66952 4       |
| 35196 16      | 35257 17      | 35393 20      | 36951 5       | 54001 9       | 66953 4       |
| 35197 16      | 35258 17      | 36696 6       | 36952 7       | 54002 9       | 66955 4       |
| 35198 16      | 35259 17      | 36710 12      | 36953 7       | 54003 9       | 66956 4       |
| 35200 18      | 35260 18      | 36713 12      | 36954 5       | 54004 9       | 66959 4       |
| 35201 17      | 35261 17      | 36715 13      | 36955 7       | 54005 9       | 66962 4       |
| 35202 17      | 35270 18      | 36716 12      | 36956 7       | 54006 9       | 66965 4       |
| 35203 18      | 35280 18      | 36719 12      | 36957 5       | 54007 9       | 66968 4       |
| 35204 17      | 35282 18      | 36720 13      | 36958 5       | 54008 9       | 66971 4       |
| 35205 18      | 35284 18      | 36723 12      | 36959 7       | 54009 9       | 66982 6       |
| 35206 17      | 35285 18      | 36725 13      | 36960 5       | 54010 9       | 66988 6       |
| 35208 17      | 35286 18      | 36726 12      | 36961 5       | 54012 8       | 66990 4       |
| 35210 17      | 35288 18      | 36728 12      | 36962 7       | 54014 8       | 66991 4       |
| 35211 17      | 35290 18      | 36730 13      | 36963 5       | 54016 8       | 66992 4       |
| 35212 17      | 35291 18      | 36732 12      | 36965 7       | 54018 8       | 66993 5       |
| 35213 18      | 35295 17      | 36734 12      | 36968 7       | 54020 9       | 66994 5       |
| 35214 17      | 35297 17      | 36736 12      | 36971 7       | 54022 8       | 66995 5       |
| 35215 18      | 35301 20      | 36738 12      | 36988 6       | 54024 8       | 66996 6       |
| 35216 18      | 35302 20      | 36740 13      | 36989 20      | 54025 9       | 66997 16      |
| 35217 17      | 35303 20      | 36742 12      | 36990 7       | 54030 9       | 66998 5       |
| 35218 18      | 35304 20      | 36744 12      | 36991 7       | 54040 8       | 70170 36      |
| 35219 17      | 35305 20      | 36750 13      | 36992 7       | 54042 9       | 70171 36      |
| 35220 18      | 35306 20      | 36760 13      | 36993 7       | 54050 8       | 70172 36      |
| 35221 17      | 35307 20      | 36780 13      | 36995 6       | 54052 9       | 70173 36      |
| 35222 18      | 35308 20      | 36786 13      | 36996 16      | 54060 8       | 70174 36      |
| 35223 17      | 35309 20      | 36790 13      | 36997 16      | 54062 9       | 70175 36      |
| 35224 18      | 35310 20      | 36791 12      | 36998 5       | 54080 8       | 70176 36      |
| 35225 18      | 35311 20      | 36792 13      | 38014 34      | 54082 9       | 71300 39      |
| 35226 18      | 35312 20      | 36793 12      | 38056 32      | 54086 8       | 71301 39      |
| 35227 17      | 35313 20      | 36794 12      | 38057 32      | 54088 9       | 71302 39      |
| 35228 18      | 35314 20      | 36904 7       | 38058 32      | 54090 8       | 71303 35      |
| 35230 18      | 35316 20      | 36908 7       | 46702 14      | 54091 8       | 71304 33      |
| 35231 17      | 35317 20      | 36911 6       | 46704 14      | 54092 9       | 71305 39      |
| 35232 18      | 35318 20      | 36912 7       | 46706 14      | 54094 9       | 71306 35      |
| 35233 17      | 35319 20      | 36913 6       | 46708 14      | 54095 9       | 71307 33      |
| 35234 18      | 35320 20      | 36914 6       | 46710 14      | 54097 9       | 71308 35      |
| 35235 17      | 35321 20      | 36915 6       | 46712 14      | 62994 29      | 71309 35      |
| 35236 18      | 35330 20      | 36916 7       | 46714 14      | 62995 29      | 71310 33      |
| 35237 17      | 35331 20      | 36917 6       | 46715 15      | 66904 4,5     | 71311 33      |
| 35238 18      | 35332 20      | 36918 6       | 46716 14      | 66908 4,5     | 71312 35      |
| 35239 17      | 35333 20      | 36919 6       | 46718 14      | 66912 4,5     | 71313 39      |
| 35240 18      | 35334 20      | 36920 7       | 46720 15      | 66916 4       | 71314 39      |
| 35241 17      | 35335 20      | 36921 6       | 46722 14      | 66918 5       | 71315 35      |
| 35242 18      | 35336 20      | 36922 6       | 46724 14      | 66920 4       | 71316 39      |
| 35243 17      | 35337 20      | 36924 7       | 46725 15      | 66922 5       | 71317 39      |
| 35244 18      | 35338 20      | 36928 7       | 46726 14      | 66924 4       | 71318 35      |
| 35245 18      | 35339 20      | 36936 7       | 46728 14      | 66926 5       | 71319 39      |
| 35246 18      | 35340 20      | 36940 5       | 46730 15      | 66928 4       | 71320 39      |

| Item No. Page | Item No. Page | Item No. Page | Item No. Page | Item No. Page | Item No. Page |
|---------------|---------------|---------------|---------------|---------------|---------------|
| 71321 35      | 71387 35      | 71936 36      | 74317 36      | 75330 31      | 76574 37      |
| 71322 39      | 71388 39      | 71938 36      | 74318 36      | 75332 31      | 76575 37      |
| 71323 39      | 71390 39      | 71939 36      | 74319 33      | 75340 31      | 76823 37      |
| 71324 35      | 71391 40      | 71940 36      | 74325 36      | 75342 31      | 76824 37      |
| 71325 39      | 71392 40      | 71941 36      | 74330 36      | 75350 31      | 76825 37      |
| 71326 35      | 71393 40      | 71942 36      | 74340 36      | 75352 31      | 76826 37      |
| 71327 39      | 71394 40      | 71943 36      | 74341 36      | 75354 31      | 76830 37      |
| 71328 35      | 71396 35      | 71944 36      | 74342 36      | 75356 31      | 76831 37      |
| 71329 35      | 71397 35      | 71945 36      | 74343 36      | 75358 31      | 76832 37      |
| 71330 35      | 71398 40      | 71946 36      | 74344 36      | 75360 31      | 76833 37      |
| 71331 39      | 71399 33      | 71955 36      | 74345 36      | 75362 31      | 76834 37      |
| 71332 39      | 71480 38      | 71956 36      | 74346 36      | 75364 31      | 76835 37      |
| 71333 35      | 71490 38      | 71960 36      | 74347 36      | 75366 31      | 76863 37      |
| 71336 35      | 71491 38      | 71970 36      | 74348 36      | 75368 31      | 76864 37      |
| 71339 35      | 71701 37      | 71971 36      | 74349 36      | 75370 31      | 76865 37      |
| 71340 39      | 71702 37      | 71972 36      | 74350 36      | 75372 31      | 76866 37      |
| 71341 39      | 71703 37      | 71973 36      | 74351 36      | 75395 31      | 76870 37      |
| 71342 35      | 71704 37      | 71974 36      | 74352 36      | 75800 31      | 76871 37      |
| 71343 33      | 71705 37      | 71975 36      | 74353 36      | 75801 31      | 76872 37      |
| 71345 35      | 71706 37      | 71976 36      | 74354 36      | 75900 31      | 76873 37      |
| 71346 33      | 71707 37      | 71977 36      | 74355 36      | 75901 31      | 76874 37      |
| 71348 35      | 71708 37      | 71978 36      | 74356 36      | 75983 31      | 76875 37      |
| 71349 33      | 71711 37      | 71979 36      | 74357 36      | 76132 39      | 76893 37      |
| 71351 35      | 71712 37      | 71980 36      | 74360 36      | 76133 39      | 76894 37      |
| 71352 33      | 71713 37      | 71981 36      | 74361 36      | 76134 39      | 77128 38      |
| 71353 35      | 71714 37      | 71982 36      | 74362 36      | 76135 39      | 77130 38      |
| 71354 33      | 71715 37      | 71983 36      | 74363 36      | 76136 39      | 77132 38      |
| 71356 35      | 71716 37      | 71984 36      | 74364 36      | 76137 39      | 77134 38      |
| 71358 33      | 71717 37      | 71985 36      | 74365 36      | 76138 39      | 77136 38      |
| 71359 35      | 71718 37      | 71989 40      | 74366 36      | 76164 39      | 77138 38      |
| 71360 35      | 71719 37      | 71995 34      | 74369 33      | 76165 39      | 77139 38      |
| 71361 35      | 71720 37      | 71996 40      | 74371 33      | 76166 39      | 77140 38      |
| 71362 35      | 71721 37      | 71998 34      | 74373 33      | 76167 39      | 77141 38      |
| 71363 35      | 71722 37      | 71999 40      | 74375 33      | 76168 39      | 77142 38      |
| 71364 35      | 71723 37      | 72001 38      | 74377 33      | 76169 39      | 77144 38      |
| 71365 35      | 71724 37      | 72002 38      | 74379 33      | 76170 39      | 77146 38      |
| 71366 35      | 71725 37      | 72003 38      | 74380 36      | 76171 39      | 77148 38      |
| 71367 35      | 71761 39      | 72090 38      | 74381 36      | 76172 39      | 77165 38      |
| 71368 35      | 71762 39      | 72388 36      | 74382 36      | 76523 37      | 77167 38      |
| 71369 35      | 71763 39      | 73301 35      | 74383 36      | 76524 37      | 77169 38      |
| 71370 38      | 71764 39      | 73302 35      | 74384 36      | 76525 37      | 77171 38      |
| 71371 38      | 71765 39      | 73303 35      | 74385 36      | 76526 37      | 77173 38      |
| 71372 38      | 71766 39      | 73304 35      | 74386 36      | 76530 37      | 77175 38      |
| 71373 35      | 71767 39      | 73305 35      | 74387 36      | 76531 37      | 77177 38      |
| 71374 38      | 71768 39      | 73306 35      | 74388 36      | 76532 37      | 77179 38      |
| 71375 39      | 71771 39      | 73307 35      | 74986 34      | 76533 37      | 77191 38      |
| 71376 38      | 71772 39      | 73308 35      | 74989 34      | 76534 37      | 77192 38      |
| 71377 39      | 71773 39      | 73309 35      | 74999 34      | 76535 37      | 77198 38      |
| 71378 38      | 71774 39      | 74301 33      | 75096 31      | 76563 37      | 79246 33      |
| 71379 39      | 71775 39      | 74305 33      | 75307 31      | 76563 37      | 79256 33      |
| 71380 38      | 71776 39      | 74307 33      | 75309 31      | 76564 37      | 79266 33      |
| 71381 39      | 71777 39      | 74311 36      | 75313 31      | 76565 37      | 79276 33      |
| 71382 38      | 71797 40      | 74312 36      | 75315 31      | 76566 37      | 79446 34      |
| 71383 39      | 71798 40      | 74313 36      | 75320 31      | 76570 37      | 91118 26      |
| 71384 38      | 71930 36      | 74314 36      | 75322 31      | 76571 37      | 91247 37      |
| 71385 39      | 71932 36      | 74315 36      | 75325 31      | 76572 37      | 91256 37      |
| 71386 38      | 71934 36      | 74316 36      | 75327 31      | 76573 37      |               |

(800) 494-6104  
 fax: (800) 494-7456  
 email: cservice@wihatools.com



### Wiha Quality Tools

1348 Dundas Circle  
 Monticello, MN 55362  
 tel: 763.295.6591  
 fax: 763.295.6598

### Wiha Tools Canada Ltd.

www.wihatools.ca  
 Brampton, ONT L6T 4X4  
 tel: 866.494.0096 or 763.295.6591  
 fax: 763.295.6598

To:

Catalog Item No. 99934.wo  
 version - 5/15/13

Subject to change  
 without notice

©2013 Willi Hahn Corporation




99060.wo - Product Guide



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99951.wo - Bits Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Wiha:](#)

|                              |                              |                              |                              |                              |                              |                              |                              |                              |                              |                              |                              |                              |                              |                              |
|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| <u><a href="#">33489</a></u> | <u><a href="#">66993</a></u> | <u><a href="#">76832</a></u> | <u><a href="#">71394</a></u> | <u><a href="#">71723</a></u> | <u><a href="#">71342</a></u> | <u><a href="#">76830</a></u> | <u><a href="#">76873</a></u> | <u><a href="#">76872</a></u> | <u><a href="#">76534</a></u> | <u><a href="#">76875</a></u> | <u><a href="#">76524</a></u> | <u><a href="#">76530</a></u> | <u><a href="#">76526</a></u> | <u><a href="#">76571</a></u> |
| <u><a href="#">76833</a></u> | <u><a href="#">76831</a></u> | <u><a href="#">91247</a></u> | <u><a href="#">76894</a></u> | <u><a href="#">76825</a></u> | <u><a href="#">76835</a></u> | <u><a href="#">66988</a></u> | <u><a href="#">76533</a></u> | <u><a href="#">76834</a></u> | <u><a href="#">76826</a></u> | <u><a href="#">76863</a></u> | <u><a href="#">76572</a></u> | <u><a href="#">54042</a></u> | <u><a href="#">77134</a></u> | <u><a href="#">76535</a></u> |
| <u><a href="#">76564</a></u> | <u><a href="#">76866</a></u> | <u><a href="#">76575</a></u> | <u><a href="#">33484</a></u> | <u><a href="#">54092</a></u> | <u><a href="#">35343</a></u> | <u><a href="#">77142</a></u> | <u><a href="#">28924</a></u> | <u><a href="#">54001</a></u> | <u><a href="#">74989</a></u> | <u><a href="#">71767</a></u> | <u><a href="#">71798</a></u> | <u><a href="#">74352</a></u> | <u><a href="#">74357</a></u> | <u><a href="#">77192</a></u> |
| <u><a href="#">72002</a></u> | <u><a href="#">73302</a></u> | <u><a href="#">71975</a></u> | <u><a href="#">71985</a></u> | <u><a href="#">74350</a></u> | <u><a href="#">77132</a></u> | <u><a href="#">73309</a></u> | <u><a href="#">74315</a></u> | <u><a href="#">74316</a></u> | <u><a href="#">74317</a></u> | <u><a href="#">71945</a></u> | <u><a href="#">71974</a></u> | <u><a href="#">70173</a></u> | <u><a href="#">36919</a></u> | <u><a href="#">36922</a></u> |
| <u><a href="#">76136</a></u> | <u><a href="#">71989</a></u> | <u><a href="#">36918</a></u> | <u><a href="#">28487</a></u> | <u><a href="#">74382</a></u> | <u><a href="#">76167</a></u> | <u><a href="#">74383</a></u> | <u><a href="#">74388</a></u> | <u><a href="#">36915</a></u> | <u><a href="#">71313</a></u> | <u><a href="#">54050</a></u> | <u><a href="#">71708</a></u> | <u><a href="#">74361</a></u> | <u><a href="#">76170</a></u> | <u><a href="#">77191</a></u> |
| <u><a href="#">71372</a></u> | <u><a href="#">71380</a></u> | <u><a href="#">66928</a></u> | <u><a href="#">66937</a></u> | <u><a href="#">71308</a></u> | <u><a href="#">71310</a></u> | <u><a href="#">76133</a></u> | <u><a href="#">71773</a></u> | <u><a href="#">36921</a></u> | <u><a href="#">70170</a></u> | <u><a href="#">36917</a></u> | <u><a href="#">70176</a></u> | <u><a href="#">54088</a></u> | <u><a href="#">54010</a></u> | <u><a href="#">54062</a></u> |
| <u><a href="#">28931</a></u> | <u><a href="#">54002</a></u> | <u><a href="#">54020</a></u> | <u><a href="#">74379</a></u> | <u><a href="#">28937</a></u> | <u><a href="#">54004</a></u> | <u><a href="#">54007</a></u> | <u><a href="#">54025</a></u> | <u><a href="#">54082</a></u> | <u><a href="#">71776</a></u> |                              |                              |                              |                              |                              |