



A



B

1 2

3

4

963P
CONTACT
NUMBERING
SYSTEM



SPECIFICATIONS:

INSULATOR MATERIAL:	30% GLASS-FILLED NYLON 6-12, FLAME RETARDANT
CONTACT BASR MATERIAL:	CA72500
CONTACT PLATING:	70 MICROINCHES MIN OF DGR-156 (DIFFUSED Au IN PdAg)
POINT OF CONTACT FROM INSULATOR FACE:	0.115 (963P AND 963PH) 0.145 (963PX)
PIN STOP FROM INSULATOR FACE:	0.245
RECOMMENDED MATING PIN LENGTH:	0.225+/-0.030
CONTACT WIRE GAUGE:	22-29 GA.
CONTACT WIRE TERMINATION:	OPEN BARREL CRIMP
CONTACT CURRENT:	1.5 A MAX*
CONTACT RESISTANCE:	6 MILLIOHMS TYPICAL
VOLTAGE BREAKDOWN:	1000 VAC
MAXIMUM ALLOWABLE PULL ON WIRE:	4 LBS. MAX AXIAL LOAD ON EACH CONTACT
AVG INSERTION FORCE/RETANTION FORCE PER CONTACT	.3/.2 LBS - 963P .5/.3 LBS - 963PH .65/.45 - 963PX .7/.4 - 963PS
TERMINATION EQUIPMENT	
CRIMP TOOL, HAND, FOR 22-28 GAUGE WIRE:	1000B

*BASED ON 30 DEG. C TEMP RISE, ALL CONTACTS SIMULTANEOUSLY CARRYING SAME CURRENT, FREE CONVECTION COOLING.

		HOUSING (SEE TABLE)	2
		CONTACT (SEE TABLE)	1
REQ.	IDENT NO.	DESCRIPTION	ITEM
STOCKLIST			

CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified						CUSTOMER COPY				 Electronics FCI www.fciconnect.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
ltr	ecn no	dr	date	linear	XX ±.01						projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
A	V20380	CGD	2/25/02		.XXX ±.003																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
					.XXXX ±.0020																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				angles	0° ±2°						 INCH scale 1:1				product family					FASTECH					code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				dr	C. DAILY			2/25/02							size		dwg no					213																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				engr	R.CONRAD			2/25/02							A		A83KC4169					sheet 1 of 7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				chr	R.CONRAD			2/25/02																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				appd	R.CONRAD			2/25/02																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
sheet index		revision sheet		A	A	A	A	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

1 2

3


4

ACAD


cage code
22526

PDM: Rev:A STATUS: Released


Printed: Jul 24, 2003



963 P
CONNECTOR CODING
SYSTEM
.100" CENTERS



CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified			CUSTOMER COPY			 Electronics FCI www.fciconnect.com										
ltr	ecn no	dr	date	linear	.XX ±.01			projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS											
A					.xxx ±.003															
					.xxxx ± .0020															
				angles	0° ±2°			 INCH scale 1:1	product family FASTECH						code					
				dr	C. DAILY	2/25/02	size		dwg no						213					
				engr	R. CONRAD	2/25/02			A						sheet					
				chr	R. CONRAD	2/25/02			A83KC4169						2 of					
				appd	R. CONRAD	2/25/02														
sheet index		revision sheet																		

cage code
22526



CONTACT TABLE
963 P CONTACT FAMILY
IDENTIFICATION

	STANDARD	HIGH RETENTION	EXTRA HIGH RETENTION	SOLDER
24 - 27 GAUGE WIRE	 963P * 843939612 ** 845576255	 963PH * 845381235 ** 845576263	 963PX * 845575125 ** 845576271	 963PS * 846288082 ** 845852243
22 GAUGE WIRE	 963P22 * 845380187 ** 845576289	 963PH22 * 845575950 ** 845576297	 963PX22 * 845575968 ** 845576305	
28 GAUGE WIRE	 963P28 * 845856574 ** 845855428			
** LOOSE CONTACTS 500 PCS./BAG		* CONTACTS REELS 20,000/REEL		

CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified		CUSTOMER COPY	Electronics FCI www.fciconnect.com		
ltr	ecn no	dr	date	linear	.XX ±.01				
A					.xxx ±.003	projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS		
					.xxxx ±.0020				
				angles	0° ±2°		product family FASTECH		code
				dr	C. DAILY 2/25/02		size		213
				engr	R. CONRAD 2/25/02	scale 1:1	dwg no		sheet
				chr	R. CONRAD 2/25/02		A A83KC4169		3 of
				appd	R. CONRAD 2/25/02				
sheet index	revision sheet								


cage code
22526

PDM: Rev:A STATUS: Released

Printed: Jul 24, 2003

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



Printed: Jul 24, 2003

B

1

2

3

4

ACAD

PDM: Rev:A

STATUS Released

22526

213

4 of

A83KC4169

FASTECH

963P CONNECTOR

ASSEMBLY .100" CENTERS

www.fciconnect.com

FCI

Electronics

CUSTOMER COPY

projection

INCH

scale

1:1

appd

R. CONRAD

2/25/02

chr

R. CONRAD

2/25/02

engr

R. CONRAD

2/25/02

dr

C. DAILY

2/25/02

angles

0° ±2°

.XXXX ±.0020

.XXX ±.003

XX ±.01

tolerances unless otherwise specified

mat'l. code

date

dr

ecn no

ltr

sheet index

revision sheet

963P2

SINGLE ROW PLUGGED

.560 REF.

2

+

+

+

+

+

+

+

DIM. A

(SEE TABLE D)

.0625

.125 MAX. REF.

THIS POSITION IS PLUGGED FOR NON-STANDARD PLUGGED LOCATIONS, SEE HOUSING DRAWING.

SECTION A-A

1

TABLE D

CODE

DIM. A REF.

HOUSING SIZE

ITEM 1 NO. REQD.

ITEM 2 COMCODE

ITEM 2 NO. REQD.

963P2-2

.296

1 X 3

2

844636787

1

963P2-3

.396

1 X 4

3

844636795

1

963P2-4

.496

1 X 5

4

844636803

1

963P2-5

.596

1 X 6

5

844636811

1

963P2-6

.696

1 X 7

6

844636829

1

963P2-7

.796

1 X 8

7

844636837

1

963P2-8

.896

1 X 9

8

844636845

1

963P2-9

.996

1 X 10

9

844636852

1

963P2-10

1.096

1 X 11

10

844636860

1

963P2-11

1.196

1 X 12

11

844636878

1

963P2-12

1.296

1 X 13

12

844636886

1

963P2-13

1.396

1 X 14

13

844636894

1

963P2-14

1.496

1 X 15

14

844636902

1

CONFIDENTIAL

1

2

3

4

ACAD

PDM: Rev:A

STATUS Released

22526

213

4 of

A83KC4169

FASTECH

963P CONNECTOR

ASSEMBLY .100" CENTERS

www.fciconnect.com

FCI

Electronics

CUSTOMER COPY

projection

INCH

scale

1:1

appd

R. CONRAD

2/25/02

chr

R. CONRAD

2/25/02

engr

R. CONRAD

2/25/02

dr

C. DAILY

2/25/02

angles

0° ±2°

.XXXX ±.0020

.XXX ±.003

XX ±.01

tolerances unless otherwise specified

mat'l. code

date

dr

ecn no

ltr

sheet index

revision sheet

963P2

SINGLE ROW PLUGGED

.560 REF.

2

+

+

+

+

+

+

+

DIM. A

(SEE TABLE D)

.0625

.125 MAX. REF.

THIS POSITION IS PLUGGED FOR NON-STANDARD PLUGGED LOCATIONS, SEE HOUSING DRAWING.

SECTION A-A

1

TABLE D

CODE

DIM. A REF.

HOUSING SIZE

ITEM 1 NO. REQD.

ITEM 2 COMCODE

ITEM 2 NO. REQD.

963P2-2

.296

1 X 3

2

844636787

1

963P2-3

.396

1 X 4

3

844636795

1

963P2-4

.496

1 X 5

4

844636803

1

963P2-5

.596

1 X 6

5

844636811

1

963P2-6

.696

1 X 7

6

844636829

1

963P2-7

.796

1 X 8

7

844636837

1

963P2-8

.896

1 X 9

8

844636845

1

963P2-9

.996

1 X 10

9

844636852

1

963P2-10

1.096

1 X 11

10

844636860

1

963P2-11

1.196

1 X 12

11

844636878

1

963P2-12

1.296

1 X 13

12

844636886

1

963P2-13

1.396

1 X 14

13

844636894

1

963P2-14

1.496

1 X 15

14

844636902

1

CONFIDENTIAL

1

2

3

4

ACAD

PDM: Rev:A

STATUS Released

22526

213

4 of

A83KC4169

FASTECH

963P CONNECTOR

ASSEMBLY .100" CENTERS

www.fciconnect.com

FCI

Electronics

CUSTOMER COPY

projection

INCH

scale

1:1

appd

R. CONRAD

2/25/02

chr

R. CONRAD

2/25/02

engr

R. CONRAD

2/25/02

dr

C. DAILY

2/25/02

angles

0° ±2°

.XXXX ±.0020

.XXX ±.003

XX ±.01

tolerances unless otherwise specified

mat'l. code

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



B

1 2




3

4

TABLE C

CODE	DIM. A REF.	HOUSING SIZE	ITEM 1 NO. REQD.	ITEM 2 COMCODE	ITEM 2 NO. REQD.
963P4-1	.096	1 X 1	1	844637165	1
963P4-2	.196	1 X 2	2	844637173	1
963P4-3	.296	1 X 3	3	844637181	1
963P4-4	.396	1 X 4	4	844637199	1
963P4-5	.496	1 X 5	5	844637207	1
963P4-6	.596	1 X 6	6	844637215	1
963P4-7	.696	1 X 7	7	844637223	1
963P4-8	.796	1 X 8	8	844637231	1
963P4-9	.896	1 X 9	9	844637249	1
963P4-10	.996	1 X 10	10	844637256	1
963P4-11	1.096	1 X 11	11	844637264	1
963P4-12	1.196	1 X 12	12	844637272	1
963P4-13	1.296	1 X 13	13	844637280	1
963P4-14	1.396	1 X 14	14	844637298	1
963P4-15	1.496	1 X 15	15	845074368	1

963P4
SINGLE ROW



CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified		CUSTOMER COPY	Electronics FCI www.fciconnect.com		
ltr	ecn no	dr	date	linear	XX ±.01				
A					.XXX ±.003	projection	title 963P CONNECTOR ASSEMBLY .100" CENTERS		
				angles	.XXXX ±.0020		product family FASTECH		code
					0° ±2°		size	dwg no	213
				dr	C. DAILY	2/25/02	scale 1:1	A A83KC4169	sheet
				engr	R. CONRAD	2/25/02			5 of
				chr	R. CONRAD	2/25/02			
				appd	R. CONRAD	2/25/02			
sheet index	revision sheet								

1 2

3

4

cage code
22526





TABLE E

CODE SEE NOTE 5	DIM. A REF.	HOUSING SIZE	ITEM 1 NO. REQD.	ITEM 2 COMCODE	ITEM 2 NO. REQD.
963P3-4	.196	2 X 2	4	844636910	1
963P3-6	.296	2 X 3	6	844636928	1
963P3-8	.396	2 X 4	8	844636936	1
963P3-10	.496	2 X 5	10	844636944	1
963P3-12	.596	2 X 6	12	844636951	1
963P3-14	.696	2 X 7	14	844636969	1
963P3-16	.796	2 X 8	16	844636977	1
963P3-18	.896	2 X 9	18	844636985	1
963P3-20	.996	2 X 10	20	844636993	1
963P3-22	1.096	2 X 11	22	844637009	1
963P3-24	1.196	2 X 12	24	844637017	1
963P3-26	1.296	2 X 13	26	844637025	1
963P3-28	1.396	2 X 14	28	844637033	1
963P3-30	1.496	2 X 15	30	844637041	1
963P3-32	1.596	2 X 16	32	844637058	1
963P3-34	1.696	2 X 17	34	844637066	1
963P3-36	1.796	2 X 18	36	844637074	1
963P3-38	1.896	2 X 19	38	844637082	1
963P3-40	1.996	2 X 20	40	844637090	1
963P3-42	2.096	2 X 21	42	844637108	1
963P3-44	2.196	2 X 22	44	844637116	1
963P3-46	2.296	2 X 23	46	844637124	1
963P3-48	2.396	2 X 24	48	844637132	1
963P3-50	2.496	2 X 25	50	844637140	1

CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified				CUSTOMER COPY			 Electronics FCI www.fciconnect.com											
ltr	ecn no	dr	date	linear	.XX ±.01				projection 	title 963P CONNECTOR ASSEMBLY .100" CENTERS												
A					.xxx ±.003																	
					.xxxx ±.0020																	
				angles	0° ±2°				 INCH scale 1:1	product family FASTECH						code						
				dr	C. DAILY	2/25/02		size		dwg no						213						
				engr	R. CONRAD	2/25/02				A A83KC4169						sheet						
				chr	R. CONRAD	2/25/02										6 of						
				appd	R. CONRAD	2/25/02																
sheet index		revision sheet																				

cage code
22526

PDM: Rev:A STATUS: Released

Printed: Jul 24, 2003

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



FCI

B

1 | 2

ACAD

PDM: Rev:A STATUS:Released




TABLE F

CODE SEE NOTE 5	DIM. A REF.	HOUSING SIZE	ITEM 1 NO. REQD.	ITEM 2 COMCODE	ITEM 2 NO. REQD.
963P7-4	.196	2 X 2	4	845075555	1
963P7-6	.296	2 X 3	6	845075563	1
963P7-8	.396	2 X 4	8	845075571	1
963P7-10	.496	2 X 5	10	845075589	1
963P7-12	.596	2 X 6	12	845075597	1
963P7-14	.696	2 X 7	14	845075605	1
963P7-16	.796	2 X 8	16	845075613	1
963P7-18	.896	2 X 9	18	845075621	1
963P7-20	.996	2 X 10	20	845075639	1
963P7-22	1.096	2 X 11	22	845075647	1
963P7-24	1.196	2 X 12	24	845075654	1
963P7-26	1.296	2 X 13	26	845075662	1
963P7-28	1.396	2 X 14	28	845075670	1
963P7-30	1.496	2 X 15	30	845075688	1
963P7-32	1.596	2 X 16	32	845075696	1
963P7-34	1.696	2 X 17	34	845075704	1
963P7-36	1.796	2 X 18	36	845075712	1
963P7-38	1.896	2 X 19	38	845075720	1
963P7-40	1.996	2 X 20	40	845075738	1
963P7-42	2.096	2 X 21	42	845075746	1
963P7-44	2.196	2 X 22	44	845075753	1
963P7-46	2.296	2 X 23	46	845075761	1
963P7-48	2.396	2 X 24	48	845075779	1
963P7-50	2.496	2 X 25	50	845075787	1

CONFIDENTIAL

mat'l. code --				tolerances unless otherwise specified		CUSTOMER COPY	Electronics FCI www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX ±.01		title 963P CONNECTOR ASSEMBLY .100" CENTERS			
A					.xxx ±.003	projection	product family FASTECH			
				angles	.xxxx ±.0020		size dwg no			
					0° ±2°		A A83KC4169			
				dr	C. DAILY	2/25/02	code 213			
				engr	R. CONRAD	2/25/02	sheet 7 of			
				chr	R. CONRAD	2/25/02				
				appd	R. CONRAD	2/25/02				
sheet index	revision sheet									

cage code
22526

4

B

1 | 2

Printed: Jul 24, 2003