


NOTES

1.製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS,PLEASE SEE
THE DRAWING OF CONNECTOR ITSELF(NOT PACKAGED).




2.梱包数量：1300個/リール
NUMBER OF CONNECTORS：1300 PIECES/REEL


3.リードテープ長さ
LEAD TAPE LENGTH




4.材料
MATERIAL
CARRIER TAPE：POLYPROPYLENE.
トップテープ：PET,PE,REF
TOP TAPE：PET,PE,REF.
リール：ポリスチレン<リサイクル材を含む>

5.ELV AND RoHS COMPLIANT.




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																					
REVISED	EC NO: 111079 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2016/12/05 2016/12/05 2016/12/05	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION UNITS		SCALE		molex®											
						MM		NTS													
			ANGULAR TOL ± 1.0 °			DRWN BY		DATE		PICO-CRASP 1.0W/B 1-ROW R/A 6-15 CKT. INNER LOCK TYPE EMBOSSED TAPE PKG (GOLD VERSION)											
						KOMORI		2016/09/01													
			4 PLACES ± 0.2			CHK'D BY		DATE								PRODUCT CUSTOMER DRAWING					
						SAKIYAMA		2016/09/21													
			3 PLACES ± 0.2			APPR BY		DATE		SERIES 202396											
						TKANEKO		2016/09/21													
			2 PLACES ± 0.2			DRAWING SIZE		THIRD ANGLE PROJECTION		MATERIAL NUMBER SEE SHEET2		CUSTOMER GENERAL									
						A3				DOCUMENT NUMBER 2023960607		DOC TYPE PSD		DOC PART 000		SHEET NUMBER 1 OF 2					
1 PLACE ± 0.2			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																		
0 PLACES ± 0.2																					

RELEASE STATUS	P1	RELEASE DATE	05.12.2016	08:03:47
----------------	----	--------------	------------	----------



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REVISED	EC NO: 111079 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2016/12/05 2016/12/05 2016/12/05	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®					
			ANGULAR TOL ± 1.0 °		MM	NTS						
			4 PLACES	± 0.2	DRWN BY		DATE		PICO-CRASP 1.0W/B 1-ROW R/A 6-15 CKT. INNER LOCK TYPE EMBOSSSED TAPE PKG (GOLD VERSION)			
			3 PLACES	± 0.2	KOMORI		2016/09/01					
			2 PLACES	± 0.2	CHK'D BY		DATE					
			1 PLACE	± 0.2	SAKIYAMA		2016/09/21		PRODUCT CUSTOMER DRAWING			
			0 PLACES	± 0.2	APPR BY		DATE					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		TKANEKO		2016/09/21		SERIES	MATERIAL NUMBER	CUSTOMER	
			B	REV	DRAWING SIZE		THIRD ANGLE PROJECTION		202396	SEE SHEET2	GENERAL	
					A3		DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER	
2023960607		PSD					000	2 OF 2				

