







10

9

8

7

6

5

4

3

2

1

F


E

D

C

B

A




NOTES

1. 製品詳細寸法については SD-501190-003 を参照ください。
RE DETAILED DIMENSION, SEE SD-501190-003

2. 梱包数量：1100個/リール
NUMBER OF CONNECTORS：1100PIECES/REEL

3. リードテープ長さ
LEAD TAPE LENGTH



4. トップテープの剥離強度：0.1～1.3N(10.2～132.5gf)(剥離方向は下図参照)
PEELING OFF FORCE OF TOP TAPE
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)
尚、本規格値は、出荷時に適用。(但し、輸送時に剥離が発生しないこと)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED, DURING TRANSPORTATION.

5. 材料
MATERIAL
キャリアテープ：ポリプロピレン
CARRIER TAPE: POLYPROPYLENE
トップテープ：PET, PE, REF
TOP TAPE
リール：ポリスチレン (リサイクル材を含む)
REEL: POLYSTYRENE (RECYCLE MATERIAL CONTAINED)

6. 乾燥剤入り防湿梱包仕様になります。(501190-**17, 501190-**27以外)
INCLUDING DESICCANT TAPING PACKAGE.
(BESIDES 501190-**17, 501190-**27)

7. ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT.

REVISED EC NO: J2013-1460 DRW:KAWASHIO CHKD:KASAKAWA APPR:NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM ONLY		---	METRIC		
		10 UNDER	± 0.2	DRAWN BY	DATE	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) EMBTP PKG -LEAD FREE-			
		10 OVER 30 UNDER	± 0.25	CHECKED BY	DATE				
		30 OVER	± 0.3	APPROVED BY	DATE				
	ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2		SD-501190-004		1 OF 3		
D	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9

8

7


6

5

4

3

2



	10	9	8	7	6	5	4	3	2	1																																																			
F												F																																																	
E												E																																																	
D	<table><tr><td rowspan="5">有 YES</td><td>緑 GREEN</td><td>青 BLUE</td><td>赤 RED</td><td>黒 BLACK</td><td colspan="2">色 COLOR</td></tr><tr><td>—//—</td><td>—//—</td><td>—//—</td><td>—//—</td><td>50</td><td rowspan="4">501190-**7*</td></tr><tr><td>501190-4056</td><td>501190-4054</td><td>501190-4052</td><td>501190-4051</td><td>40</td></tr><tr><td>501190-3056</td><td>501190-3054</td><td>501190-3052</td><td>501190-3051</td><td>30</td></tr><tr><td>501190-2056</td><td>501190-2054</td><td>501190-2052</td><td>501190-2051</td><td>20</td></tr><tr><td>COVER TAPE</td><td colspan="4">EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>CKT.</td><td>CONNECTOR SERIES NO.</td></tr></table>											有 YES	緑 GREEN	青 BLUE	赤 RED	黒 BLACK	色 COLOR		—//—	—//—	—//—	—//—	50	501190-**7*	501190-4056	501190-4054	501190-4052	501190-4051	40	501190-3056	501190-3054	501190-3052	501190-3051	30	501190-2056	501190-2054	501190-2052	501190-2051	20	COVER TAPE	EMBOSSSED PACKAGE オーダー番号 ORDER NO.				CKT.	CONNECTOR SERIES NO.	D														
有 YES	緑 GREEN	青 BLUE	赤 RED	黒 BLACK	色 COLOR																																																								
	—//—	—//—	—//—	—//—	50	501190-**7*																																																							
	501190-4056	501190-4054	501190-4052	501190-4051	40																																																								
	501190-3056	501190-3054	501190-3052	501190-3051	30																																																								
	501190-2056	501190-2054	501190-2052	501190-2051	20																																																								
COVER TAPE	EMBOSSSED PACKAGE オーダー番号 ORDER NO.				CKT.	CONNECTOR SERIES NO.																																																							
C	<table><tr><td rowspan="5">無 NO</td><td>自然色 NATURAL</td><td colspan="2">色 COLOR</td></tr><tr><td>501190-5027</td><td>50</td><td rowspan="4">501190-**29</td></tr><tr><td>501190-4027</td><td>40</td></tr><tr><td>501190-3027</td><td>30</td></tr><tr><td>501190-2027</td><td>20</td></tr><tr><td>COVER TAPE</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>CKT.</td><td>CONNECTOR SERIES NO.</td></tr></table>											無 NO	自然色 NATURAL	色 COLOR		501190-5027	50	501190-**29	501190-4027	40	501190-3027	30	501190-2027	20	COVER TAPE	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.	C																																
無 NO	自然色 NATURAL	色 COLOR																																																											
	501190-5027	50	501190-**29																																																										
	501190-4027	40																																																											
	501190-3027	30																																																											
	501190-2027	20																																																											
COVER TAPE	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.																																																										
B	<table><tr><td rowspan="5">有 YES</td><td>自然色 NATURAL</td><td colspan="2">色 COLOR</td></tr><tr><td>501190-5017</td><td>50</td><td rowspan="4">501190-**19</td></tr><tr><td>501190-4017</td><td>40</td></tr><tr><td>501190-3017</td><td>30</td></tr><tr><td>501190-2017</td><td>20</td></tr><tr><td>COVER TAPE</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>CKT.</td><td>CONNECTOR SERIES NO.</td></tr></table>											有 YES	自然色 NATURAL	色 COLOR		501190-5017	50	501190-**19	501190-4017	40	501190-3017	30	501190-2017	20	COVER TAPE	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.	B																																
有 YES	自然色 NATURAL	色 COLOR																																																											
	501190-5017	50	501190-**19																																																										
	501190-4017	40																																																											
	501190-3017	30																																																											
	501190-2017	20																																																											
COVER TAPE	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	CKT.	CONNECTOR SERIES NO.																																																										
A	<table><tr><td rowspan="7">SEE SHEET 1 EC NO.: J2013-1460 DRWN:KASHIO 2013/06/12 CHKD:KASAKAWA 2013/06/12 APPR:NUKITA 2013/06/12</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>± 0.2</td><td>DRAWN BY NYOSHIDA</td><td>DATE 2004/12/17</td><td colspan="4" rowspan="2">TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) EMBTP PKG -LEAD FREE-</td></tr><tr><td>10 OVER 30 UNDER</td><td>± 0.25</td><td>CHECKED BY MYAGI</td><td>DATE 2004/12/17</td></tr><tr><td>30 OVER</td><td>± 0.3</td><td>APPROVED BY ANODA</td><td>DATE 2004/12/17</td><td colspan="4" rowspan="2">molex</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">DOCUMENT NO. SD-501190-004</td><td colspan="2">SHEET NO. 3 OF 3</td></tr><tr><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>											SEE SHEET 1 EC NO.: J2013-1460 DRWN:KASHIO 2013/06/12 CHKD:KASAKAWA 2013/06/12 APPR:NUKITA 2013/06/12	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2004/12/17	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) EMBTP PKG -LEAD FREE-				10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2004/12/17	30 OVER	± 0.3	APPROVED BY ANODA	DATE 2004/12/17	molex				ANGULAR ±3 °		MATERIAL NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		DOCUMENT NO. SD-501190-004		SHEET NO. 3 OF 3				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				A
SEE SHEET 1 EC NO.: J2013-1460 DRWN:KASHIO 2013/06/12 CHKD:KASAKAWA 2013/06/12 APPR:NUKITA 2013/06/12	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																						
	10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2004/12/17	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (2-ROW S/T) EMBTP PKG -LEAD FREE-																																																								
	10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2004/12/17																																																									
	30 OVER	± 0.3	APPROVED BY ANODA	DATE 2004/12/17	molex																																																								
	ANGULAR ±3 °		MATERIAL NO.																																																										
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		DOCUMENT NO. SD-501190-004		SHEET NO. 3 OF 3																																																						
			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																								
	10	9	8	7	6	5	4	3	2	1																																																			