



| LOC |  | DIST |  | REVISIONS |     |                         |           |     |      |
|-----|--|------|--|-----------|-----|-------------------------|-----------|-----|------|
| DW  |  |      |  | P         | LTR | DESCRIPTION             | DATE      | DWN | APVD |
|     |  |      |  |           | A   | RELEASED                | 25NOV2011 | T.K | H.K  |
|     |  |      |  |           | A1  | REVISED (ECR-12-003980) | 01MAR2012 | T.K | H.K  |
|     |  |      |  |           |     |                         |           |     |      |
|     |  |      |  |           |     |                         |           |     |      |


2129364-1, 1-2129364-1; AS SHOWN

- 1 MATERIAL:  
HOUSING: THERMO-PLASTIC(UL94V-0,BLACK).  
CONTACT: COPPER ALLOY.  
SHELL: STAINLESS STEEL.  
BRACKET: STAINLESS STEEL.  
2 FINISH:  
CONTACT: ALL OVER 2um MIN. Ni UNDER PLATING.  
0.254um MIN. Au PLATING ON CONTACT AREA.  
1~3um Tin PLATING ON TINE AREA.  
SHELL: ALL OVER 1.3um MIN. Ni UNDER PLATING (FOR 2129364-1, -2).  
ALL OVER 0.5um MIN. BLACK-Ni UNDER PLATING (FOR 1-2129364-1).  
3 DATE CODE




|          |         |             |
|----------|---------|-------------|
| BLACK-Ni |         | 1-2129364-1 |
| Ni       |         | 2129364-1   |
| FINISH   |         | PART NUMBER |
| 1        | BRACKET | ④           |
| 1        | SHELL   | ③           |
| 40       | CONTACT | ②           |
| 1        | HOUSING | ①           |
| Q'TY     | NAME    | ITEM        |

WITH BRACKET



VIEW A

|                                                                                                   |  |                                                                                                                                                                                    |  |                                                                                                                 |           |            |               |
|---------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------|-----------|------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                            |  | DWN<br>T. KUO<br>25NOV2011                                                                                                                                                         |  | <div>TE Connectivity</div> |           |            |               |
|                                                                                                   |  | CHK<br>V. PENG<br>25NOV2011                                                                                                                                                        |  |                                                                                                                 |           |            |               |
|                                                                                                   |  | APVD<br>H. KODAMA<br>25NOV2011                                                                                                                                                     |  |                                                                                                                 |           |            |               |
| DIMENSIONS:<br><br>mm                                                                             |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:                                                                                                                                          |  | NAME<br><br>RECEPTACLE ASSY, 0.6mm PITCH<br>CHAMP DOCKING CONNECTOR, 40POS<br><br>-                             |           |            |               |
|              |  | <br><div>0 PLC ±<br/>1 PLC ± ±0.25<br/>2 PLC ± ±3°<br/>3 PLC ±<br/>4 PLC ±<br/>ANGLES ±</div> |  |                                                                                                                 |           |            |               |
| MATERIAL<br> |  | FINISH<br>                                                                                    |  |                                                                                                                 |           |            |               |
|                                                                                                   |  | WEIGHT<br>1.08g                                                                                                                                                                    |  |                                                                                                                 |           |            |               |
| CUSTOMER DRAWING                                                                                  |  |                                                                                                                                                                                    |  | SIZE                                                                                                            | CAGE CODE | DRAWING NO | RESTRICTED TO |
|                                                                                                   |  |                                                                                                                                                                                    |  | A3                                                                                                              | 00779     | C-2129364  | -             |
|                                                                                                   |  |                                                                                                                                                                                    |  | SCALE                                                                                                           |           | SHEET      | REV           |
|                                                                                                   |  |                                                                                                                                                                                    |  | 5:1                                                                                                             |           | 1 OF 6     | A1            |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC  
DW


DIST  
-

REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |

2129364-2; AS SHOWN

WITHOUT BRACKET



|      |         |      |
|------|---------|------|
| 1    | SHELL   | ③    |
| 40   | CONTACT | ②    |
| 1    | HOUSING | ①    |
| Q'TY | NAME    | ITEM |



THIS DRAWING IS A CONTROLLED DOCUMENT.

|             |                                        |
|-------------|----------------------------------------|
| DIMENSIONS: | TOLERANCES UNLESS OTHERWISE SPECIFIED: |
| mm          | 0 PLC ±0.25                            |
|             | 1 PLC ±0.25                            |
|             | 2 PLC ±3°                              |
|             | 3 PLC ±                                |
|             | 4 PLC ±                                |
|             | ANGLES ±                               |
| MATERIAL    | FINISH                                 |

|                  |       |
|------------------|-------|
| DWN              | -     |
| CHK              | -     |
| APVD             | -     |
| PRODUCT SPEC     | -     |
| APPLICATION SPEC | -     |
| WEIGHT           | 0.83g |
| CUSTOMER DRAWING |       |

TE Connectivity

NAME  
RECEPTACLE ASSY, 0.6mm PITCH  
CHAMP DOCKING CONNECTOR, 40POS

|      |           |            |               |
|------|-----------|------------|---------------|
| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
| A3   | 00779     | C-2129364  | -             |

|       |       |    |     |
|-------|-------|----|-----|
| SCALE | SHEET | OF | REV |
| 5:1   | 2     | 6  | A1  |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

---

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

|     |
|-----|
| LOC |
| DW  |

|     | DIST |
|-----|------|
| 1   |      |
| 2   |      |
| 3   |      |
| 4   |      |
| 5   |      |
| 6   |      |
| 7   |      |
| 8   |      |
| 9   |      |
| 10  |      |
| 11  |      |
| 12  |      |
| 13  |      |
| 14  |      |
| 15  |      |
| 16  |      |
| 17  |      |
| 18  |      |
| 19  |      |
| 20  |      |
| 21  |      |
| 22  |      |
| 23  |      |
| 24  |      |
| 25  |      |
| 26  |      |
| 27  |      |
| 28  |      |
| 29  |      |
| 30  |      |
| 31  |      |
| 32  |      |
| 33  |      |
| 34  |      |
| 35  |      |
| 36  |      |
| 37  |      |
| 38  |      |
| 39  |      |
| 40  |      |
| 41  |      |
| 42  |      |
| 43  |      |
| 44  |      |
| 45  |      |
| 46  |      |
| 47  |      |
| 48  |      |
| 49  |      |
| 50  |      |
| 51  |      |
| 52  |      |
| 53  |      |
| 54  |      |
| 55  |      |
| 56  |      |
| 57  |      |
| 58  |      |
| 59  |      |
| 60  |      |
| 61  |      |
| 62  |      |
| 63  |      |
| 64  |      |
| 65  |      |
| 66  |      |
| 67  |      |
| 68  |      |
| 69  |      |
| 70  |      |
| 71  |      |
| 72  |      |
| 73  |      |
| 74  |      |
| 75  |      |
| 76  |      |
| 77  |      |
| 78  |      |
| 79  |      |
| 80  |      |
| 81  |      |
| 82  |      |
| 83  |      |
| 84  |      |
| 85  |      |
| 86  |      |
| 87  |      |
| 88  |      |
| 89  |      |
| 90  |      |
| 91  |      |
| 92  |      |
| 93  |      |
| 94  |      |
| 95  |      |
| 96  |      |
| 97  |      |
| 98  |      |
| 99  |      |
| 100 |      |

REVISIONS

P

|     |
|-----|
| LTR |
|-----|

| DESCRIPTION |
|-------------|
|-------------|

DATE \_\_\_\_\_

|  |     |
|--|-----|
|  | DWN |
|--|-----|


|      |
|------|
| APVD |
|------|

SEE SHEET 1


—

|  |  |
|--|--|
|  |  |
|  |  |

—



VIEW A  
2129364-2 IS SAME AS 2129364-1



SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

|  |     |
|--|-----|
|  | DWN |
|--|-----|

CHK

APV

PRODUCT SPEC

APPLICA

WEIGHT



## TE Connectivity

|     | NAME |
|-----|------|
| 1   |      |
| 2   |      |
| 3   |      |
| 4   |      |
| 5   |      |
| 6   |      |
| 7   |      |
| 8   |      |
| 9   |      |
| 10  |      |
| 11  |      |
| 12  |      |
| 13  |      |
| 14  |      |
| 15  |      |
| 16  |      |
| 17  |      |
| 18  |      |
| 19  |      |
| 20  |      |
| 21  |      |
| 22  |      |
| 23  |      |
| 24  |      |
| 25  |      |
| 26  |      |
| 27  |      |
| 28  |      |
| 29  |      |
| 30  |      |
| 31  |      |
| 32  |      |
| 33  |      |
| 34  |      |
| 35  |      |
| 36  |      |
| 37  |      |
| 38  |      |
| 39  |      |
| 40  |      |
| 41  |      |
| 42  |      |
| 43  |      |
| 44  |      |
| 45  |      |
| 46  |      |
| 47  |      |
| 48  |      |
| 49  |      |
| 50  |      |
| 51  |      |
| 52  |      |
| 53  |      |
| 54  |      |
| 55  |      |
| 56  |      |
| 57  |      |
| 58  |      |
| 59  |      |
| 60  |      |
| 61  |      |
| 62  |      |
| 63  |      |
| 64  |      |
| 65  |      |
| 66  |      |
| 67  |      |
| 68  |      |
| 69  |      |
| 70  |      |
| 71  |      |
| 72  |      |
| 73  |      |
| 74  |      |
| 75  |      |
| 76  |      |
| 77  |      |
| 78  |      |
| 79  |      |
| 80  |      |
| 81  |      |
| 82  |      |
| 83  |      |
| 84  |      |
| 85  |      |
| 86  |      |
| 87  |      |
| 88  |      |
| 89  |      |
| 90  |      |
| 91  |      |
| 92  |      |
| 93  |      |
| 94  |      |
| 95  |      |
| 96  |      |
| 97  |      |
| 98  |      |
| 99  |      |
| 100 |      |

RECEPTACLE ASSY, 0.6mm PITCH  
CHAMP DOCKING CONNECTOR, 40POS

|  |      |
|--|------|
|  | SIZE |
|--|------|

|           |
|-----------|
| CAGE CODE |
|-----------|

|   |            |
|---|------------|
| E | DRAWING NO |
|---|------------|

RESTRICTED TO

A 300779 C-2129364

SCALE 5 : 1

SHEET 3 OF 6

|     |     |
|-----|-----|
| REV | A 1 |
|-----|-----|




|     |      |           |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| 2   |      | 1         |     |             |      |     |      |
| LOC | DIST | REVISIONS |     |             |      |     |      |
| DW  |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      |           | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

D



C

B

A



6. PACKING MATERIAL:  
CARRY TAPE: PS; COLOR: BLACK.  
COVER TAPE: PET; COLOR: CLEAR.  
PEELING STRENGTH OF COVER TAPE: 0.2N~1.2N



|             |          |              |                |
|-------------|----------|--------------|----------------|
| 1-2129364-1 | 600      | 3            | 1800           |
| 2129364-1   | 600      | 3            | 1800           |
| P/N         | PCS/TAPE | REELS/CARTON | TOTAL QUANTITY |

|                                        |  |                  |   |                           |  |
|----------------------------------------|--|------------------|---|---------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN              | - | <b>TE</b> TE Connectivity |  |
|                                        |  | CHK              | - |                           |  |
| DIMENSIONS:                            |  | APVD             | - | NAME                      |  |
| mm                                     |  | PRODUCT SPEC     | - |                           |  |
|                                        |  | APPLICATION SPEC | - | SIZE                      |  |
|                                        |  | WEIGHT           | - |                           |  |
| MATERIAL                               |  | CUSTOMER DRAWING |   | SCALE                     |  |
|                                        |  |                  |   | FREE                      |  |
|                                        |  |                  |   | SHEET                     |  |
|                                        |  |                  |   | 5 OF 6                    |  |
|                                        |  |                  |   | REV                       |  |
|                                        |  |                  |   | A1                        |  |

D

C

B

A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC  
DW

DIST

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |

PE BAG

REEL

SHIPPING CARTON  
(352X349X228)

**TE**

TE Connectivity

RECEPTACLE ASSY, 0.6mm PITCH  
CHAMP DOCKING CONNECTOR, 40POS

SIZE  
A300779

CAGE CODE

DRAWING NO  
C-2129364





RESTRICTED TO

CUSTOMER DRAWING

SCALE  
FREE

SHEET  
6 OF 6

REV  
A1



AROUND THE OUTER PERIPHERY IN A TURN.  
WEEDING THE COVER TAPE

PEELING ANGLE: 165°~180°


TAPE

PULL OUT DIRECTION

WITH PRODUCT  
CHARGE


WITHOUT  
CHARGE  
(264mm)

WITHOUT CHARGE  
(408mm)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm



MATERIAL

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

0 PLC ±  
1 PLC ±0.5  
2 PLC ±3°  
3 PLC ±  
4 PLC ±  
ANGLES ±  
FINISH -

DWN  
CHK  
APVD  
PRODUCT SPEC  
APPLICATION SPEC  
WEIGHT