










FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEW 2010/04/29 CHKD: CTEH 2010/06/10 APPR: SHLENI 2010/06/13		QUALITY SYMBOLS
---	--	--





NOTE:
 1. KEEP OUT AREA IS THE AREA WHERE THE CONNECTOR (INCLUDING LATCH) IS MOUNTED ON THE PCB.

FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/29 CHKD: CTEH 2010/06/10 APPR: SHLENI 2010/06/13	DESCRIPTION	QUALITY SYMBOLS </
--	-------------	--



NOTES:
1. QTY OF CAVITY: 20 X 4 = 80 PCS

FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/29 CHKD: CTEH 2010/06/10 APPR: SHLENI 2010/06/13	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY YTYANG01	DATE 2006/08/11	TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL T/H				
			4 PLACES	± ---	± ---	CHECKED BY SHLENI	DATE 2006/09/07					
			3 PLACES	± ---	± ---	APPROVED BY SHLENI	DATE 2010/06/10					
			2 PLACES	± 0.2	± ---	molex MOLEX INCORPORATED						
			1 PLACE	± ---	± ---						DOCUMENT NO. SD-78079-001	
			ANGULAR ± 1 °			MATERIAL NO.		SHEET NO. 5 OF 8				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE									
A4	REV				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

	10	9	8	7	6	5	4	3	2	1																																																																															
F	<table><tr><th>ASSEMBLY PART NO.</th><th>VOLTAGE KEY</th><th>HOUSING COLOR</th><th>LATCH COLOR</th><th>DIM 'P'</th><th>RECOMMENDED PCB THICKNESS</th><th>PLATING OPTION</th><th>PRODUCT SPECIFICATION</th></tr><tr><td>78079-0001</td><td rowspan="18">CENTRE (1.5V)</td><td rowspan="18">BLACK</td><td rowspan="6">BLACK</td><td>2.67</td><td>1.57</td><td rowspan="3">0.38 MICROMETER/ 15 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE</td><td rowspan="3">PS-78079-001</td></tr><tr><td>78079-0003</td><td>3.00</td><td>2.18</td></tr><tr><td>78079-0002</td><td>3.18</td><td>2.36</td></tr><tr><td>78079-0011</td><td>2.67</td><td>1.57</td><td rowspan="3">0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE</td><td rowspan="3">PS-78079-002</td></tr><tr><td>78079-0013</td><td>3.00</td><td>2.18</td></tr><tr><td>78079-0012</td><td>3.18</td><td>2.36</td></tr><tr><td>78079-0021</td><td>2.67</td><td>1.57</td><td rowspan="3">0.076 MICROMETER/ 3 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE</td><td rowspan="3">PS-78079-003</td></tr><tr><td>78079-0023</td><td>3.00</td><td>2.18</td></tr><tr><td>78079-0022</td><td>3.18</td><td>2.36</td></tr><tr><td>78079-0051</td><td rowspan="8">NATURAL (OFFWHITE)</td><td>2.67</td><td>1.57</td><td rowspan="3">0.38 MICROMETER/ 15 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE</td><td rowspan="3">PS-78079-001</td></tr><tr><td>78079-0053</td><td>3.00</td><td>2.18</td></tr><tr><td>78079-0052</td><td>3.18</td><td>2.36</td></tr><tr><td>78079-0061</td><td>2.67</td><td>1.57</td><td rowspan="3">0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE</td><td rowspan="3">PS-78079-002</td></tr><tr><td>78079-0063</td><td>3.00</td><td>2.18</td></tr><tr><td>78079-0062</td><td>3.18</td><td>2.36</td></tr><tr><td>78079-0071</td><td>2.67</td><td>1.57</td><td rowspan="3">0.076 MICROMETER/ 3 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE</td><td rowspan="3">PS-78079-003</td></tr><tr><td>78079-0073</td><td>3.00</td><td>2.18</td></tr><tr><td>78079-0072</td><td>3.18</td><td>2.36</td></tr></table>										ASSEMBLY PART NO.	VOLTAGE KEY	HOUSING COLOR	LATCH COLOR	DIM 'P'	RECOMMENDED PCB THICKNESS	PLATING OPTION	PRODUCT SPECIFICATION	78079-0001	CENTRE (1.5V)	BLACK	BLACK	2.67	1.57	0.38 MICROMETER/ 15 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-001	78079-0003	3.00	2.18	78079-0002	3.18	2.36	78079-0011	2.67	1.57	0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-002	78079-0013	3.00	2.18	78079-0012	3.18	2.36	78079-0021	2.67	1.57	0.076 MICROMETER/ 3 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-003	78079-0023	3.00	2.18	78079-0022	3.18	2.36	78079-0051	NATURAL (OFFWHITE)	2.67	1.57	0.38 MICROMETER/ 15 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-001	78079-0053	3.00	2.18	78079-0052	3.18	2.36	78079-0061	2.67	1.57	0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-002	78079-0063	3.00	2.18	78079-0062	3.18	2.36	78079-0071	2.67	1.57	0.076 MICROMETER/ 3 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-003	78079-0073	3.00	2.18	78079-0072	3.18	2.36	F
ASSEMBLY PART NO.	VOLTAGE KEY	HOUSING COLOR	LATCH COLOR	DIM 'P'	RECOMMENDED PCB THICKNESS	PLATING OPTION	PRODUCT SPECIFICATION																																																																																		
78079-0001	CENTRE (1.5V)	BLACK	BLACK	2.67	1.57	0.38 MICROMETER/ 15 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-001																																																																																		
78079-0003				3.00	2.18																																																																																				
78079-0002				3.18	2.36																																																																																				
78079-0011				2.67	1.57	0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-002																																																																																		
78079-0013				3.00	2.18																																																																																				
78079-0012				3.18	2.36																																																																																				
78079-0021			2.67	1.57	0.076 MICROMETER/ 3 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-003																																																																																			
78079-0023			3.00	2.18																																																																																					
78079-0022			3.18	2.36																																																																																					
78079-0051			NATURAL (OFFWHITE)	2.67	1.57	0.38 MICROMETER/ 15 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-001																																																																																		
78079-0053				3.00	2.18																																																																																				
78079-0052				3.18	2.36																																																																																				
78079-0061				2.67	1.57	0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-002																																																																																		
78079-0063				3.00	2.18																																																																																				
78079-0062				3.18	2.36																																																																																				
78079-0071				2.67	1.57	0.076 MICROMETER/ 3 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE	PS-78079-003																																																																																		
78079-0073				3.00	2.18																																																																																				
78079-0072			3.18	2.36																																																																																					
E											E																																																																														
D											D																																																																														
C											C																																																																														
B											B																																																																														
A	<table><tr><td rowspan="10">FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/29 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13 A4</td><td rowspan="10">DESCRIPTION REV</td><td>QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ± 1 °</td></tr></table></td><td colspan="2">DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>YTYANG01</td><td>2006/08/11</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>SHLENI</td><td>2006/09/07</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SHLENI</td><td>2010/06/10</td></tr></table></td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td> THIRD ANGLE PROJECTION</td><td colspan="2">TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL T/H</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">MOLEX INCORPORATED</td><td>DOCUMENT NO. SD-78079-001</td><td>SHEET NO. 6 OF 8</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="2"></td></tr></table>										FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/29 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13 A4	DESCRIPTION REV	QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ± 1 °</td></tr></table>			mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	ANGULAR ± 1 °			DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>YTYANG01</td><td>2006/08/11</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>SHLENI</td><td>2006/09/07</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SHLENI</td><td>2010/06/10</td></tr></table>		DRAWN BY	DATE	YTYANG01	2006/08/11	CHECKED BY	DATE	SHLENI	2006/09/07	APPROVED BY	DATE	SHLENI	2010/06/10	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL T/H		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		MOLEX INCORPORATED		DOCUMENT NO. SD-78079-001	SHEET NO. 6 OF 8					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				A																				
FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/29 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13 A4	DESCRIPTION REV	QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ± 1 °</td></tr></table>			mm	INCH	4 PLACES	± ---	± ---			3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	ANGULAR ± 1 °			DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>YTYANG01</td><td>2006/08/11</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>SHLENI</td><td>2006/09/07</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>SHLENI</td><td>2010/06/10</td></tr></table>		DRAWN BY	DATE	YTYANG01	2006/08/11	CHECKED BY	DATE	SHLENI	2006/09/07	APPROVED BY	DATE	SHLENI	2010/06/10	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL T/H																																															
			mm	INCH																																																																																					
		4 PLACES	± ---	± ---																																																																																					
		3 PLACES	± ---	± ---																																																																																					
		2 PLACES	± 0.2	± ---																																																																																					
		1 PLACE	± ---	± ---																																																																																					
		ANGULAR ± 1 °																																																																																							
		DRAWN BY	DATE																																																																																						
		YTYANG01	2006/08/11																																																																																						
		CHECKED BY	DATE																																																																																						
SHLENI	2006/09/07																																																																																								
APPROVED BY	DATE																																																																																								
SHLENI	2010/06/10																																																																																								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		MOLEX INCORPORATED		DOCUMENT NO. SD-78079-001	SHEET NO. 6 OF 8																																																																																		
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																					
	10	9	8	7	6	5	4	3	2	1																																																																															

