









LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
			-	SEE SHEET 1	-	-



DTM04-12PA-L012
KEY -A-
COLOR: GREY

DTM04-12PB-L012
KEY -B-
COLOR: BLACK

DTM04-12PC-L012
KEY -C-
COLOR: GREEN

DTM04-12PD-L012
KEY -D-
COLOR: BROWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES[mm]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±.015 [0.38]

4 PLC ±

ANGLES ±0°30'0"

FINISH -

DWN A. MALAGON 21NOV2013

CHK BOB MILLIGAN 27OCT2014

APVD DAVID MEYER 27OCT2014

PRODUCT SPEC 0425-015-0000

APPLICATION SPEC 0425-015-0000

WEIGHT 23.25g

Customer Drawing

TE Connectivity

NAME RECPTACLE, 12 SIZE #20 CONTACTS
DTM SERIES
-L012 MOD

SIZE A3


CAGE CODE 4AFU8

DRAWING NO C=DTM04-12PX-L012


RESTRICTED TO -

SCALE 2:1 SHEET 2 OF 3 REV B


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
			-	SEE SHEET 1	-	-




FRONT PANEL



BACK PANEL



RECOMMENDED MOUNTING HOLE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. MALAGON 21NOV2013	 TE Connectivity						
DIMENSIONS: INCHES[mm]		CHK BOB MILLIGAN 27OCT2014							
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.015 [0.38] 4 PLC ± ANGLES ±0°30'0"	APVD DAVID MEYER 27OCT2014	NAME RECPTACLE, 12 SIZE #20 CONTACTS DTM SERIES -L012 MOD						
		PRODUCT SPEC 0425-015-0000	SIZE A3						
		APPLICATION SPEC 0425-015-0000							
MATERIAL 	FINISH -	WEIGHT 23.25g	CAGE CODE 4AFU8		DRAWING NO DTM04-12PX-L012		RESTRICTED TO -		
Customer Drawing						SCALE 2:1	SHEET 3	OF 3	REV B