



TABLE 1		
	COMPLIANT PIN DRILL $\varnothing.0217''$	COMPLIANT PIN DRILL $\varnothing.0177''$
PTH	$\varnothing.045 \pm 0.05$	$\varnothing.036 \pm 0.05$
DRILL	$\varnothing.055$ [.0217"]	$\varnothing.045$ [.0177"]
PAD	$\varnothing.085$	$\varnothing.075$

TOLERANCES		DESIGN 04/15/2010 T.D.O	Amphenol TCS A Division of Amphenol Corporation 200 Innovative Way, Nashua, NH 03062 603.879.3000	
0.0	±0.25	DRAWN 05/03/2010 HCL-MH		
0.00	±0.13	CHK 05/03/2010 T.D.O		
0.000	±	APVD 05/03/2010 T.D.O		
OTHERS	± 3°			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM. DECIMAL MARKER IS A PERIOD			TITLE BACKPLANE MODULE, VERTICAL MALE HEADER XCede HD, 3 PAIR, 8 POSITION PART NO. SEE PN TREE SHEET 1 REV A DRAWING NO. C-923-300E-500 REV H ASSEM C923-300E-500 1.1 DRAWING C923-300E-500 A.12	
CUSTOMER USE DRAWING			SIZE D SCALE 1/1 SHEET 8 OF 8	