







THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-

ALL RIGHTS RESERVED.




© COPYRIGHT - By -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

NOTES: (APPLIED TO CURRENT SHEET)


1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERRED TO THIS DRAWING.
2. GENERAL TOLERANCE: ± 0.5 , $\pm 3^\circ$
3. PACKAGED IN EMBOSS TAPE AND PLASTIC RELL 1200PCS PER REEL.



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± 0.30
1 PLC	± 0.30
2 PLC	± 0.20
3 PLC	± 0.10
4 PLC	$\pm -$
ANGLES	$\pm 3^\circ$

MATERIAL

FINISH

DWN 90CT2012

SIMON WU

CHK

SIMON LI

APVD

COREL WANG

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

M.2(NGFF)MINI CARD MOUNTING TYPE
0.50mm PITCH 67 POS 3.2mm H
DOUBLE SIDED MODULE

SIZE

A3 00779

CAGE CODE

DRAWING NO

C-2199119

RESTRICTED TO

-

SCALE

N/A

SHEET

4 OF 4

REV

D