Introducing the **Maglite®**

XL100®

LED FLASHLIGHT

Introducing the all new MAGLITE® XL100® LED Flashlight.
A revolutionary breakthrough in flashlight technology. Designed for optimum light output, the new MAGLITE® XL100® LED flashlight delivers user-friendly, performance oriented features in a sleek, tactical design. Engineered from the ground up, this advanced lighting instrument is driven by the next generation of MAG-LED® technology and includes the **Advanced Flashlight User Interface™**. The XL100® features a rear push-button tail cap switch coupled with five selectable modes, plus variable strobe rates, intensity level memory recall and lockout (prevents accidental operation). (see www.maglite.com/XL100_operation.asp)

5 Selectable Modes
NORMAL (on-off), STROBE, NITE LITE SIGNAL, & SOS
Plus: Lockout

NEW! Advanced Modes

1. **Normal Mode (on-off)**
Adjustable Brightness with Memory

2. **Strobe Mode**
Adjustable Strobe Rate

3. **Nite Lite Mode**

4. **Signal Mode**
On/Off with a Twist of the Wrist

5. **SOS Mode**
Signals International Morse Code Distress Signal for SOS

Plus: Lockout (prevents accidental operation)

HIGH
4484cd
134m
83 LUMENS
FL 1 STANDARD
1m
5h 15min
LOW
201h

Shown Actual Size (approx.)

MOTION CONTROL

Rotate Flashlight Left or Right to Vary Power Level and Strobe Rate.

NEW! Advanced Flashlight User Interface™

Colors subject to availability: Black, Red, Blue, and Gray

Blister Hang Pack

See Demo at www.maglite.com

Presentation Box

MAGLITE® XL100® LED 3-Cell AAA SPECIFICATIONS

Rugged, machined aluminum construction	
Anodized inside and out for improved corrosion resistance	
Water and Shock Resistant	
Sealed at both ends with high-grade rubber o-rings and lip seals	
• Overall Length:*	4.8"
• Barrel Diameter:*	1"
• Head Diameter:*	1"
• Weight without battery:*	59 grams / 2.08 ounces
• Weight with battery:*	104 grams / 3.68 ounces
• Batteries Required:	(3) AAA Size Alkaline (included)

* All specifications shown are approximate. For concept purposes only. May be different at shipment.

The package image is a mockup for illustrative purposes only. Package graphics are in development and subject to change.

New **MULTI-MODE**
Advanced Flashlight User Interface™

Introducing the **Maglite®**

XL100®

LED FLASHLIGHT

A revolutionary breakthrough in flashlight technology, the new **MAGLITE® XL100® LED** flashlight delivers user-friendly, performance oriented features in a sleek, tactical design. Engineered from the ground up, this advanced lighting instrument is driven by the next generation of MAG-LED® technology and includes the **Advanced Flashlight User Interface™**. The Maglite® XL100™ features a push-button tail cap switch coupled with five selectable modes, plus variable strobe rates, intensity level memory recall and lockout (prevents accidental operation). **Normal (On/Off)** - Variable brightness. **Strobe** - Variable strobe. **SOS** - Signals International Morse Code SOS. **Nite Lite™** - Automatically dims to lowest setting. **Signal** - User initiated signal on-off.

5 MODES

MOTION CONTROL

Rotate Flashlight Left or Right to Vary Power Level and Strobe Rate.

MAGLITE®
FLASHLIGHTS