








10 9 8 7 6 5 4 3 2 1



△ ジャケット  
JACKET




△ ジャケットカバー  
JACKET COVER



コネクタ接点部

適合FFC推奨寸法  
APPLICABLE FFC  
RECOMMENDED DIMENSION  
(仕上がり厚さ: コネクタ接点部  $0.3 \pm 0.03$ )





嵌合断面図

SEE SHEET 1 OF 2  
EC NO.: J2013-0731  
DRAWN: KUNAGINO 2012/08/02  
CHKD: TAKAHASHI 2012/08/03  
APPR: KNOB IKAWA 2013/01/07


| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |               |
|------------------------------------------------------------|---------------|
| 10 UNDER                                                   | $\pm 0.2$     |
| 10 OVER 30 UNDER                                           | $\pm 0.25$    |
| 30 OVER                                                    | $\pm 0.3$     |
| ANGULAR                                                    | $\pm 1^\circ$ |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |               |

| DIMENSION STYLE<br>MM ONLY |          |
|----------------------------|----------|
| DRAWN BY                   | DATE     |
| H. IJIMA                   | 06/01/13 |
| CHECKED BY                 | DATE     |
| K. TAKAHASHI               | 06/01/13 |
| APPROVED BY                | DATE     |
| H. HIRATA                  | 06/01/13 |
| MATERIAL NO.               |          |
| 501786-**21                |          |

| SCALE                                                                                                                            | DESIGN UNITS | THIRD ANGLE PROJECTION |
|----------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|
| <del>4:1</del>                                                                                                                   | METRIC       |                        |
| TITLE                                                                                                                            |              |                        |
| 0.5 FFC TO BOARD CONN<br>REC HSG ASSY(ST)                                                                                        |              |                        |
| molex                                                                                                                            |              |                        |
| DOCUMENT NO.                                                                                                                     |              | SHEET NO.              |
| SD-501786-004                                                                                                                    |              | 2 OF 2                 |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |              |                        |




DETAIL "F"




HUB

## NOTES

- 梱包数量：900 個ノリール  
NUMBER OF CONNECTORS:900 PCS/REEL
- リードテープ長さ  
LEAD TAPE LENGTH



- トップテープの剥離強度：0.1~1.27N(10~130gf)  
(剥離方向は下図参照)  
剥離速度：300mm/MIN.(参考)  
PEEL-OFF FORCE OF TOP TAPE：0.1~1.27N(10~130gf)  
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)



- 製品詳細寸法については図面 SD-501786-004を参照下さい。  
RE DETAILED DIMENSION, SEE SD-501786-004.
- 材料(MATERIAL)  
キャリアテープ(CARRIER TAPE)：ポリスチレン(POLYSTYRENE)  
トップテープ(TOP TAPE)：PET, PE, PE  
リール(REEL)：ポリスチレン(POLYSTYRENE)<リサイクル材を含む>  
<RECYCLE MATERIAL CONTAINED>

501786-\*\*80 MODEL NO.

DESIGN UNITS  
METRIC

THIRD ANGLE  
PROJECTION

EMBSTP PKG FOR  
0.5 FFC TO BOARD  
ST TYPE

**molex**

DIMENSION STYLE  
MM ONLY

DRAWN BY DATE  
H. IJIMA 06/01/17

CHECKED BY DATE  
K. TAKAHASHI 06/01/17

APPROVED BY DATE  
H. HIRATA 06/01/17

MATERIAL NO.

501786-\*\*80

SIZE  
A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX  
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE  
---

TITLE

DOCUMENT NO.

SD-501786-005

SHEET NO.

1 OF 2

| REVISED | EC NO.     | DATE       | DESCRIPTION                                     |
|---------|------------|------------|-------------------------------------------------|
| A       | J2013-0731 | 2013/01/07 | DRWN:KAGUMI<br>CHKD:TAKAHASHI<br>APPR:KMORIKAWA |

| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |       |   |
|------------------------------------------------------------|-------|---|
| 10 UNDER                                                   | ±0.2  |   |
| 10 OVER 30 UNDER                                           | ±0.25 |   |
| 30 OVER                                                    | ±0.3  |   |
| ANGULAR                                                    | ±3    | ° |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |       |   |

10

9

8

7

6


5

4



3

2

1

引き出し方向  
PULL OUT DIRECTION

SECT. Y-Y



SECT. X-X

|                                |      |      |      |      |       |      |                      |           |
|--------------------------------|------|------|------|------|-------|------|----------------------|-----------|
| 56                             | 56.0 | 52.4 | 26.2 | 57.4 | 25.68 | 33.3 | 501786-5080          | 50        |
| 44                             | 44.0 | 40.4 | 20.2 | 45.4 | 20.68 | 28.3 | 501786-4080          | 40        |
|                                |      |      |      |      | 15.68 | 23.3 | 501786-3080          | 30        |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | F    | E    | D    | C    | B     | A    | 製品番号<br>MATERIAL NO. | 極数<br>CKT |

SEE SHEET 1 OF 2  
EC NO.: J2013-0731  
DRAWN: K. NAGUMO 2012/08/02  
CHKD: K. TAKAHASHI 2012/08/03  
APPR: K. MORIKAWA 2013/01/07

| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |        |
|------------------------------------------------------------|--------|
| 10 UNDER                                                   | ± 0.2  |
| 10 OVER 30 UNDER                                           | ± 0.25 |
| 30 OVER                                                    | ± 0.3  |
| ANGULAR                                                    | ± 3 °  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |        |

| DIMENSION STYLE<br>MM ONLY  |          |
|-----------------------------|----------|
| DRAWN BY                    | DATE     |
| H. IJIMA                    | 06/01/17 |
| CHECKED BY                  | DATE     |
| K. TAKAHASHI                | 06/01/17 |
| APPROVED BY                 | DATE     |
| H. HIRATA                   | 06/01/17 |
| MATERIAL NO.<br>501786-**80 |          |
| SIZE                        | A3       |

|                                                                                                                                  |                        |                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| SCALE<br>---                                                                                                                     | DESIGN UNITS<br>METRIC |  THIRD ANGLE<br>PROJECTION |
| TITLE<br>EMBSTP PKG FOR<br>0.5 FFC TO BOARD<br>ST TYPE                                                                           |                        |                                                                                                                 |
|                                             |                        |                                                                                                                 |
| DOCUMENT NO.<br>SD-501786-005                                                                                                    |                        | SHEET NO.<br>2 OF 2                                                                                             |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                        |                                                                                                                 |