









UPDATE REVISION EC NO: S2005-0714 2005/10/19 DRWN:KSEE CHKD:BLW 2005/10/19 APPR:PTLIM 2005/11/05 D2		REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
				▽=0			DRAWN BY JWAN		DATE 1992/02/25	TITLE SALES DRAWING MGRID, 2MM DUAL ROW HDR. SIDE ENTRY RECEPT., T/H			
				▽C=0			CHECKED BY MLAI		DATE 1992/02/25				
						APPROVED BY RWONG		DATE 1992/02/25	MOLEX MOLEX INCORPORATED				
				ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-87264-**50		2 OF 3					
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

10

9

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C

C

B


B

A

A



PART NUMBER 0.38um GOLD PLATING $\triangle_2$ (IN TAPE/REEL)	PART NUMBER 0.76um GOLD PLATING $\triangle_2$ (IN TAPE/REEL)
87264-085*	87264-085*

CKT SIZE	DIM W	DIM F	DIM Bo
8	24.00	11.50	8.80



NOTES:

1. LEADER AND TRAILER TAPE

160MIN.
TOP TAPE
TRAILER2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)

3. PACKAGING STANDARD IS AS PER EIA-481.

4. TAPE & REEL QUANTITY = 600PCS/REEL

ADD LEADER & TRAILER EC NO: S2005-0714 2005/10/19 DRWN:SEE CHKD:BLW 2005/10/19 APPR:PTLIM 2005/11/05	DESCRIPTION REV
D2	

QUALITY SYMBOLS
$\nabla=0$
$\triangle=0$

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.2	± ---
1 PLACE	± ---	± ---
ANGULAR ± 3 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
JWAN	1992/02/25
CHECKED BY	DATE
MLAI	1992/02/25
APPROVED BY	DATE
RWONG	1992/02/25
MATERIAL NO.	
SEE TABLE	
SIZE	THIS DRAWING CONT
A3	INCORPORATED AND

SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
TITLE SALES DRAWING MGRID, 2MM DUAL ROW HDR. SIDE ENTRY RECEPT., T/H		
 MOLEX INCORPORATED		
DOCUMENT NO. SD-87264-**-50		SHEET NO. 3 OF 3
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		