

UNICASE

[Home Page](#)
[E-Mail Us](#)
[Catalogue PDF](#)
[Get a Catalogue](#)
[Get a Drawing](#)
[Get a Price](#)
[Get a Quote](#)
[Customising](#)
[IP Ratings](#)
[Colour Chart](#)
[Ordering Info](#)
[Order Form](#)
[Distributors](#)
 **01489 583858**
 **01489 583836**

FEATURES:

- Aluminium instrument enclosures
- Robust and versatile design
- Six standard models and four slimline models
- Simple and fast assembly
- Removable internal chassis
- PBC guide rails in the assembly extrusions
- Aluminium front and rear panels included
- Front panels recessed to protect controls
- Four push-in non-slip rubber feet included

MATERIAL:

- Aluminium

PROTECTION CLASS:

- IP 40 (Not rated)

FINISH:

- Powder epoxy polyester paint

STANDARD COLOURS:

- Light grey, RAL 7035

SUPPLY:

1. Top cover
2. Base cover
3. Assembly profile (x2)
4. Anodised aluminium front panel (x2)
5. Rubber foot (x4)
6. M3 x 8 mm (x16)

APPLICATIONS:

- Simple universal enclosures for measuring and control technology, feedback control, peripheral devices and interfaces, switchboxes, modems, medical field and laboratory technology.

 [Assembly Instructions](#)
 [Printable Page](#)



Standard Models



Slimline Models




Internal Chassis




Fast Assembly




Recessed Front Panel








Part No. Slimline Models		Part No. Standard Models	Description	H	W	D	Drawings	
M5511110	£		UNICASE SL1	50	130	180	PDF	DWG
M5512110	£		UNICASE SL2	50	185	250	PDF	
M5513110	£		UNICASE SL3	50	250	250	PDF	
M5514110	£		UNICASE SL4	50	250	300	PDF	
		M5501110	£ UNICASE 1	65	185	180	PDF	
		M5502110	£ UNICASE 2	90	260	250	PDF	
		M5503110	£ UNICASE 3	110	350	250	PDF	
		M5504110	£ UNICASE 4	134.5	261	300	PDF	
		M5505110	£ UNICASE 5	134.5	367	300	PDF	
		M5506110	£ UNICASE 6	134.5	474	300	PDF	



Customising

Tel: 01489 583858 Last Updated: 31-Oct-2007 ©METcase™ UK. All rights reserved.

Note: Subject to technical modifications without prior notice. Typographical and other errors do not justify any claim for damages. All dimensions should be verified using the actual case.



Modifications	lss
	1

Tolerances unless otherwise stated:		Required finish	
General tolerances ±0.20	Resultant tolerances between hole centers ±0.15	Scale 1:2	ALL DIMENSIONS IN MILLIMETRES (Inches in brackets)
Tolerances on hole diameters ±0.05		Drawn by Ian Cox	Checked By
Angles ± 0.5°		Drawing Number	
Surface finish 32/		M5513110	Date drawn November '05
		Material Spec.	
		DO NOT SCALE	

METcase		METCASE ENCLOSURES		Part Name
Unit 3, Mitchell Close		Segensworth East, Fareham, Hampshire, PO15 5SE, UK.		UNICASE SL3
www.metcase.com		Part Number	M5513110	
		Sheet 1 of 1		

©OWN ENCLOSURES LTD DATE AS SHOWN. THIS DRAWING CONTAINS PROPERLY IDENTIFIED INFORMATION OF OWN ENCLOSURES LTD AND IS TENDERED SUBJECT TO THE FOLLOWING CONDITIONS: THE INFORMATION IS RETAINED IN CONFIDENCE, NOT BE REPRODUCED OR COPIED, AND NOT BE USED OR INCORPORATED IN ANY PRODUCT, UNLESS PERMISSION IS OBTAINED IN WRITING FROM OWN ENCLOSURES LTD

A3