


VEK-F-30470-000

SHT 1.1

RED CONTROLLED

WIRE COLOUR				WEIGHT GRAMS
POSITIVE	OUTPUT	NEGATIVE	GROUND	
RED	YELLOW	BLUE	GREEN	---


DIMENSIONS IN MILLIMETERS [INCHES]

KNOWLES ELECTRONICS
 ITASCA, ILLINOIS U.S.A.

Revision	C.O. #	Implementation Date	RELEASE LEVEL	REVISION
			Active	D
D	C40101206	3-7-13		
SCALE: 2:1			DR. BY TT	DATE 8-27-08
DO NOT SCALE DRAWING			CK. BY GJP	DATE 9-11-08
WATERPROOF MICROPHONE & CABLE			VEK-F-30470-000	
OUTLINE DRAWING			SHT 1.1	
			APP. BY GJP	DATE 9-11-08

KE111ASIZE.FRM

Rev: B




RED CONTROLLED

FREQUSNY	SENSITIVITY			DEVICE CONFORMITY	
	MIN.	NOM.	MAX.	RANGE OF DEVIATION FROM 1KHz	
100	---	-74.0	---	-4.0	+2.0
1000	-70.0	-73.0	-76.0	0.0	0.0
10000	---	-65.0	---	+3.0	+13.0

NOTES:

- MICROPHONE TO BE FUNCTION WITH 10 VDC SUPPLY.
- SENSITIVITY VALUES INDICATED ON THIS SPECIFICATION ARE VALID AT 50% HUMIDITY.
- TEST CONDITIONS:
SEAL PRODUCT TO 74 dBSPL SWEPT
SOUND FIELD CREATED BY VOICE APERTURE.
ARTIFICIAL VOICE:
B & k 4227 MOUTH SIMULATOR.
- FOR MICROPHONE CAPSULE SPEC. SEE DRAWING EK-26899-P58 SHEET 2.1.
- SURVIVES SUBMERSION IN 1m OF WATER FOR 30 MINUTES;
SENSITIVITY WITHIN 3dB OF INITIAL SENSITIVITY AFTER DRIED
FOR 30 MINUTES AT ROOM TEMPERATURE.
- CONNECT SHIELD WIRE TO NEGATIVE WIRE FOR TEST.




KNOWLES ELECTRONICS
ITASCA, ILLINOIS U.S.A.

Revision	C.O. #	Implementation Date	RELEASE LEVEL		REVISION
			Active		D
D	C40101206	3-7-13			
WHEN TEST LIMITS ARE USED TO ESTABLISH INCOMING INSPECTION ACCEPTANCE/REJECTION CRITERIA, CORRELATION OF TEST EQUIPMENT WITH KNOWLES IS ALSO REQUIRED FOR ELIMINATION OF EQUIPMENT AND TEST METHOD VARIATION			DR. BY	DATE	
			TT	8-27-08	
TITLE: WATERPROOF MICROPHONE&CABLE			CK. BY	DATE	
			GJP	9-11-08	
PERFORMANCE SPECIFICATION			APP. BY	DATE	
			GJP	9-11-08	

VEK-F-30470-000
SHT 2.1

PROPRIETARY NOTE: THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF KNOWLES ELECTRONICS, LLC. OR ITS AFFILIATED ENTITIES. IT IS ISSUED FOR THE EXCLUSIVE USE OF THE RECIPIENT AND IS NOT TO BE REPRODUCED OR COPIED TO ANY THIRD PARTY PARTIALLY OR WHOLLY IN ANY MANNER WITHOUT PRIOR WRITTEN PERMISSION OF, AND MUST BE RETURNED UPON REQUEST BY, KNOWLES ELECTRONICS, LLC.

VEK-F-30470-000



NOTES:

1. ITEM NUMBERS (SHOWN THUS ) ON DRAWING CORRESPOND WITH ITEM NUMBERS ON BILL OF MATERIAL.
2. ATTACH ITEM  TO ITEM  USING CEMENT ITEM .
3. WATERPROOF SEAL BETWEEN ITEMS  &  WITH CEMENT (ITEM ).
4. SEAL WHOLE CAVITY WITH ITEM . INCLUDE SURFACE OF MICROPHONE ELEMENT AND TERMINAL STRIP.
5. TERMINAL PAD SHOULD NOT OVERLAP THE EDGE OF MICROPHONE ELEMENT, PLACE TERMINAL PAD IN LOCATION PICTURED.
6. SLOTS NEED TO BE BLOCKED WITH A 6% CEMENT TO KEEP THE THIN CEMENT FROM FLOWING OUT OF THE POCKET.
7. GREEN WIRE RUN ABOVE THE BLUE WIRE.

RED CONTROLLED

DIMENSIONS IN MILLIMETERS [INCHES]

MATERIAL . . .				FINISH . . .		RELEASE LEVEL	REVISION
REF.	10-1111	A	C10107758	UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES	THIRD ANGLE PROJECTION	Active	D
B	C10107779	MODIFIED SHEET 1.1&2.1	MODIFIED ITEM 13	KNOWLES ELECTRONICS		SCALE: 3:1	DO NOT SCALE DRAWING
C	C40100469	SEE SHEET 2.1 & 4.1	00 10-14-10	ITASCA, ILLINOIS U.S.A.		DR. BY	DATE
D	C40101206	UPDATE THE REVISION	00 3-7-13	TITLE		GJP	8-27-08
				WATERPROOF MICROPHONE & CABLE ASSEMBLY		CH. BY	DATE
				VEK-F-30470-000		GJP	9-11-08
				SHEET 3.1		APP. BY	DATE
						GJP	9-11-08

KEY: 1. SIZE, FROM REV: B

VEK-F-30470-000		KNOWLES ELECTRONICS		VEK-F-30470-000		
Sheet 4.1		ITASCA, ILLINOIS U.S.A.		Sheet 4.1		
By TT 8-27-08 Ch. GJP 9-11-08 App. GJP 9-11-08		Subject: WATERPROOF MICROPHONE & CABLE ASSEMBLY		Revision D		
				Release Level		
				Active		
COL. 1		2	3	4	Item No.	Line No.
Part or Dwg. no.		Tot. Req.	Nomenclature:	Applicable Specs or Remarks		
VEK-001		1	HOUSING		1	1
EK-26899-P58		1	MICROPHONE & CABLE ASSEMBLY		2	2
FB-234		1	MEMBRANE		3	3
FB-223		1	SCREEN DISC		4	4
BC-097		1	TAB		5	5
13-092-120103		A/R	CEMENT		6	6
13-092-120101		A/R	CEMENT		7	7
285-007-001		A/R	SOLDER LEAD FREE		8	8
VEK-008-006		A/R	WIRE RED		9	9
VEK-008-007		A/R	WIRE YELLOW		10	10
VEK-008-008		A/R	WIRE BLUE		11	11
VEK-008-009		A/R	WIRE GREEN		12	12
13-724		1	ADHESIVE		13	13

RED CONTROLLED

REVISION	
A	c.o. C10107758
B	c.o. c10107779
MODIFIED SHEET 1.1	
82.1	
ADDED ITEM 13	
TT 8-27-08	
C	c.o. C40100469
13-092-120103	
WAS	
13-092-1213	
00 10-14-10	
D	c.o. C40101206
FB-234 WAS FB-038	
00 3-7-13	

VEK-F-30470-000
Sheet 4.1

PROPRIETARY NOTE: THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF KNOWLES ELECTRONICS, LLC. OR ITS AFFILIATED ENTITIES. IT IS ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, USED, OR DISCLOSED TO ANY THIRD PARTY PARTIALLY OR WHOLLY IN ANY MANNER WITHOUT PRIOR WRITTEN PERMISSION OF, AND MUST BE RETURNED UPON REQUEST BY, KNOWLES ELECTRONICS, LLC.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Knowles:

[VEK-F-30470-000](#)