







NOTES:

1. MATERIAL:

OPTION 1: PA4T, 30% GLASS FILLED, 94V-0, BLACK

OPTION 2: PA4T, 30 GLASS FILLED, 94V-0, NATUAL.

2. PRODUCT SPECIFICATION: PS-105300-100.

3. PACKAGE SPECIFICATION: PK-105307-100.

4. THE COMPONENT COMPLIANT TO RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EC.


5. TO MATE WITH TERMINAL OF 105300-****.

TO MATE WITH TPA OF 105325-****.



TO MATE WITH HEADER OF 105309-****, 105311-**** AND 105313-****.

6. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



7. APPLICATION SPECIFICATION: AS-105300-100.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
QUALITY SYMBOLS		2017/03/29 2017/05/15 EC NO: 115635 DRWN: GLLI CHK'D: AYIN REV APPR: AYIN		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® RECEPTACLE OF NANO-FIT, S/R, TPA POWER CONNECTOR	
 = 0	MM					3:1					
 = 0	DRWN BY GLLI DATE 2014/08/13										
 = 0	ANGULAR TOL ± 3.0 °			CHK'D BY DATE		PRODUCT CUSTOMER DRAWING					
 = 0	4 PLACES ±										
 = 0	3 PLACES ±										
 = 0	2 PLACES ± 0.2			APPR BY AYIN DATE 2015/04/08		SERIES 105307 MATERIAL NUMBER SEE SHEET 4 CUSTOMER GENERAL MARKET					
 = 0	1 PLACE ± 0.3										
 = 0	0 PLACES ±										
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE A3		THIRD ANGLE PROJECTION		DOCUMENT NUMBER SD-105307-100		DOC TYPE PSD		
= 0	C		REV				DOC PART 000		SHEET NUMBER 1 OF 4		

RELEASE STATUS	P1	RELEASE DATE	15.05.2017	07:01:05
----------------	----	--------------	------------	----------




BLACK



NATURAL

COLOR OPTION

QUALITY SYMBOLS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
= 0	2017/03/29 2017/05/15 EC NO: 115635 DRWN: GLLI CHK'D: REV APPR: AYIN	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.2 1 PLACE ± 0.3 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION UNITS		SCALE		 RECEPTACLE OF NANO-FIT, S/R, TPA POWER CONNECTOR							
= 0			MM		3:1									
= 0			DRWN BY		DATE									
= 0					GLLI		2014/08/13		PRODUCT CUSTOMER DRAWING					
= 0					CHK'D BY		DATE							
= 0					APPR BY		DATE							
= 0					AYIN		2015/04/08		SERIES 105307 MATERIAL NUMBER SEE SHEET 4 CUSTOMER GENERAL MARKET					
= 0					DRAWING SIZE		THIRD ANGLE PROJECTION							
			A3											
						DOCUMENT NUMBER SD-105307-100			DOC TYPE PSD		DOC PART 000		SHEET NUMBER 2 OF 4	



QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	= 0	EC NO: 115635 DRWN: GLLI CHK'D: REV	2017/03/29 2017/05/15 AYIN	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® RECEPTACLE OF NANO-FIT, S/R, TPA POWER CONNECTOR PRODUCT CUSTOMER DRAWING						
	= 0					MM		3:1								
	= 0					DRWN BY		DATE								
	= 0			ANGULAR TOL ± 3.0 °		GLLI		2014/08/13								
	= 0			4 PLACES ±		CHK'D BY		DATE								
	= 0			3 PLACES ±		APPR BY		DATE		SERIES 105307 DOCUMENT NUMBER SD-105307-100				MATERIAL NUMBER SEE SHEET 4 DOC TYPE PSD	CUSTOMER GENERAL MARKET DOC PART 000	SHEET NUMBER 3 OF 4
	= 0			2 PLACES ± 0.2		AYIN		2015/04/08								
	= 0	1 PLACE ± 0.3		DRAWING SIZE		THIRD ANGLE PROJECTION										
	= 0	0 PLACES ±		A3												
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS														

