




NOTES:


1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

SCALE 1:1

NOTES:

1. BODY MATERIAL : PBTB PLASTIC
2. TERMINAL MATERIAL : PHOSPOR BRONZE



mat'l. code				surface		tolerance		projection		product family			
SEE NOTES				ISO 1302		ISO 406		ISO 1101		DIN			
ltr	ecn no	dr	date	tolerances unless otherwise specified		angles		linear		title			
A	F10721	DLE	2001-12-04							CONNECTOR DIN			
B	F040155	DLE	2004-03-18							3x32 POS.			
C	I05-0066	MINI	2005-04-28							scale 2:1			
D	I05-0123	MINI	2005-07-27	dr		D.LEGRAND		2004-12-01		dwg no		sheet 1 of 5	
E	I06-0082	MINI	2006-06-01	enr		D.LEGRAND		2004-03-18		72902		A3	
F	I10-0066	KR	2010-03-08	chr		KESAVAN.R		2010-03-08		type		Product Customer Drawing	
				appd		KESAVAN.R		2010-03-08					
sheet	revision	F	D	D	D	D	D						
index	sheet	1	2	3	4	5							



Copyright FCI

NOTES:
SLOT PROVIDED ON THE MATING SIDE IN FIGURE 4 IS OPTIONAL

NOTES:
1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

mat'l. code				surface		tolerance		projection		product family									
-				ISO 1302		ISO 406 ISO 1101				DIN									
ltr	ecn no	dr	date	tolerances unless		otherwise specified				title CONNECTOR DIN 3x32 POS.									
A	F10721	DLE	2001-12-04	angles		linear													
B	I05-0066	MINI	2004-26-05																
C	I05-0123	MINI	2005-07-27					scale 2:1											
D	I06-0082	MINI	2006-06-01	dr	D.LEGRAND		2001-12-04				dwg no				sheet 2 of 5		size		
				enr	J.F.NOTTEAU		2001-12-04				72902				A3				
				chr	RAKHEE GEORGE		2006-06-01												
				appd	RAKHEE GEORGE		2006-06-01												
sheet index		revision sheet																	

[illegible]

NOTES:

1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

[illegible]

PRODUCT NUMBER	CUSTOMER P/N	PIN LOADED IN POSITION																																DIM "L" ±0.5 If no spec	REMARKS	PLATING	COMMENT
		1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31																				
		2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32																				
72902-252	RNV 301 204	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	13.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-252LF		B																																			
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
72902-253	RNV 301 403	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	13.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-253LF		B																																			
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
72902-254	RNV 301 305	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	13.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-254LF		B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
72902-255	RNV 301 503	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	13.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-255LF		B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
72902-262	RNV 301 202/2	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	7.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-262LF		B																																			
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
72902-263	RNV 301 401/2	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	7.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-263LF		B																																			
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
72902-264	RNV 301 302/2	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	7.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-264LF		B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
72902-265	RNV 301 501/2	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	7.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-265LF		B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
72902-272	RNV 301 202/3	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	3.3 ⁰ _{-0.6}	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-272LF		B																																			
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
72902-274	RNV 301 302/3	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	3.3 ⁰ _{-0.6}	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER	OBSOLETE		
		B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X								
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X								
72902-275	RNV 301 501/3	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	3.3 ⁰ _{-0.6}	FIG 3	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER			
72902-275LF		B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X								
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X								
72902-279	RNV 301 501/4	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	3.3 ⁰ _{-0.6}	FIG 3	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER	OBSOLETE			
		B	X			X			X			X			X			X			X			X			X										
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X								

mat'l. code				surface				tolerance				projection				product family																									
-				ISO 1302				ISO 406				ISO 1101								DIN																					
ltr		ecn no		dr		date		tolerances unless otherwise specified																title																	
A		F10721		DLE		2001-12-04		angles				linear				mm																									
B		F040155		DLE		2004-03-18										scale 2:1				CONNECTOR DIN 3x32 POS.																					
C		I05-0123		MINI		2005-07-27																																			
D		I06-0082		MINI		2006-06-01		dr		D.LEGRAND				2001-12-04								dwg no												sheet 4 of 5				siz			
								enr		J.F.NOTTEAU				2001-12-04																											
								chr		RAKHEE GEORGE				2006-06-01								72902																			
								appd		RAKHEE GEORGE				2006-06-01																											
sheet index		revision																																							
sheet																																									

NOTES:

1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.
2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

1

2

3

4

5

6

PRODUCT NUMBER

CUSTOMER P/N

PIN LOADED IN POSITION

1	3	5	7	9	11	13	15	17	19	21	23	25	27	29	31
2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32

DIM "L" ±0.5
If no spec

REMARKS

PLATING

72902-282	RNV 301 701	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X		3.3 ⁰ _{-0.6}	FIG 1	CONTACT AREA: 2µm Au. TERMINATION: LEADED PRODUCTS- SnPb 6-10µm, LEAD FREE PRODUCTS- Sn (MATTE TIN), Ni ALL OVER.
72902-282LF		B																		
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
72902-284	RNV 301 702	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X		3.3 ⁰ _{-0.6}	FIG 1	CONTACT AREA: 2µm Au. TERMINATION: LEADED PRODUCTS- SnPb 6-10µm, LEAD FREE PRODUCTS- Sn (MATTE TIN), Ni ALL OVER.
72902-284LF		B	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
		C	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
72902-296	102 2056	A			X											X		5	FIG 2	CONTACT AREA: 2µm Au. TERMINATION: LEADED PRODUCTS- SnPb 6-10µm, LEAD FREE PRODUCTS- Sn (MATTE TIN), Ni ALL OVER.
72902-296LF		B																		
		C			X										X					
72902-354LF		A	X	X	X	X	X	X	X	X	X	X	X	X	X	X		13.5	FIG 1	CONTACT AREA: 2µm Au TERMINATION: GOLD FLASH Ni ALL OVER
	B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
	C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				

FCI

FCIconnect.com

NOTES:

1. LEAD FREE OR RoHS DIRECTIVE LABELING TO BE PROVIDED AS PER GS-14-920 FOR LF PRODUCTS.

2. THE "LF" PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

mat'l. code				surface		tolerance		projection		product family					
-				ISO 1302		ISO 406 ISO 1101				DIN					
ltr ecn no dr date				tolerances unless otherwise specified				mm		title					
A F10721 DLE 2001-12-04				angles linear				scale 2:1		CONNECTOR DIN 3x32 POS.					
B I05-0123 MINI 2005-07-27															
C I06-0082 MINI 2006-06-01															
D I10-0066 KR 2010-03-08				dr		D.LEGRAND 2001-12-04				dwg no		sheet 5 of 5		size	
				enr		J.F.NOTTEAU 2001-12-04				72902		A3			
				chr		KESAVAN.R 2010-03-08									
				appd		KESAVAN.R 2010-03-08									
sheet index		revision sheet													

form: A3

1

2

3

4

5

6

Copyright FCI

PDM: Rev:F

STATUS: Released

Printed: May 14, 2011