



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	C	REVISED PER ECR-13-003575	26FEB13	IT	SY
	D	REVISED PER ECO-16-014598	24NOV16	B.J	S.Y

D


C

B

A




DETAIL E
(SCALE 2:1)




SECT. F-F
(SCALE 2:1)
ROTATED 90° CW

NO	3	18	75	440	9-1827231-6
NO	3	18	75	440	3-1827231-6
SEALANT	ROW	QTY	A	POS.	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.CHIEN	18MAY05	 TE Connectivity		
		CHK T.FUTATSUGI	18MAY05			
DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W.KODAMA	18MAY05	NAME		
	0 PLC ± 0.3	PRODUCT SPEC	HARD TRAY ASSY FH 0.5BTB CONNECTOR 440POS REC 4H W/G-PLATE ON 2 ROW CAP			
	1 PLC ± 0.3	108-5560				
	2 PLC ± 0.3	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO			
	3 PLC ± 0.3					A3 00779 C-1827231 —
	4 PLC ± 0.3					
	ANGLES ± 3°					
MATERIAL	FINISH	WEIGHT				
CUSTOMER DRAWING			SCALE 1:2	SHEET 1 OF 4	REV D	


1470-19 (1/15)

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—



REFERENCE P.C.BOARD LAYOUT

59.5	440	9-1827231-6
59.5	440	3-1827231-6
H	POS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		 TE Connectivity	
DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN — CHK — APVD — PRODUCT SPEC — APPLICATION SPEC — WEIGHT —	NAME HARD TRAY ASSY FH 0.5BTB CONNECTOR 440POS REC 4H W/G-PLATE ON 2 ROW CAP
	0 PLC ± 0.3 1 PLC ± 0.3 2 PLC ± 0.3 3 PLC ± 0.3 4 PLC ± 0.3 ANGLES ± 3°	SIZE A3	CAGE CODE 00779
MATERIAL	FINISH	DRAWING NO C-1827231	RESTRICTED TO 
		CUSTOMER DRAWING	
		SCALE 4:1	SHEET 4 OF 4
		REV D	